

Coefficients of Conservatism Values and the Floristic Quality Index for the Vascular Plants of South Florida

Author(s): Steve Mortellaro, Mike Barry, George Gann, John Zahina, Sally Channon, Charles Hilsenbeck, Douglas Scofield, George Wilder, and Gerould Wilhelm

Source: Southeastern Naturalist, 11(3):1-62. 2012.

Published By: Eagle Hill Institute

DOI: <http://dx.doi.org/10.1656/058.011.m301>

URL: <http://www.bioone.org/doi/full/10.1656/058.011.m301>

BioOne (www.bioone.org) is a nonprofit, online aggregation of core research in the biological, ecological, and environmental sciences. BioOne provides a sustainable online platform for over 170 journals and books published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Web site, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/page/terms_of_use.

Usage of BioOne content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

Coefficients of Conservatism Values and the Floristic Quality Index for the Vascular Plants of South Florida

Steve Mortellaro^{1,*}, Mike Barry^{2,3}, George Gann⁴, John Zahina⁵,
Sally Channon⁶, Charles Hilsenbeck⁷, Douglas Scofield⁸, George Wilder⁹,
and Gerould Wilhelm¹⁰

Abstract - Since pre-European settlement, major alterations to the native landscape have been made, due largely to urban and agricultural developments. In south Florida, these activities have caused extensive degradation to native plant communities leaving remnant native lands. Therefore, the floristic quality of these native lands is changing, and a tool to assess their quality is needed. Assignment of coefficient of conservatism (C) values (ranging from 0 to 10) to each native plant within south Florida allows for the use of the floristic quality index (FQI), a tool to assess the quality of natural or remnant native plant communities. The coefficient of conservatism concept is based on two factors: 1) plants have various degrees of fidelity to specific habitats and their quality, and 2) plants have varying tolerances to disturbances and respond in various degrees. The establishment of C values and the use of the FQI eliminate subjectivity and provide a standardized method to evaluate the floristic condition of a site, which allows for comparisons between different sites and monitoring of sites over time. Non-native plants are not assigned conservatism coefficients values because they did not evolve in the native landscape. In south Florida (Florida Keys excluded), there are approximately 2226 plants, of which 64% (1434) are considered native and 36% (792) are considered non-native. Of the 1434 plants examined, only 94 native plants remained unranked, because the team did not have enough experience with the plant to confidently assign a C value. Approximately 33% of plants ranked fell into the ruderal categories (0–4), whereas 67% fell into obligate to natural areas categories (5–10). Once a thorough inventory of a site has been completed, a mean C value and FQI can be calculated.

Introduction

Rapidly increasing land development and extensive agricultural operations pose significant challenges to the survivability and sustainability of Florida's native ecosystems. Since pre-European settlement, the native landscape has undergone extensive modifications due to agricultural and urban developments. Activities such as land clearing, drainage (digging of ditches and canals,

¹US Fish and Wildlife Service, 1339 20th Street, Vero Beach FL 32960. ²US Fish and Wildlife Service, Naples, FL. ³Current address - Institute for Regional Conservation, 22601 S.W. 152 Avenue, Miami, FL 33170. ⁴Institute for Regional Conservation, 22601 SW 152 Avenue, Miami, FL 33170. ⁵South Florida Water Management District, 3301 Gun Club Road, West Palm Beach, FL. ⁶Palm Beach County Department of Environmental Resources Management, 2300 North Jog Road, 4th Floor, West Palm Beach, FL 33411. ⁷17516 Birchwood Drive, Boca Raton, FL 33487. ⁸University of California, Los Angeles, 1509 Life Sciences, Box 951786, Los Angeles, CA 90095-1786. ⁹Naples Botanical Garden, 4820 Bayshore Drive, Naples, FL 34112. ¹⁰Conservation Design Forum, Inc., 375 West First Street, Elmhurst, IL 60126. *Corresponding author - steve_mortellaro@fws.gov.

channelization of rivers and streams), water mining for urban and agricultural consumption, filling of wetlands, and pollution from urban and farming activities have resulted in extreme ecological degradation. The introduction of non-native plants and suppression of natural fires or prescribed burning during inappropriate times of the season have also contributed to major changes in the native landscape. The dewatered landscape, filled wetlands, polluted estuaries, and diminution of base flow in streams have contributed to the reduction in the native biodiversity of the state.

The assessment of natural, restored, and created habitats is one of the most important tasks facing ecologists. Natural plant community descriptions have historically focused on plant communities (associations) or plant species with word descriptors used to convey quality. Terminology consists of words, such as degraded, good, poor, high, low, outstanding, or marginal (Swink and Wilhelm 1994). These descriptors are vague and rely on such factors as the observer's perception, understanding of pre-settlement habitats, ecological knowledge and level of experience with the flora, and personal biases. One observer may assess a plant community to be of good quality, whereas another observer's assessment of the same plant community may be of poor quality. Therefore, a tool is desirable for assessing quality of a plant community in an objective and repeatable way that can be used to make meaningful comparisons between sites.

A numerical index describing floristic quality of area based on species conservatism or "nativeness" ratings of individual species was articulated by Wilhelm (1977) and refined by Swink and Wilhelm (1979, 1994) and Wilhelm and Ladd (1988). The "nativeness" or species conservatism is expressed as a coefficient of conservatism (C) value and is the basic metric in the floristic quality index (FQI).

The concept of species conservatism is organized around the idea that the presence of a species involves a certain level of confidence in the observer as to where the plant is likely to occur; ranging from a highly intact remnant native ecosystem to highly degraded man-made land. Most native plants remain in native or slightly altered landscapes, and a few function as "camp followers" which admix with non native's to occupy areas severely damaged by contemporary cultural practices.

The FQI is designed to reduce subjectivity, and produce an objective standard to judge the quality of plant communities in a repeatable fashion. The principal concept of the FQI is that a natural plant community's quality can be objectively evaluated, and reflects the likelihood that a plant is likely to occur in a landscape relatively unaltered from what is believed to be pre-European settlement conditions. Each plant for a region is assigned a C value by a group of local botanists in a region, each of whom has long and familiar experience with the plants in the field. Specific knowledge of the ecological tolerances and fidelity to remnant native conditions is required. Although the values are subjectively assigned, the subjectivity in its application is eliminated and its use can be applied objectively.

Coefficients of conservatism values range from 0 through 10 and are applied only to the plants believed to be native to the region. The scalar values consist of whole integers between 0 and 10. A 0 value represents the lowest quality value and is assigned to those plants that are indicative of the most ruderal conditions,

such as cracks in sidewalks, road sides, scraped and excavated lands, canal banks, parking lot edges, industrial sites, agricultural fields. A 10 value is applied to those species that provide the highest level of confidence that the places where they are found are the most intact remnant natural systems. A 5 value is applied to those plants that are generally noted only in remnant natural areas, but otherwise provide little confidence that the area is of high quality. Non-native plants are not given a C value, as they did not evolve as part of the native flora and their inclusion does not fit within the concept of conservatism. Although non native's are not part of the pre-settlement flora, their values have been defaulted to 0 and combined with various metrics associated with floristic quality in a floristic quality assessment (FQA) analysis (Herman et. al. 1997, 2001).

While the C values are subjectively assigned, knowledgeable botanists trained in the concept of conservatism seldom disagree by more than a few points. The behavior and local distribution of some species can stretch the philosophy and require an earnest debate to reach consensus on their C values. Once assigned to an entire flora, however, the use of C values can be objectively applied; subjectivity is no longer a variable, and intrinsic biases in assigning the C values occur consistently throughout a site inventory. One can arrive at relative comparisons easily and consistently.

Floristic quality analysis initially was used to describe the condition of landscapes and plant communities in a consistent fashion for the 22-county Chicago region (Swink and Wilhelm 1979). Since its development, the index has been adapted and applied to the following areas: Colorado (Rocchio 2007), Illinois (Taft et al. 1997), Indiana (Rothrock 2004), Iowa (Drobney et al. 2001), Kentucky (Shea et al., no date), Michigan (Herman et al. 1997), north and central Mississippi (Herman, et al. 2006), Missouri (Ladd 1993), the Dakotas (Northern Great Plains Floristic Quality Assessment Panel 2001), New Jersey (Allen et al., no date), Ohio (Andreas and Lichvar 1995, Andreas et al. 2004), Pennsylvania (Ebert et al., no date), Wisconsin (Bernthal 2003, Nichols 1998), and southern Ontario (Oldham et al. 1995).

Methods

To assign coefficient of conservatism C values, we took the following 6 steps:

- 1) defined the region or area of consideration,
- 2) created a species list—determined the flora(s) or check list(s) of the region,
- 3) developed ranking criteria,
- 4) assembled a core team of knowledgeable senior field botanists/ecologists, who ranked each native species from 0 to 10,
- 5) convened a peer review group to assess C value assignments, and
- 6) convened both core and review groups to reach a consensus on C values.

Defining the region

Assignment of C values is based on observed behavior of species within a defined geographic region that experience similar environmental conditions. As one moves away from a particular region, the assigned C values may be less

applicable because local conditions may not exist outside a particular region. In our particular case, Florida has been divided into 4 major phytogeographic regions: west (panhandle), north, central, and south Florida (Bell and Taylor 1982, Long and Lakela 1971, Taylor 1998) as shown in Figure 1.

This publication addresses the flora found within south Florida excluding the Florida Keys. South Florida is categorized into 5 major natural physiographic areas: 1) Sandy Flatlands, 2) Everglades, 3) Big Cypress Swamp, 4) Atlantic Coastal Ridge, and 5) Coastal Marshes and Mangrove Swamps (Long and Lakela 1971). The native flora of south Florida is predominately tropical and contains a mixture of plants from tropical America, temperate regions, and endemic species.

Species list

The original list used here was based on *Guide to the Vascular Plants of Florida, Second Edition* (Wunderlin and Hansen 2003). However, the nomenclature in the list was updated using *Guide to the Vascular Plants of Florida, Third Edition*




Figure 1. Phytogeographic regions of Florida.

(Wunderlin and Hansen 2011). This floristic guide includes only species that have been documented through a verifiable herbarium specimen, and includes both native and non-native species that occur in the wild state in Florida. There are approximately 4176 documented native and non-native species in Florida (Wunderlin and Hansen 2004). Within south Florida (excluding the Keys), there are approximately 1430 native species and 793 non-native species.

The original species list used here employed Wunderlin and Hansen (2004) nomenclature, but has since been updated to Wunderlin and Hansen 2011 with some exceptions: 1) where Wunderlin and Hansen's taxonomy differed from the legal accepted nomenclature for a state- or federally listed species, or 2) where the panel believed that a species included other recognizable species that have a different ecological niche. Only one federally listed and threatened species, *Galactia smallii* H. J. Rogers ex A. Herndon, would have been lumped into *G. volubilis* (L.) Britton, a non-listed species, if Wunderlin and Hansen's nomenclature was used; thus, the name *G. smallii* is applied. Species considered to demonstrate a different ecological preference include the following: *Chiococca pinetorum* Britton, split from *C. alba* (L.) Hitchcock.; *Heliotropium leavenworthii* (A. Gray) Torrey ex Small, split from *H. polyphyllum* Lehmann.; *Melanthera angustifolia* A. Richard and *M. parvifolia* Small, split from *M. nivea* (L.) Small; *Schizachyrium rhizomatum* (Swallen) Gould and *S. stoloniferum* Nash, split from *S. scoparium* (Michaux) Nash; *Forestiera pinetorum* (Small) Small, split from *F. segregata* (Jacquin) Krug and Urban; and *Scleria ciliata* Michx. var. *pauciflora* Muhlenberg ex Willdenow and *S. ciliata* var. *curtissii* (Britton) J.W. Kessler, split from *S. ciliata* Michaux.

If two similar taxa represent ecologically different habitat qualities, and taxonomic differentiation between the two is considered almost impossible for a field botanist, then a numerical score is not given. These species are given a neutral status. This was the case with *Roystonea regia* (Kunth) O.F. Cook, which if treated as two distinct taxa, has populations from south Florida (*R. elata* (W. Bartram) F. Harper) and Cuba (*R. regia* (Kunth) O.F. Cook).

Ranking criteria

The central philosophy behind any criteria used to develop C values is what the presence of the plant indicates to a knowledgeable botanist about the quality of a habitat when no information is provided. If such botanist is brought a plant and asked where they thought the plant may have come from, based on their knowledge and experience with the plant's habitat type(s) and quality of habitat(s), an impression will come to mind. The plant may be identified as one with very specific habitat requirements and a very low tolerance to disturbance, which would provide confidence that it grew in a high-quality habitat. Conversely, it may indicate some gradient between high quality and ruderal. The criteria presented below gave guidance to the panel in assigning C values.

The relationship of conservatism to rarity is not direct. Coefficients of conservatism scores and the designation of a rare, threatened, or endangered status to a species on the surface may seem to be counter-intuitive at times. It would seem logical that the rarer the species the higher the conservatism value, but this is not

always the case. Certainly, any rare plant known only from one to a few high-quality areas is a philosophical 10. Likewise, more numerous species known only from high-quality areas are also a philosophical 10. However, a rare native plant known only from a dike or roadside must receive a very low C value, so the relationship of conservatism to rarity is not direct. For example, *Linum arenicola* (Small) H.J.P. Winkler (Sand Flax), an endemic plant listed by the State of Florida as an endangered species, was given a score of one (1) because it is commonly associated with disturbed areas containing exposed limerock, such as tops of canal banks and road sides cut through lime rock. However, in its remnant native landscape, the species can easily be lost if fire is omitted.

To help facilitate the scoring of the C values, 5 coefficient of conservatism guilds were developed (Table 1). The coefficient of conservatism guilds are further refined to give the rater additional guidance in assigning C values (Table 2). Plant C values reflect two aspects: the fidelity to natural landscape and tolerance to disturbances. As fidelity to natural areas increase, the tolerance to disturbances decreases, thereby resulting in a higher C value. The reverse also applies: as tolerance to disturbances increases, plant fidelity to quality natural areas decrease towards zero. The more tolerant a plant is to disturbance, the lower the quality.

The scalar value 0 indicates the species is obligate to ruderal areas, and the rater is 95% confident it was growing in a highly degraded area. These plants are limited in their occurrence to areas of severe anthropogenic disturbances. A ranking of 0 indicates there is little confidence (less than 5% confidence) that the plant was collected from a remnant natural area. These native taxa are weedy and

Table 1. Coefficient of conservatism guilds.

C value	Criteria
0	Obligate to ruderal areas.
1–3	Varying affinity to ruderal areas.
4–6	Varying affinity to natural areas; 5 indicates it's obligate to natural areas; quality of area is low.
7–9	Varying affinity to high quality natural areas.
10	Obligate to high quality natural areas.

Table 2. Coefficient of conservatism ranking criteria.

C value	Criteria
0	Obligate to ruderal areas.
1	Occurs more frequently in ruderal areas than natural areas.
2	Facultative to ruderal and natural areas.
3	Occurs less frequent in ruderal areas than natural areas.
4	Occurs much more frequently in natural areas than ruderal areas.
5	Obligate to natural areas (quality of area is low).
6	Weak affinity to high-quality natural areas.
7	Moderate affinity to high-quality natural areas.
8	High affinity to high-quality natural areas.
9	Very high affinity to high-quality natural areas.
10	Obligate to high-quality natural areas.

thrive in highly disturbed sites, such as cracks in sidewalks, fill sites, roadsides, scraped and excavated lands, and canal banks.

The scalar values 1 to 3 indicate levels of confidence that when a plant is encountered it is growing in degraded or non-natural areas. These plants have an affinity to disturbed sites and are non-dependent native lands species. Plants ranked within this range are generally associated with lands that have been greatly disturbed such as those that have been mechanically (i.e. new ground), hydrologically, or chemically altered. New ground is land that has been stripped of its vegetation (usually by mechanical means), where the top layer of soil has been removed or severely disturbed.

The scalar values 4 to 6 provide levels of confidence that when a plant is encountered it's in a natural area. The value 5 is pivotal in the rankings; it is the point at which plants are considered obligate to native lands, with a 95% certainty it is growing in a natural area. However, the floristic quality of the natural area is likely low.

The scalar values 7 to 9 provide varying levels of confidence that when a plant is encountered it is in a high-quality natural area. These plants have a fidelity to native lands of high quality.

The scalar value 10 indicates the species is obligate to high-quality natural areas, with raters 95% confident it was growing in an undisturbed or native land of high quality.

The values (0–10) do not necessarily indicate or reflect fidelity of a plant to any particular habitat, and the use of the term confidence in this context is not meant to imply a statistical analysis has occurred; it is used here to give guidance to the rater for ranking each species. A plant can be conservative to a number of different plant communities. Conservatism cannot be determined from some statistical sampling of an array of plant communities, ruderal or otherwise. The body of empirical observations that inform the experience of a field botanist over a long period of time yields more robust evaluations. Since pre-European conditions cannot be attested to at this time and no data exist that could give total insight as to those conditions under which these plants thrived or would have evolved, a subjective determination is made by knowledgeable individuals for a particular region about what the conditions may have been.

Assignment of C values

A core team of botanists was contacted to meet and provide their collective knowledge to the assignment of a C value for each native species using the C ranking criteria laid out above. The team consisted of Mike Barry, George Gann, and John Zahina. Gerould Wilhelm provided assistance to the team during the ranking process and reinforced understandings of the conceptual nature of conservatism throughout the rating process. Supplemental data was used to complement field experience. The Floristic Inventory of South Florida database (Gann et al. 2002), *Atlas of Florida Vascular Plants* (Wunderlin and Hansen 2004), *Guide to the Vascular Plants of Florida* (Wunderlin and Hansen 2003), *A Flora of Tropical Florida* (Long and Lakela 1971), and Fairchild Tropical Garden

Virtual Herbarium (2006), provided information on range occurrences, habitat descriptions, and species nativity and rarity.

Peer review of C values

The C value assignments were sent out for review to botanists throughout south Florida. Four responded with a willingness to accept the task; however, after a significant period of time, a request to meet and work as a group was made and accepted by all, and a peer-review team was established to review the extensive list. The peer-review team consisted of Sally Channon, Chuck Hillsenbeck, Doug Scofield and George Wilder. The peer-review team examined each score and then discussed their collective experiences to reach a consensus score. The peer-review team's consensus score was then compared to the core-group score and a discussion ensued that focused on acceptance of the core-group values. Not all values were accepted. As with the core group, supplemental data were used to complement field experience. In addition to using the aforementioned supplemental information used by the core group, the peer-review team also accessed the following sources: Small (1933); Godfrey and Wooten (1979 and 1981); Hall (1978); Dr. Wilder's herbarium collection housed at the Florida Gulf Coast University; and online resources including Flora of North America (2006), National Resource Conservation Service Plant Database (no date), University of Florida Herbarium (no date), and eFloras (2006). These resources provided information on taxonomy, range occurrences, habitat descriptions, and species nativity and rarity. Gerould Wilhelm also provided initial guidance to the team.

Final C values

There were differences of C values for species between the core team and the peer-review team. Therefore, the two teams were contacted to discuss each species to make a collective determination as to a value. If a consensus was not reached on a particular species, it was not assigned a value. The species assigned C values are listed in Appendix A. Not all species have yet been ranked, mostly because little was known to the raters about their behavior; the unassigned species are listed in Appendix B.

Mean coefficient of conservatism

Once a floristic inventory has been conducted for a given area and the C values have been applied to it, the mean C value can be calculated by summing the C values of all native species and dividing by the total number of species (species richness = N):

$$\text{Mean } C = \sum C / N$$

Because the mean C represents the average C of an area, temporal changes in quality can be detected. As expected, decreases in mean C values indicate the quality of an area is decreasing. These decreases in mean C values may be supported by an increase of less conservative native species increasing in numbers, loss of high-quality indicator species, and /or a reduction or loss of native

species. A FQA may demonstrate that there are coincident increases in the proportion of non-native species within the site. The converse would occur if an increase of mean C were to take place.

Floristic quality index

The FQI is based on the calculation of the mean coefficient of conservatism (C) of all the species listed in a particular site inventory, which represents the average conservatism of the plants noted. The FQI discriminates areas with similar mean C values with major differences in total number of species. The greater the mean C and FQI values, the higher the floristic quality.

The FQI represents a weighted estimate of species richness (N), obtained by multiplying the mean coefficient of conservatism by the square root of species richness:

$$FQI = \text{mean } C \sqrt{N}$$

The effect of applying the square root to species richness is to reduce the influences of area size, so that small, highly conservative areas will rate highly in comparison with large heterogeneous tracts with pockets or districts of both low and high quality (Swink and Wilhem 1979, 1994). Also, because it is possible to have sites with the same mean C, a transformation of mean C using the FQI permits a more meaningful comparison of different areas.

Results and Discussion

There are approximately 2226 plant species in south Florida (Keys excluded), with 64% (1434) considered native and 36% (792) non-native (Appendix C). Of the 1434 species reviewed, only 94 remained unranked (,340 plants ranked).




Figure 2. Distribution of coefficient of conservatism designations for ranked plant taxa in south Florida.

Approximately 33% of plants that were ranked fell into the ruderal categories (0–4), whereas 67% fell into obligate to natural areas (5–10). Approximately 3% of plants were ranked as 0, 29% were ranked with various affinities to ruderal areas, 56% were ranked as obligates with various affinities to high-quality areas, and 11% were ranked in the obligate to high-quality areas. The distribution of species rankings' are shown in Figure 2.

The species list in Appendix A is applicable to the 10 counties that comprise the south Florida region, excluding the Keys. The FQI approach has application in:

- 1) identification of natural areas;
- 2) comparisons between similar and dissimilar sites, regardless of community types;
- 3) monitoring of natural-area quality through time; and
- 4) habitat restoration (Swink and Wilhelm 1994).

The methodology provides a means to summarize data collected from a floristic inventory of a given area. An inventory, complete as possible, is required for the area under consideration to calculate mean C and FQI values. Variations or modified equations to the FQI have been proposed (Fennessy et al. 1998a, b; Rooney and Rogers 2002). For a review of proposed modifications to the FQI, see Andreas et al. (2004).

The mean C and FQI values, as with any assessment tool used to measure biotic systems, are influenced by such factors as sampling effort, size, timing, and proficiency in species identification. It is recognized that the FQI characterizes only one aspect of the present ecological conditions and does not provide information on wildlife that may utilize a plant community of either high or poor quality. To garner a more comprehensive understanding of the ecological condition of an area, other biological parameters should be investigated.

Table 3 summarizes threatened and endangered and endemic species found in south Florida. Of the 148 species ranked as 10, all are considered rare, with 110 of these species designated as state threatened or endangered.

Table 3. Numbers of threatened, endangered, and endemic species in south Florida.

Status	Number of species
Federal listed	
Threatened	1
Endangered	8
Total	9
State listed	
Threatened	66
Endangered	213
Total	279
Endemic	
Total number	116
Federal threatened	1
Federal endangered	7
State threatened	6
State endangered	42

Non-native species that are or may be injurious to native plant communities have been placed into one of two categories by the Florida Exotic Pest Plant Council's (2011) list of Florida's most invasive species:

Category I - Invasive exotics that are altering native plant communities by displacing native species, changing community structures or ecological functions, or hybridizing with natives. This definition does not rely on the economic severity or geographic range of the problem, but on the documented ecological damage caused.

Category II - Invasive exotics that have increased in abundance or frequency but have not yet altered Florida plant communities to the extent shown by Category I species. These species may become ranked Category I, if ecological damage is demonstrated.

Of the non-native plant species presently documented in Florida, approximately 15% (134 species) are considered altering to native plant communities, or have increased in abundance or frequency but have not yet altered plant communities (Categories I and II, respectively). In south Florida, 70 species are in Category I, and 64 species are in Category II (Appendix D).

Acknowledgments

A special thank you to Porter "Buck" Reed for introducing me to Gerould Wilhelm and the FQI tool, and Robert W. Lichvar and David M. Mushet for their advice on the workshop development. Thanks are also given gratefully to Albrey Arrington, Lori Morris, Becky Robbins, and Bob Virnstein for their contribution in scoring the sea grasses; Keith A. Bradely, Steve W. Woodmansee, and Richard Wunderlin for research on species occurrences, nativity, and taxonomy; Shawn M. Landry for his quick response to questions and updates on the Atlas of Florida Vascular Plants database (available at <http://www.plantatlas.usf.edu/>) and to Sharon Kocis, Stephen E. Mortellaro, Anne Philip, and Art Roybal for their review and editorial comments. Finally a very special thank you to David Martin for his meticulous work in updating the list from Wunderlin and Hanson 2003 to Wunderlin and Hanson 2011.

Literature Cited

- Allen L., K. Anderson, E. DeVito, T. Halliwell, M. Leck, B. Olsen, B. Rawlyk, K.S. Walz, G. Wilhelm, and L. Sauer-Jones. No date. Floristic quality assessment for the state of New Jersey. Plant stewardship index (PSI). Bowman's Hill Wildflower Preserve. Available online at <http://www.bhwp.org/psi/index.php>. Accessed 10 May 2007.
- Andreas, B.K., and R.W. Lichvar. 1995. Floristic index for establishing assessment standards: A case study for northern Ohio. Technical Report WRP-DE-8. US Army Corps of Engineers Waterways Experimental Station, Vicksburg, MS.
- Andreas, B.K., J.J. Mack, and J.S. McCormac. 2004. Floristic quality assessment index (FQAI) for vascular plants and mosses for the State of Ohio. Ohio Environmental Protection Agency, Division of Surface Water, Wetland Ecology Group, Columbus, OH. 219 pp.
- Bell, R.C., and B.J. Taylor. 1982. Florida Wildflowers and Roadside Plants. Laurel Hill Press, Chapel Hill, NC.

- Bernthal, T.W. 2003. Development of a floristic quality assessment methodology for Wisconsin. Wisconsin Department of Natural Resources, Bureau of Fisheries Management and Habitat Protection, Madison, WI.
- Drobney, P.D., G.S. Wilhelm, D. Horton, M. Leoschke, D. Lewis, J. Pearson, D. Roosa, D. Smith. 2001. Floristic quality assessment for the state of Iowa. Unpublished report. Neal Smith National Wildlife Refuge. Prairie City, IA.
- Ebert, J., J. Holt, and A. Rhoads. No date. Coefficients of Conservatism Pennsylvania. Unpublished report. Plant stewardship index (PSI). Bowman's Hill Wildflower Preserve. Available online at <http://www.bhwp.org/psi/>. Accessed 10 May 2007.
- eFloras. 2006. eFloras database. Available online at <http://efloras.org>. Last accessed 25 September 2006.
- Fairchild Tropical Garden Herbarium. 2006. Virtual Herbarium. Available online at <http://www.virtualherbarium.org/vh/>. Last accessed 25 September 2006.
- Fennessy, M.S., R. Geho, B. Elifritz, and R. Lopez. 1998a. Testing the floristic quality assessment index as an indicator of riparian wetland quality. Final Report to US Environmental Protection Agency. Ohio Environmental Protection Agency, Division of Surface Water, Columbus, OH.
- Fennessy, M.S., M.A. Gray, and R.D. Lopez. 1998b. An ecological Assessment of wetlands using reference sites, vol. 1. Final Report to US Environmental Protection Agency. Ohio Environmental Protection Agency, Division of Surface Water, Columbus, OH.
- Flora of North America. 2006. Available online at <http://hua.huh.harvard.edu/FNA>. Last accessed 25 September 2006.
- Florida Exotic Pest Plant Council (FLEPPC). 2011. List of Invasive Plant Species. *Wildland Weeds* Vol. 14(3–4):11–14. Summer/Fall 2011. Also available online at <http://www.fleppc.org/list/11list.htm>.
- Gann, G.D., K.A. Bradely, and S.W. Woodmansee. 2002. Rare Plants of South Florida: Their History, Conservation, and Restoration. The Institute for Regional Conservation. Miami, FL.
- Godfrey, R.K., and J.W. Wooten. 1979. Aquatic and Wetland Plants of the Southeastern United States. Monocotyledons. The University of Georgia Press, Athens, GA.
- Godfrey, R.K., and J.W. Wooten. 1981. Aquatic and Wetland Plants of the Southeastern United States. Dicotyledons. The University of Georgia Press, Athens, GA.
- Hall, D.W. 1978. The grasses of Florida. Ph.D. Dissertation. University of Florida, Gainesville, FL.
- Herman, K.D., L.A. Master, M.R. Penskar, A.A. Reznicek, G.S. Wilhelm, and W.W. Brodowicz. 1997. Floristic quality assessment: Development and application in the state of Michigan (USA). *Conservation Tools, Natural Areas Journal* 17:265–279.
- Herman, K.D., L.A. Master, M.R. Penskar, A.A. Reznicek, G.S. Wilhelm, W.W. Brodowicz, and K.P. Gardiner. 2001. Floristic quality assessment with wetland categories and examples of computer applications for the state of Michigan. Revised, 2nd Edition. Michigan Department of Natural Resources, Wildlife, Natural Heritage Program. Lansing, MI. 19 pp. + Appendices.
- Herman, B.D., J.D. Madsen, and G.N. Ervin. 2006. Development of coefficients of conservatism for wetland vascular flora of northern and central Mississippi. Mississippi State University, GeoResources Institute and Department of Biological Sciences, Mississippi State, MS.
- Ladd D.M. 1993. Coefficients of conservatism for Missouri vascular flora. The Nature Conservancy, St. Louis, MO.
- Long, R.W., and O. Lakela. 1971. A Flora of Tropical Florida. University of Miami Press, Coral Gables, FL.

- Nichols, S.A. 1998. Floristic quality assessment of Wisconsin lake plant communities with example applications. *Journal of Lake and Reservoir Management* 15:133–141.
- Northern Great Plains Floristic Quality Assessment Panel. 2001. Coefficients of conservatism for the vascular flora of the Dakotas and adjacent grasslands. US Geological Survey, Biological Resources Division. Information and Technology Report USGS/BRD/ITR-2001-0001, Jamestown, ND. 32 pp.
- Oldham, M.J., W.D. Bakowsky, and D.A. Sutherland. 1995. Floristic quality assessment system for southern Ontario. Natural Heritage Information Centre, Ontario Ministry of Natural Resources, Peterborough, ON, Canada.
- Rocchio, J. 2007. Floristic quality assessment indices for Colorado plant communities. Colorado Department of Natural Resources, Division of Wildlife, Wetlands Program, Fort Collins, CO.
- Rooney, T.P., and D.A. Rogers. 2002. The modified floristic quality index. *Natural Areas Journal* 22:340–344.
- Rothrock, P.E. 2004. Floristic quality assessment in Indiana: The concept, use, and development of coefficients of conservatism. Final Report for ARN A305-4-53, EPA Wetland Program Development Grant CD975586–01. 96 pp. Available online at <http://www.in.gov/idem/files/fqaindianarprt.doc>. Accessed 22 July 2005.
- Shea, M., D. White, M. Evans, and D.M. Ladd. No date. Kentucky coefficients of conservatism. Unpublished data. Available online at <http://www.dropseednursery.com/plants.html>. Accessed 22 July 2005.
- Small, J.K. 1933. *Manual of the Southeastern Flora*. The University of North Carolina Press, Chapel Hill, NC.
- Swink, F., and G. Wilhelm. 1979. *Plants of the Chicago Region*. Revised and Expanded Edition with Keys. The Morton Arboretum, Lisle, IL.
- Swink, F., and G. Wilhelm. 1994. *Plants of the Chicago Region*, 4th Edition. Indiana Academy of Science, Indianapolis, IN.
- Taft, J.B., G.S. Wilhelm, D.M. Ladd, and L.A. Masters. 1997. Floristic quality assessment for vegetation in Illinois: A method for assessing vegetation integrity. *Erigenia* 15:3–95.
- Taylor, W.K. 1998. *Florida Wildflowers in Their Natural Communities*. University Press of Florida, Gainesville, FL.
- United States Department of Agriculture, Natural Resource Conservation Service. No date. Plants database. Available online at <http://plants.usda.gov/>. Last accessed 25 September 2006.
- University of Florida Herbarium. No date. Vascular plant collection. Available online at <http://www.flmnh.ufl.edu/herbarium/flasvasc.htm>. Last accessed 25 September 2006.
- Wilhelm, G.S. 1977. Ecological assessment of open land areas in Kane County, Illinois. Kane County Urban Development Division. Geneva, IL.
- Wilhelm, G., and D. Ladd. 1988. Natural area assessment in the Chicago region. *Transactions of the 53rd North American Wildlife and Natural Resources Conference* 3:361–375.
- Wunderlin, R.P., and B.F. Hansen. 2003. *Guide to the Vascular Plants of Florida*, Second Edition. University Press of Florida, Gainesville, FL.
- Wunderlin, R.P., and B.F. Hansen. 2004. *Atlas of Florida vascular plants*. Available online at <http://www.plantatlas.usf.edu/>. [S.M. Landry and K.N. Campbell (application development), Florida Center for Community Design and Research.] Institute for Systematic Botany, University of South Florida, Tampa, FL.
- Wunderlin R.P., and B.F. Hansen 2011. *Guide to the Vascular Plants of Florida*, Third Edition. University Press of Florida, Gainesville, FL.

Appendix A. Coefficient of conservatism values for vascular plant species of south Florida. Taxonomy for all species listed follows Wunderlin and Hansen (2011), and the naming authorities for each can be found there. ns = no score (neutral).

C	Scientific name	Common name(s)	Family
4	<i>Abildgaardia ovata</i>	Flatspike Sedge	Cyperaceae
2	<i>Abutilon permolle</i>	Coastal Indian Mallow	Malvaceae
2	<i>Acacia farnesiana</i>	Sweet Acacia	Fabaceae
5	<i>Acacia vachellia</i>	Porknut	Fabaceae
7	<i>Acacia pinetorum</i>	Pineland Acacia	Fabaceae
1	<i>Acacia tortuosa</i>	Poponax	Plantaginaceae
3	<i>Acalypha chamaedrifolia</i>	Bastard Copperleaf	Euphorbiaceae
6	<i>Acalypha gracilens</i>	Slender Threeseed Mercury	Euphorbiaceae
4	<i>Acalypha ostryifolia</i>	Pineland Threeseed Mercury	Euphorbiaceae
8	<i>Acanthocereus tetragonus</i>	Triangle Cactus, Barbed-Wire Cactus	Cactaceae
5	<i>Acer rubrum</i>	Red Maple	Sapindaceae
6	<i>Acmella oppositifolia</i> var. <i>repens</i>	Oppositeleaf Spotflower	Asteraceae
9	<i>Acoelorrhaphe wrightii</i>	Everglades Palm	Arecaceae
8	<i>Acrostichum aureum</i>	Golden Leather Fern	Pteridaceae
4	<i>Acrostichum danaeifolium</i>	Giant Leather Fern	Pteridaceae
10	<i>Adiantum capillus-veneris</i>	Venus'-Hair Fern, Southern Maidenhair	Pteridaceae
10	<i>Adiantum melanoleucum</i>	Fragrant Maidenhair	Pteridaceae
4	<i>Adiantum tenerum</i>	Brittle Maidenhair	Pteridaceae
10	<i>Adiantum villosum</i>	Woolly Maidenhair	Pteridaceae
2	<i>Aeschynomene americana</i>	Shyleaf	Fabaceae
8	<i>Aeschynomene pratensis</i>	Meadow Jointvetch	Fabaceae
8	<i>Aeschynomene viscidula</i>	Sticky Jointvetch	Fabaceae
7	<i>Agalinis fasciculata</i>	Beach False Foxglove	Orobanchaceae
7	<i>Agalinis filifolia</i>	Seminole False Foxglove	Orobanchaceae
8	<i>Agalinis linifolia</i>	Flaxleaf False Foxglove	Orobanchaceae
7	<i>Agalinis maritima</i>	Saltmarsh False Foxglove	Orobanchaceae
7	<i>Agalinis obtusifolia</i>	Tenlobe False Foxglove	Orobanchaceae
5	<i>Agalinis purpurea</i>	Purple False Foxglove	Orobanchaceae
9	<i>Agave decipiens</i>	False Sisal	Agavaceae
9	<i>Agave neglecta</i>	Wild Century Plant	Agavaceae
6	<i>Ageratina jucunda</i>	Hammock Snakeroot	Asteraceae
7	<i>Aletris bracteata</i>	Bracted Colicroot	Nartheciaceae
7	<i>Aletris lutea</i>	Yellow Colicroot	Nartheciaceae
4	<i>Alternanthera flavescens</i>	Yellow Joywood	Amaranthaceae
5	<i>Alternanthera maritima</i>	Seaside Joyweed	Amaranthaceae
10	<i>Alvaradoa amorphoides</i>	Mexican Alvaradoa	Picramniaceae
5	<i>Amaranthus australis</i>	Southern Amaranth	Amaranthaceae
0	<i>Ambrosia artemisiifolia</i>	Common Ragweed	Asteraceae
7	<i>Ambrosia hispida</i>	Coastal Ragweed	Asteraceae
4	<i>Ammannia coccinea</i>	Valley Redstem, Scarlet Ammannia	Lythraceae
4	<i>Ammannia latifolia</i>	Pink Redstem, Toothcup	Lythraceae
5	<i>Amorpha fruticosa</i>	Bastard False Indigobush	Fabaceae
6	<i>Amorpha herbacea</i> var. <i>crenulata</i>	Miami Lead Plant	Fabaceae
4	<i>Ampelopsis arborea</i>	Peppervine	Vitaceae
5	<i>Amphicarpum muhlenbergianum</i>	Blue Maidencane	Poaceae
10	<i>Amphitecna latifolia</i>	Black Calabash	Bignoniaceae
10	<i>Amyris balsamifera</i>	Balsam Torchwood	Rutaceae
8	<i>Amyris elemifera</i>	Sea Torchwood	Rutaceae
5	<i>Anagallis minima</i>	Chaffweed	Primulaceae

C	Scientific name	Common name(s)	Family
7	<i>Anagallis pumila</i>	Florida Pimpernel	Primulaceae
9	<i>Andropogon brachystachyus</i>	Shortspike Bluestem	Poaceae
7	<i>Andropogon floridanus</i>	Florida Bluestem	Poaceae
6	<i>Andropogon glomeratus</i> var. <i>glaucopsis</i>	Purple Bluestem	Poaceae
7	<i>Andropogon glomeratus</i> var. <i>hirsutior</i>	Bushy Bluestem	Poaceae
2	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Bushy Bluestem	Poaceae
5	<i>Andropogon gyrans</i>	Elliott's Bluestem	Poaceae
6	<i>Andropogon longiberbis</i>	Hairy Bluestem	Poaceae
7	<i>Andropogon ternarius</i>	Splitbeard Bluestem	Poaceae
7	<i>Andropogon tracyi</i>	Tracy's Bluestem	Poaceae
4	<i>Andropogon virginicus</i> var. <i>virginicus</i>	Broomsedge Bluestem	Poaceae
6	<i>Andropogon virginicus</i> var. <i>decipiens</i>	Broomsedge Bluestem	Poaceae
6	<i>Andropogon virginicus</i> var. <i>glaucus</i>	Chalky Bluestem	Poaceae
8	<i>Anemia adiantifolia</i>	Maidenhair Pineland Fern	Schizaeaceae
10	<i>Anemia wrightii</i>	Wright's Pineland Fern, Parsley Fern	Schizaeaceae
7	<i>Angadenia berteroi</i>	Pineland Golden Trumpet	Apocynaceae
4	<i>Annona glabra</i>	Pond Apple	Annonaceae
6	<i>Apios americana</i>	Groundnut	Fabaceae
10	<i>Apteria aphylla</i>	Nodding Nixie	Burmanniaceae
8	<i>Ardisia escallonioides</i>	Marlberry	Myrsinaceae
0	<i>Argemone albiflora</i>	Bluestem Pricklypoppy	Papaveraceae
0	<i>Argemone mexicana</i>	Mexican Pricklypoppy	Papaveraceae
8	<i>Argusia gnaphalodes</i>	Sea Rosemary, Sea Lavender	Boraginaceae
8	<i>Argythamnia blodgettii</i>	Wild Mercury	Euphorbiaceae
10	<i>Arisaema triphyllum</i>	Jack-in-the-Pulpit	Araceae
7	<i>Aristida condensata</i>	Big Threeawn, Piedmont Threeawn	Poaceae
5	<i>Aristida gyrans</i>	Corkscrew Threeawn	Poaceae
8	<i>Aristida palustris</i>	Longleaf Threeawn	Poaceae
7	<i>Aristida patula</i>	Tall Threeawn	Poaceae
7	<i>Aristida purpurascens</i> var. <i>purpurascens</i>	Arrowfeather Threeawn	Poaceae
2	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsboro Threeawn	Poaceae
8	<i>Aristida rhizomophora</i>	Florida Threeawn	Poaceae
7	<i>Aristida spiciformis</i>	Bottlebrush Threeawn	Poaceae
7	<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass	Poaceae
9	<i>Aristolochia pentandra</i>	Marsh's Dutchman's Pipe	Aristolochiaceae
8	<i>Arnoglossum ovatum</i>	Ovateleaf Indian Plantain	Asteraceae
8	<i>Asclepias curtissii</i>	Curtiss' Milkweed	Apocynaceae
8	<i>Asclepias feayi</i>	Florida Milkweed	Apocynaceae
8	<i>Asclepias incarnata</i>	Swamp Milkweed	Apocynaceae
8	<i>Asclepias lanceolata</i>	Fewflower Milkweed	Apocynaceae
8	<i>Asclepias longifolia</i>	Longleaf Milkweed	Apocynaceae
10	<i>Asclepias pedicellata</i>	Savannah Milkweed	Apocynaceae
7	<i>Asclepias tomentosa</i>	Velvetleaf Milkweed	Apocynaceae
8	<i>Asclepias tuberosa</i>	Butterflyweed, Butterfly Milkweed	Apocynaceae
8	<i>Asclepias viridis</i>	Green Antelopehorn	Apocynaceae
7	<i>Asimina obovata</i>	Bigflower Pawpaw	Annonaceae

C	Scientific name	Common name(s)	Family
7	<i>Asimina reticulata</i>	Netted Pawpaw	Annonaceae
9	<i>Asimina tetramera</i>	Fourpetal Pawpaw	Annonaceae
10	<i>Asplenium abscissum</i>	Cutleaf Spleenwort	Aspleniaceae
10	<i>Asplenium dentatum</i>	Toothed Spleenwort, Slender Spleenwort	Aspleniaceae
10	<i>Asplenium erosum</i>	Eared Spleenwort, Auricled Spleenwort	Aspleniaceae
10	<i>Asplenium platyneuron</i>	Ebony Spleenwort	Aspleniaceae
10	<i>Asplenium serratum</i>	Wild Birdnest Fern, Bird's-Nest Spleenwort	Aspleniaceae
10	<i>Asplenium verecundum</i>	Modest Spleenwort, Delicate Spleenwort	Aspleniaceae
10	<i>Asplenium x biscaynianum</i>	Biscayne Spleenwort	Aspleniaceae
5	<i>Atriplex pentandra</i>	Crested Saltbush	Amaranthaceae
8	<i>Aureolaria pectinata</i>	Fernleaf Yellow False Foxglove	Orobanchaceae
5	<i>Avicennia germinans</i>	Black Mangrove	Avicenniaceae
0	<i>Axonopus compressus</i>	Tropical Carpetgrass, Broadleaf Carpetgrass	Poaceae
1	<i>Axonopus fissifolius</i>	Common Carpetgrass	Poaceae
1	<i>Axonopus furcatus</i>	Big Carpetgrass	Poaceae
4	<i>Ayenia euphrasiifolia</i>	Eyebright Ayenia	Malvaceae
2	<i>Azolla caroliniana</i>	Carolina Mosquito Fern	Azollaceae
5	<i>Baccharis angustifolia</i>	Saltwater Falsewillow	Asteraceae
9	<i>Baccharis dioica</i>	Broombush Falsewillow	Asteraceae
4	<i>Baccharis glomeruliflora</i>	Silverling	Asteraceae
3	<i>Baccharis halimifolia</i>	Groundsel Tree, Sea Myrtle	Asteraceae
8	<i>Bacopa filiculoides</i>	Lemon Bacopa, Blue Waterhyssop	Plantaginaceae
3	<i>Bacopa innominata</i>	Tropical Waterhyssop	Plantaginaceae
3	<i>Bacopa monnieri</i>	Herb-Of-Grace	Plantaginaceae
3	<i>Bacopa repens</i>	Creeping Waterhyssop	Plantaginaceae
8	<i>Balduina angustifolia</i>	Coastalplain Honeycombhead	Asteraceae
10	<i>Bartonia verna</i>	White Screwstem	Gentianaceae
7	<i>Bartonia virginica</i>	Yellow Screwstem	Gentianaceae
7	<i>Basiphyllaea corallicola</i>	Carter's Orchid	Orchidaceae
5	<i>Batis maritima</i>	Saltwort, Turtleweed	Bataceae
7	<i>Bejaria racemosa</i>	Tarflower	Ericaceae
7	<i>Berchemia scandens</i>	Alabama Supplejack, Rattan Vine	Rhamnaceae
8	<i>Berlandiera subacaulis</i>	Florida Greeneyes	Asteraceae
0	<i>Bidens alba</i>	Beggarticks, Romerillo	Asteraceae
6	<i>Bidens bipinnata</i>	Spanish Needles	Asteraceae
6	<i>Bidens laevis</i>	Burrmarigold, Smooth Beggarticks	Asteraceae
5	<i>Bidens mitis</i>	Smallfruit Beggarticks	Asteraceae
8	<i>Bigelovia nudata</i> ssp. <i>australis</i>	Pineland Rayless Goldenrod	Asteraceae
6	<i>Blechnum serrulatum</i>	Toothed Midsorus Fern, Swamp Fern	Blechnaceae
10	<i>Bletia patula</i>	Flor De Pasma	Orchidaceae
5	<i>Bletia purpurea</i>	Pinepink	Orchidaceae
3	<i>Blutaparon vermiculare</i>	Samphire, Silverhead	Amaranthaceae
3	<i>Boehmeria cylindrica</i>	False Nettle, Bog Hemp	Urticaceae
0	<i>Boerhavia diffusa</i>	Red Spiderling, Wineflower	Nyctaginaceae
0	<i>Boerhavia erecta</i>	Erect Spiderling	Nyctaginaceae
8	<i>Boltonia diffusa</i>	Smallhead Doll's Daisy	Asteraceae
5	<i>Borrichia arborescens</i>	Tree Seaside Oxeye	Asteraceae
5	<i>Borrichia frutescens</i>	Bushy Seaside Oxeye	Asteraceae
5	<i>Borrichia x cubana</i>		Asteraceae

C	Scientific name	Common name(s)	Family
7	<i>Bourreria cassinifolia</i>	Smooth Strongbark, Little Strongbark	Boraginaceae
9	<i>Bourreria succulenta</i>	Bahama Strongbark, Bodywood	Boraginaceae
5	<i>Bouteloua hirsuta</i>	Hairy Gramma	Poaceae
9	<i>Brasenia schreberi</i>	Watershield	Cabombaceae
10	<i>Brassia caudata</i>	Spider Orchid, Cricket Orchid	Orchidaceae
9	<i>Brickellia mosieri</i>	Mosier's False Boneset, Brickell-Bush	Asteraceae
2	<i>Buchnera americana</i>	American Bluehearts	Orobanchaceae
10	<i>Bucida molinetii</i>	Spiny Black Olive	Combretaceae
10	<i>Bulbophyllum pachyrachis</i>	Rattail Orchid	Orchidaceae
7	<i>Bulbostylis ciliatifolia</i>	Capillary Hairsedge	Cyperaceae
7	<i>Bulbostylis stenophylla</i>	Sandy Field Hairsedge	Cyperaceae
7	<i>Bulbostylis warei</i>	Ware's Hairsedge	Cyperaceae
9	<i>Burmannia biflora</i>	Bluethread	Burmanniaceae
9	<i>Burmannia capitata</i>	Southern Bluethread	Burmanniaceae
9	<i>Burmannia flava</i>	Fakahatchee Bluethread	Burmanniaceae
4	<i>Bursera simaruba</i>	Gumbo Limbo	Burseraceae
10	<i>Byrsonima lucida</i>	Long Key Locustberry	Malpighiaceae
7	<i>Cabomba caroliniana</i>	Carolina Fanwort	Cabombaceae
4	<i>Caesalpinia bonduc</i>	Gray Nicker	Fabaceae
8	<i>Caesalpinia major</i>	Hawaii Pearls, Yellow Nicker	Fabaceae
8	<i>Cakile lanceolata</i>	Coastal Searocket	Brassicaceae
5	<i>Callicarpa americana</i>	American Beautyberry	Lamiaceae
4	<i>Callisia ornata</i>	Florida Scrub Roseling	Commelinaceae
9	<i>Callitriche peploides</i>	Matted Waterstarwort	Callitrichaceae
10	<i>Calopogon barbatus</i>	Bearded Grasspink	Orchidaceae
10	<i>Calopogon multiflorus</i>	Manyflowered Grasspink	Orchidaceae
5	<i>Calopogon pallidus</i>	Pale Grasspink	Orchidaceae
7	<i>Calopogon tuberosus</i> var. <i>tuberosus</i>	Tuberous Grasspink	Orchidaceae
9	<i>Calopogon tuberosus</i> var. <i>simpsonii</i>	Simpson's Grasspink	Orchidaceae
9	<i>Calyptranthes pallens</i>	Pale Lidflower, Spicewood	Myrtaceae
10	<i>Calyptranthes zuzygium</i>	Myrtle-of-the-River	Myrtaceae
6	<i>Calystegia sepium</i> ssp. <i>limnophila</i>	Hedge False Bindweed	Convolvulaceae
1	<i>Campanula floridana</i>	Florida Bellflower	Campanulaceae
10	<i>Campylocentrum pachyrrhizum</i>	Leafless Bentspur Orchid	Orchidaceae
10	<i>Campyloneurum angustifolium</i>	Narrow Strap Fern, Narrow Swamp Fern	Polypodiaceae
10	<i>Campyloneurum costatum</i>	Tailed Strap Fern	Polypodiaceae
8	<i>Campyloneurum phyllitidis</i>	Long Strap Fern	Polypodiaceae
4	<i>Canavalia rosea</i>	Baybean, Seaside Jackbean	Fabaceae
10	<i>Canella winterana</i>	Pepper Cinnamon, Cinnamon Bark	Canellaceae
4	<i>Canna flaccida</i>	Bandana-of-the-Everglades	Cannaceae
7	<i>Caperonia castaneifolia</i>	Chestnutleaf Falsecrotton	Euphorbiaceae
9	<i>Capparis cynophallophora</i>	Jamaican Capertree	Brassicaceae
9	<i>Capparis flexuosa</i>	Bayleaf Capertree	Brassicaceae
2	<i>Capraria biflora</i>	Goatweed	Scrophulariaceae
4	<i>Capsicum annuum</i> var. <i>glabriusculum</i>	Bird Pepper	Solanaceae
7	<i>Cardiospermum corindum</i>	Faux Persil	Sapindaceae
2	<i>Cardiospermum microcarpum</i>	Heartseed	Sapindaceae
9	<i>Carex gigantea</i>	Giant Sedge	Cyperaceae
4	<i>Carex longii</i>	Long's Sedge	Cyperaceae

C	Scientific name	Common name(s)	Family
7	<i>Carex lupuliformis</i>	False Hop Sedge	Cyperaceae
7	<i>Carex verrucosa</i>	Warty Sedge	Cyperaceae
7	<i>Carex vexans</i>	Florida Hammock Sedge	Cyperaceae
2	<i>Carica papaya</i>	Papaya	Caricaceae
8	<i>Carphephorus corymbosus</i>	Coastalplain Chaffhead, Florida Paintbrush	Asteraceae
8	<i>Carphephorus odoratissimus</i> var. <i>subtropicus</i>	Pineland Purple, False Vanilla leaf	Asteraceae
8	<i>Carphephorus paniculatus</i>	Hairy Chaffhead	Asteraceae
8	<i>Carya aquatica</i>	Water Hickory	Juglandaceae
8	<i>Carya floridana</i>	Scrub Hickory	Juglandaceae
8	<i>Carya glabra</i>	Pignut Hickory	Juglandaceae
4	<i>Cassytha filiformis</i>	Love Vine, Devil's Gut	Lauraceae
10	<i>Catopsis berteroniana</i>	Powdery Strap Airplant	Bromeliaceae
10	<i>Catopsis floribunda</i>	Florida Strap Airplant	Bromeliaceae
10	<i>Catopsis nutans</i>	Nodding Strap Airplant, Nodding Catopsis	Bromeliaceae
10	<i>Cayaponia americana</i>	American Melonleaf	Cucurbitaceae
8	<i>Celosia nitida</i>	West Indian Cock's Comb	Amaranthaceae
10	<i>Celtis ehrenbergiana</i>	Spiny Hackberry, Desert Hackberry	Celtidaceae
10	<i>Celtis iguanaea</i>	Iguana Hackberry	Celtidaceae
8	<i>Celtis laevigata</i>	Sugarberry, Hackberry	Celtidaceae
2	<i>Cenchrus pallida</i>	Southern Sandbur	Poaceae
2	<i>Cenchrus gracillimus</i>	Slender Sandbur	Poaceae
3	<i>Cenchrus spinifex</i>	Coastal Sandbur	Poaceae
7	<i>Cenchrus tribuloides</i>	Sanddune Sandbur	Poaceae
2	<i>Centella asiatica</i>	Spadeleaf	Araliaceae
4	<i>Centrosema virginianum</i>	Spurred Butterfly Pea	Fabaceae
6	<i>Cephalanthus occidentalis</i>	Common Buttonbush	Rubiaceae
10	<i>Ceratiola ericoides</i>	Florida Rosemary, Sand Heath	Ericaceae
4	<i>Ceratophyllum demersum</i>	Coontail	Ceratophyllaceae
4	<i>Ceratopteris pteridoides</i>	Water Horn Fern	Pteridaceae
5	<i>Chamaecrista fasciculata</i>	Partridge Pea	Fabaceae
7	<i>Chamaecrista lineata</i> var. <i>keyensis</i>	Narrowpod Sensitive Pea, Key Cassia	Fabaceae
6	<i>Chamaecrista nictitans</i> var. <i>nictitans</i>	Sensitive Pea	Fabaceae
4	<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Sensitive Pea	Fabaceae
1	<i>Chamaesyce blodgettii</i>	Limestone Sandmat	Euphorbiaceae
8	<i>Chamaesyce bombensis</i>	Dixie Sandmat	Euphorbiaceae
3	<i>Chamaesyce conferta</i>	Everglades Key Sandmat	Euphorbiaceae
6	<i>Chamaesyce cumulicola</i>	Coastal Dune Sandmat, Sanddune Spurge	Euphorbiaceae
6	<i>Chamaesyce deltoidea</i>	Wedge Sandmat, Rockland Spurge	Euphorbiaceae
10	<i>Chamaesyce deltoidea</i> ssp. <i>pinetorum</i>	Pineland Sandmat	Euphorbiaceae
9	<i>Chamaesyce garberi</i>	Garber's Sandmat, Garber's Spurge	Euphorbiaceae
0	<i>Chamaesyce hirta</i>	Pillpod Sandmat	Euphorbiaceae
1	<i>Chamaesyce hypericifolia</i>	Graceful Sandmat	Euphorbiaceae
1	<i>Chamaesyce hyssopifolia</i>	Hyssopleaf Sandmat	Euphorbiaceae
0	<i>Chamaesyce maculata</i>	Spotted Sandmat	Euphorbiaceae
5	<i>Chamaesyce mesembrianthemifolia</i>	Coastal Beach Sandmat	Euphorbiaceae
1	<i>Chamaesyce ophthalmica</i>	Florida Hammock Sandmat	Euphorbiaceae

C	Scientific name	Common name(s)	Family
9	<i>Chamaesyce pergamena</i>	Southern Florida Sandmat, Rocklands Spurge	Euphorbiaceae
10	<i>Chamaesyce porteriana</i>	Porter's Sandmat, Porter's Spurge	Euphorbiaceae
0	<i>Chamaesyce prostrata</i>	Prostrate Sandmat	Euphorbiaceae
8	<i>Chapmannia floridana</i>	Florida Alicia	Fabaceae
7	<i>Chaptalia albicans</i>	White Sunbonnets	Asteraceae
7	<i>Chaptalia tomentosa</i>	Woolly Sunbonnets, Pineland Daisy	Asteraceae
9	<i>Chasmanthium nitidum</i>	Shiny Woodoats	Poaceae
10	<i>Cheilanthes microphylla</i>	Southern Lip Fern	Pteridaceae
0	<i>Chenopodium berlandieri</i>	Pitseed Goosefoot	Amaranthaceae
4	<i>Chiococca alba</i>	Snowberry, Milkberry	Rubiaceae
7	<i>Chiococca pinetorum</i>	Pineland Snowberry	Rubiaceae
6	<i>Chloris elata</i>	Tall Windmillgrass, Manyspike Fingergrass	Poaceae
9	<i>Chromolaena frustrata</i>	Cape Sable Thoroughwort	Asteraceae
3	<i>Chromolaena odorata</i>	Jack-in-the-Bush	Asteraceae
4	<i>Chrysobalanus icaco</i>	Coco Plum	Chrysobalanaceae
9	<i>Chrysophyllum oliviforme</i>	Satinleaf	Sapotaceae
7	<i>Chrysopogon pauciflorus</i>	Florida False Beardgrass	Poaceae
9	<i>Chrysopsis linearifolia</i> ssp. <i>dressii</i>	Dress' Goldenaster	Asteraceae
5	<i>Chrysopsis mariana</i>	Maryland Goldenaster	Asteraceae
4	<i>Chrysopsis scabrella</i>	Coastalplain Goldenaster	Asteraceae
5	<i>Chrysopsis subulata</i>	Scrubland Goldenaster	Asteraceae
6	<i>Cicuta maculata</i>	Spotted Water Hemlock	Apiaceae
4	<i>Cirsium horridulum</i>	Purple Thistle	Asteraceae
0	<i>Cirsium nuttallii</i>	Nuttall's Thistle	Asteraceae
9	<i>Cissampelos pareira</i>	Pereira Brava	Menispermaceae
4	<i>Cissus trifoliata</i>	Sorrelvine, Marinevine	Vitaceae
2	<i>Cissus verticillata</i>	Seasonvine, Possum Grape	Vitaceae
8	<i>Citharexylum spinosum</i>	Florida Fiddlewood	Verbenaceae
5	<i>Cladium jamaicense</i>	Jamaica Swamp Sawgrass	Cyperaceae
6	<i>Clematis baldwinii</i>	Pine-Hyacinth	Ranunculaceae
5	<i>Clitoria mariana</i>	Atlantic Pigeonwings	Fabaceae
7	<i>Cnidoscolus stimulosus</i>	Tread-Softly, Finger-Rot	Euphorbiaceae
9	<i>Coccoloba diversifolia</i>	Tietongue, Pigeon Plum	Polygonaceae
4	<i>Coccoloba uvifera</i>	Seagrape	Polygonaceae
9	<i>Coccothrinax argentata</i>	Florida Silver Palm	Arecaceae
8	<i>Coelorachis cylindrica</i>	Carolina Jointtailgrass	Poaceae
7	<i>Coelorachis rugosa</i>	Wrinkled Jointtailgrass	Poaceae
8	<i>Coelorachis tuberculosa</i>	Florida Jointtailgrass, Piedmont Jointgrass	Poaceae
4	<i>Colubrina arborescens</i>	Greenheart	Rhamnaceae
8	<i>Colubrina cubensis</i> var. <i>floridana</i>	Cuban Nakedwood	Rhamnaceae
7	<i>Colubrina elliptica</i>	Soldierwood	Rhamnaceae
6	<i>Commelina erecta</i>	Whitemouth Dayflower	Commelinaceae
4	<i>Conocarpus erectus</i>	Buttonwood	Combretaceae
5	<i>Conoclinium coelestinum</i>	Blue Mistflower	Asteraceae
9	<i>Conopopholis americana</i>	American Squawroot, Cancerroot	Orobanchaceae
8	<i>Conradina grandiflora</i>	Largeflower False Rosemary	Lamiaceae
1	<i>Conyza canadensis</i>	Canadian Horseweed	Asteraceae
8	<i>Corallorhiza wisteriana</i>	Spring Coralroot	Orchidaceae
2	<i>Corchorus hirtus</i>	Red Jute	Malvaceae
1	<i>Corchorus siliquosus</i>	Slippery Burr	Malvaceae
10	<i>Cordia bahamensis</i>	Bahama Manjack	Boraginaceae

C	Scientific name	Common name(s)	Family
7	<i>Cordia globosa</i>	Curacao Bush	Boraginaceae
8	<i>Coreopsis floridana</i>	Florida Tickseed	Asteraceae
4	<i>Coreopsis leavenworthii</i>	Leavenworth's Tickseed	Asteraceae
7	<i>Cornus foemina</i>	Swamp Dogwood, Stiff Dogwood	Cornaceae
10	<i>Cranichis muscosa</i>	Cypressknee Helmet Orchid, Moss Orchid	Orchidaceae
8	<i>Crinum americanum</i>	Seven-Sisters, String-Lily	Amaryllidaceae
10	<i>Crossopetalum ilicifolium</i>	Christmasberry	Celastraceae
9	<i>Crossopetalum rhacoma</i>	Maidenberry, Rhacoma	Celastraceae
4	<i>Crotalaria pumila</i>	Low Rattlebox	Fabaceae
7	<i>Crotalaria rotundifolia</i>	Rabbitbells	Fabaceae
3	<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente Conmigo	Euphorbiaceae
8	<i>Croton glandulosus</i> var. <i>floridanus</i>	Vente Conmigo	Euphorbiaceae
9	<i>Croton humilis</i>	Pepperbush	Euphorbiaceae
8	<i>Croton linearis</i>	Pineland Croton, Grannybush	Euphorbiaceae
9	<i>Croton lobatus</i>	Lobed Croton	Euphorbiaceae
6	<i>Croton michauxii</i>	Rushfoil, Michaux's Croton	Euphorbiaceae
9	<i>Croton punctatus</i>	Gulf Croton, Beach Tea	Euphorbiaceae
9	<i>Ctenitis sloanei</i>	Florida Tree Fern, Red-Hair Comb Fern	Dryopteridaceae
10	<i>Ctenitis submarginalis</i>	Brown-Hair Comb Fern	Dryopteridaceae
9	<i>Ctenium aromaticum</i>	Toothachegrass	Poaceae
5	<i>Cucurbita okeechobeensis</i>	Okeechobee Gourd	Cucurbitaceae
2	<i>Cuscuta pentagona</i>	Fiveangled Dodder	Convolvulaceae
6	<i>Cuscuta umbellata</i>	Flatglobe Dodder	Convolvulaceae
5	<i>Cynanchum angustifolium</i>	Gulf Coast Swallowwort	Apocynaceae
10	<i>Cynanchum blodgettii</i>	Blodgett's Swallowwort	Apocynaceae
8	<i>Cynanchum northropiae</i>	Fragrant Swallowwort	Apocynaceae
5	<i>Cynanchum scoparium</i>	Leafless Swallowwort	Apocynaceae
2	<i>Cyperus articulatus</i>	Jointed Flatsedge	Cyperaceae
2	<i>Cyperus compressus</i>	Poorland Flatsedge	Cyperaceae
2	<i>Cyperus croceus</i>	Baldwin's Flatsedge	Cyperaceae
6	<i>Cyperus cuspidatus</i>	Coastalplain Flatsedge	Cyperaceae
4	<i>Cyperus distinctus</i>	Swamp Flatsedge	Cyperaceae
6	<i>Cyperus elegans</i>	Royal Flatsedge	Cyperaceae
5	<i>Cyperus erythrorhizos</i>	Redroot Flatsedge	Cyperaceae
7	<i>Cyperus filiculmis</i>	Wiry Flatsedge	Cyperaceae
5	<i>Cyperus filiformis</i>	Wiry Flatsedge, Florida Flatsedge	Cyperaceae
6	<i>Cyperus flavescens</i>	Yellow Flatsedge	Cyperaceae
3	<i>Cyperus haspan</i>	Haspan Flatsedge	Cyperaceae
3	<i>Cyperus ligularis</i>	Swamp Flatsedge	Cyperaceae
3	<i>Cyperus odoratus</i>	Fragrant Flatsedge	Cyperaceae
3	<i>Cyperus ovatus</i>	Pinebarren Flatsedge	Cyperaceae
2	<i>Cyperus planifolius</i>	Flatleaf Flatsedge	Cyperaceae
3	<i>Cyperus polystachyos</i>	Manyspike Flatsedge	Cyperaceae
0	<i>Cyperus squarrosus</i>	Bearded Flatsedge	Cyperaceae
5	<i>Cyperus strigosus</i>	Strawcolored Flatsedge	Cyperaceae
2	<i>Cyperus surinamensis</i>	Tropical Flatsedge	Cyperaceae
9	<i>Cyperus tetragonus</i>	Fourangle Flatsedge	Cyperaceae
10	<i>Cyrtopodium punctatum</i>	Cowhorn Orchid, Cigar Orchid	Orchidaceae
5	<i>Dalbergia brownei</i>	Browne's Indian Rosewood	Fabaceae
4	<i>Dalbergia ecastaphyllum</i>	Coinvine	Fabaceae
8	<i>Dalea carnea</i>	Whitetassels	Fabaceae

C	Scientific name	Common name(s)	Family
5	<i>Dalea carthagenensis</i> var. <i>floridana</i>	Florida Prairieclover	Fabaceae
7	<i>Dalea feayi</i>	Feay's Prairieclover	Fabaceae
3	<i>Dalea pinnata</i> var. <i>pinnata</i>	Summer Farewell	Fabaceae
8	<i>Dalea pinnata</i> var. <i>adenopoda</i>	Summer Farewell	Fabaceae
0	<i>Datura stramonium</i>	Jimsonweed	Solanaceae
7	<i>Deeringothamnus rugelii</i> var. <i>pulchellus</i>	Pretty False Pawpaw, Royal False Pawpaw	Annonaceae
10	<i>Dendrophylax lindenii</i>	Ghost Orchid, Palmpolly	Orchidaceae
0	<i>Descurainia pinnata</i>	Western Tansymustard	Brassicaceae
8	<i>Desmodium floridanum</i>	Florida Ticktrefoil	Fabaceae
10	<i>Desmodium lineatum</i>	Sand Ticktrefoil	Fabaceae
9	<i>Desmodium marilandicum</i>	Smooth Ticktrefoil	Fabaceae
3	<i>Desmodium paniculatum</i>	Panicled Ticktrefoil	Fabaceae
10	<i>Desmodium strictum</i>	Pinebarren Ticktrefoil	Fabaceae
7	<i>Dichanthelium aciculare</i>	Needleleaf Witchgrass	Poaceae
7	<i>Dichanthelium commutatum</i>	Variable Witchgrass	Poaceae
6	<i>Dichanthelium dichotomum</i>	Cypress Witchgrass	Poaceae
6	<i>Dichanthelium ensifolium</i> var. <i>ensifolium</i>	Cypress Witchgrass	Poaceae
6	<i>Dichanthelium ensifolium</i> var. <i>breve</i>	Dwarf Cypress Witchgrass	Poaceae
6	<i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i>	Cypress Witchgrass	Poaceae
7	<i>Dichanthelium erectifolium</i>	Erectleaf Witchgrass	Poaceae
6	<i>Dichanthelium laxiflorum</i>	Openflower Witchgrass	Poaceae
6	<i>Dichanthelium leucothrix</i>	Rough Witchgrass	Poaceae
7	<i>Dichanthelium ovale</i>	Eggleaf Witchgrass	Poaceae
7	<i>Dichanthelium portoricense</i>	Hemlock Witchgrass	Poaceae
6	<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Roughhair Witchgrass	Poaceae
2	<i>Dichondra carolinensis</i>	Carolina Ponysfoot	Convolvulaceae
4	<i>Dicliptera sexangularis</i>	Sixangle Foldwing	Acanthaceae
0	<i>Dicranopteris flexuosa</i>	Drooping Forked Fern	Gleicheniaceae
0	<i>Digitaria ciliaris</i>	Southern Crabgrass	Poaceae
7	<i>Digitaria filiformis</i> var. <i>filiformis</i>	Slender Crabgrass, Shaggy Crabgrass	Poaceae
8	<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	Caribbean Crabgrass	Poaceae
0	<i>Digitaria horizontalis</i>	Jamaican Crabgrass	Poaceae
0	<i>Digitaria insularis</i>	Sourgrass	Poaceae
9	<i>Digitaria pauciflora</i>	Twospike Crabgrass	Poaceae
1	<i>Digitaria serotina</i>	Blanket Crabgrass, Dwarf Crabgrass	Poaceae
5	<i>Diodia teres</i>	Poor Joe, Rough Buttonweed	Rubiaceae
2	<i>Diodia virginiana</i>	Virginia Buttonweed	Rubiaceae
4	<i>Diospyros virginiana</i>	Common Persimmon	Ebenaceae
8	<i>Distichlis spicata</i>	Saltgrass	Poaceae
5	<i>Dodonaea elaeagnoides</i>	Smallfruit Varnishleaf, Keys Hopebush	Sapindaceae
4	<i>Dodonaea viscosa</i>	Varnishleaf, Florida Hopbush	Sapindaceae
9	<i>Drosera brevifolia</i>	Dwarf Sundew	Droseraceae
7	<i>Drosera capillaris</i>	Pink Sundew	Droseraceae
1	<i>Drymaria cordata</i>	Drymary, West Indian Chickweed	Caryophyllaceae
10	<i>Drypetes diversifolia</i>	Whitewood, Milkbark	Putranjivaceae
10	<i>Drypetes lateriflora</i>	Guiana Plum	Putranjivaceae

C	Scientific name	Common name(s)	Family
8	<i>Dyschoriste angusta</i>	Pineland Twinflower, Pineland Snakeherb	Acanthaceae
8	<i>Dyschoriste oblongifolia</i>	Oblongleaf Snakeherb	Acanthaceae
6	<i>Echinochloa paludigena</i>	Florida Cockspur	Poaceae
1	<i>Echinochloa walteri</i>	Coast Cockspur	Poaceae
10	<i>Echinodorus berteroi</i>	Upright Burrhead	Alismataceae
6	<i>Echites umbellata</i>	Devil's Potato, Rubbervine	Apocynaceae
1	<i>Eclipta prostrata</i>	False Daisy	Asteraceae
5	<i>Eleocharis albida</i>	White Spikerush	Cyperaceae
3	<i>Eleocharis baldwinii</i>	Baldwin's Spikerush, Roadgrass	Cyperaceae
4	<i>Eleocharis cellulosa</i>	Gulf Coast Spikerush	Cyperaceae
8	<i>Eleocharis elongata</i>	Slim Spikerush	Cyperaceae
6	<i>Eleocharis flavescens</i>	Yellow Spikerush, Pale Spikerush	Cyperaceae
3	<i>Eleocharis geniculata</i>	Canada Spikerush	Cyperaceae
3	<i>Eleocharis interstincta</i>	Knotted Spikerush	Cyperaceae
5	<i>Eleocharis microcarpa</i>	Smallfruit Spikerush	Cyperaceae
5	<i>Eleocharis montevidensis</i>	Sand Spikerush	Cyperaceae
2	<i>Eleocharis vivipara</i>	Viviparous Spikerush	Cyperaceae
7	<i>Elephantopus elatus</i>	Tall Elephantsfoot	Asteraceae
10	<i>Eltroplectris calcarata</i>	Longclaw Orchid, Spurred Neottia	Orchidaceae
9	<i>Elytraria caroliniensis</i> var. <i>caroliniensis</i>	Carolina Scalystem	Acanthaceae
8	<i>Elytraria caroliniensis</i> var. <i>angustifolia</i>	Carolina Scalystem	Acanthaceae
4	<i>Encyclia tampensis</i>	Florida Butterfly Orchid	Orchidaceae
10	<i>Epidendrum anceps</i>	Dingy-Flowered Star Orchid	Orchidaceae
10	<i>Epidendrum blancheanum</i>	Acuna's Star Orchid	Orchidaceae
10	<i>Epidendrum floridense</i>	Umbrella Star Orchid, Umbelled Epidendrum	Orchidaceae
10	<i>Epidendrum nocturnum</i>	Night-Scented Epidendrum	Orchidaceae
10	<i>Epidendrum rigidum</i>	Stiff-Flower Star Orchid, Rigid Epidendrum	Orchidaceae
10	<i>Epidendrum strobiliferum</i>	Big Cypress Star Orchid, Matted Epidendrum	Orchidaceae
0	<i>Equisetum hyemale</i> var. <i>affine</i>	Scouring-Rush	Equisetaceae
2	<i>Eragrostis elliottii</i>	Elliott's Lovegrass	Poaceae
8	<i>Eragrostis hypnoides</i>	Teal Lovegrass	Poaceae
1	<i>Eragrostis pectinacea</i> var. <i>tracyi</i>	Sanibel Island Lovegrass	Poaceae
0	<i>Eragrostis secundiflora</i> ssp. <i>oxylepis</i>	Red Lovegrass	Poaceae
2	<i>Eragrostis spectabilis</i>	Purple Lovegrass	Poaceae
4	<i>Eragrostis virginica</i>	Coastal Lovegrass	Poaceae
3	<i>Erechtites hieracifolius</i>	American Burnweed, Fireweed	Asteraceae
3	<i>Erigeron quercifolius</i>	Oakleaf Fleabane	Asteraceae
5	<i>Erigeron vernus</i>	Early Whitetop Fleabane	Asteraceae
8	<i>Eriocaulon compressum</i>	Flattened Pipewort	Eriocaulaceae
8	<i>Eriocaulon decangulare</i>	Tenangle Pipewort	Eriocaulaceae
9	<i>Eriocaulon ravenelii</i>	Ravenel's Pipewort	Eriocaulaceae
8	<i>Eriochloa michauxii</i> var. <i>michauxii</i>	Michaux's Cupgrass	Poaceae
8	<i>Eriochloa michauxii</i> var. <i>simpsonii</i>	Simpson's Cupgrass	Poaceae
7	<i>Erithalis fruticosa</i>	Blacktorch	Rubiaceae
10	<i>Ernodea cokeri</i>	Coker's Beach Creeper, One-Nerved Ernodea	Rubiaceae
7	<i>Ernodea littoralis</i>	Beach Creeper, Coughbush	Rubiaceae

C	Scientific name	Common name(s)	Family
8	<i>Eryngium aromaticum</i>	Fragrant Eryngo	Apiaceae
8	<i>Eryngium baldwinii</i>	Baldwin's Eryngo	Apiaceae
8	<i>Eryngium yuccifolium</i>	Button Rattlesnakemaster, Button Eryngo	Apiaceae
7	<i>Erythrina herbacea</i>	Coralbean, Cherokee Bean	Fabaceae
9	<i>Eugenia axillaris</i>	White Stopper	Myrtaceae
10	<i>Eugenia confusa</i>	Redberry Stopper, Redberry Eugenia	Myrtaceae
8	<i>Eugenia foetida</i>	Spanish Stopper, Boxleaf Stopper	Myrtaceae
10	<i>Eugenia rhombea</i>	Red Stopper	Myrtaceae
4	<i>Eulophia alta</i>	Wild Coco	Orchidaceae
1	<i>Eupatorium capillifolium</i>	Dogfennel	Asteraceae
8	<i>Eupatorium compositifolium</i>	Yankeeweed	Asteraceae
8	<i>Eupatorium leptophyllum</i>	Falsefennel	Asteraceae
8	<i>Eupatorium mikanioides</i>	Semaphore Thoroughwort	Asteraceae
7	<i>Eupatorium mohrii</i>	Mohr's Thoroughwort	Asteraceae
4	<i>Eupatorium rotundifolium</i>	Roundleaf Thoroughwort, False Horehound	Asteraceae
3	<i>Eupatorium serotinum</i>	Lateflowering Thoroughwort	Asteraceae
3	<i>Euphorbia inundata</i> var. <i>garrettii</i>		Euphorbiaceae
7	<i>Euphorbia polyphylla</i>	Lesser Florida Spurge	Euphorbiaceae
4	<i>Euphorbia trichotoma</i>	Sanddune Spurge	Euphorbiaceae
5	<i>Eustachys glauca</i>	Saltmarsh Fingergrass	Poaceae
2	<i>Eustachys petraea</i>	Pinewoods Fingergrass	Poaceae
4	<i>Eustoma exaltatum</i>	Marsh Gentian, Catchfly	Gentianaceae
		Prairie-Gentian	
5	<i>Euthamia caroliniana</i>	Slender Flattop Goldenrod	Asteraceae
0	<i>Evolvulus alsinoides</i>	Slender Dwarf Morning-Glory	Convolvulaceae
7	<i>Evolvulus sericeus</i>	Silver Dwarf Morning-Glory	Convolvulaceae
8	<i>Exostema caribaeum</i>	Caribbean Princewood	Rubiaceae
9	<i>Exothea paniculata</i>	Inkwood, Butterbough	Sapindaceae
2	<i>Ficus aurea</i>	Strangler Fig, Golden Fig	Moraceae
4	<i>Ficus citrifolia</i>	Wild Banyan Tree	Moraceae
4	<i>Fimbristylis autumnalis</i>	Slender Fimbry	Cyperaceae
4	<i>Fimbristylis caroliniana</i>	Carolina Fimbry	Cyperaceae
2	<i>Fimbristylis cymosa</i>	Hurricanegrass	Cyperaceae
1	<i>Fimbristylis dichotoma</i>	Forked Fimbry	Cyperaceae
7	<i>Fimbristylis puberula</i>	Hairy Fimbry	Cyperaceae
8	<i>Fimbristylis spadicea</i>	Marsh Fimbry	Cyperaceae
4	<i>Flaveria floridana</i>	Florida Yellowtops	Asteraceae
4	<i>Flaveria linearis</i>	Narrowleaf Yellowtops	Asteraceae
0	<i>Flaveria trinervia</i>	Clustered Yellowtops	Asteraceae
8	<i>Forestiera pinetorum</i>		Oleaceae
4	<i>Forestiera segregata</i>	Florida Swampprivet	Oleaceae
7	<i>Fraxinus caroliniana</i>	Carolina Ash, Water Ash, Pop Ash	Oleaceae
3	<i>Froelichia floridana</i>	Cottonweed, Plains Snakecotton	Amaranthaceae
4	<i>Fuirena breviseta</i>	Saltmarsh Umbrellasedge	Cyperaceae
4	<i>Fuirena pumila</i>	Dwarf Umbrellasedge	Cyperaceae
5	<i>Fuirena scirpoidea</i>	Southern Umbrellasedge	Cyperaceae
7	<i>Galactia elliotii</i>	Elliott's Milkpea	Fabaceae
7	<i>Galactia regularis</i>	Downy Milkpea	Fabaceae
7	<i>Galacita smallii</i>	Small's Milkpea	Fabaceae
4	<i>Galactia volubilis</i>	Eastern Milkpea	Fabaceae
10	<i>Galeandra bicarinata</i>	Two-Keeled Hooded Orchid, Helmet Orchid	Orchidaceae

C	Scientific name	Common name(s)	Family
4	<i>Galium hispidulum</i>	Coastal Bedstraw	Rubiaceae
4	<i>Galium tinctorium</i>	Stiff Marsh Bedstraw	Rubiaceae
0	<i>Gamochaeta coarctata</i>	American Everlasting, Elegant Cudweed	Asteraceae
2	<i>Gamochaeta antillana</i>	Caribbean Purple Everlasting	Asteraceae
1	<i>Gamochaeta purpurea</i>	Spoonleaf Purple Everlasting	Asteraceae
1	<i>Gaura angustifolia</i>	Southern Beeblossom	Onagraceae
8	<i>Gaylussacia dumosa</i>	Dwarf Huckleberry	Ericaceae
8	<i>Gelsemium sempervirens</i>	Yellow Jessamine, Carolina Jessamine	Gelsemiaceae
8	<i>Genipa clusiifolia</i>	Sevenyear Apple	Rubiaceae
0	<i>Geranium carolinianum</i>	Carolina Cranesbill	Geraniaceae
10	<i>Glandularia maritima</i>	Coastal Mock Vervain	Verbenaceae
9	<i>Glandularia tampensis</i>	Tampa Mock Vervain	Verbenaceae
9	<i>Gordonia lasianthus</i>	Loblolly Bay	Theaceae
7	<i>Gossypium hirsutum</i>	Upland Cotton, Wild Cotton	Malvaceae
8	<i>Gouania lupuloides</i>	Chewstick, Whiteroot	Rhamnaceae
10	<i>Govenia floridana</i>	Florida Govenia, Gowen's Orchid	Orchidaceae
7	<i>Gratiola hispida</i>	Rough Hedgehyssop	Plantaginaceae
7	<i>Gratiola pilosa</i>	Shaggy Hedgehyssop	Plantaginaceae
7	<i>Gratiola ramosa</i>	Branched Hedgehyssop	Plantaginaceae
10	<i>Guaiacum sanctum</i>	Hollywood Lignumvitae	Zygophyllaceae
8	<i>Guapira discolor</i>	Beefree, Blolly	Nyctaginaceae
9	<i>Guettarda elliptica</i>	Hammock Velvetseed	Rubiaceae
9	<i>Guettarda scabra</i>	Rough Velvetseed	Rubiaceae
10	<i>Guzmania monostachia</i>	West Indian Tufted Airplant	Bromeliaceae
10	<i>Gyminda latifolia</i>	West Indian False Boxwood	Celastraceae
9	<i>Gymnanthes lucida</i>	Crabwood, Oysterwood	Euphorbiaceae
9	<i>Gymnopogon ambiguus</i>	Bearded Skeletongrass	Poaceae
10	<i>Habenaria distans</i>	Hammock False Reinorchid	Orchidaceae
4	<i>Habenaria floribunda</i>	Toothpetal False Reinorchid	Orchidaceae
8	<i>Habenaria nivea</i>	Snowy Orchid	Orchidaceae
7	<i>Habenaria quinqueseta</i>	Longhorn False Reinorchid	Orchidaceae
7	<i>Habenaria repens</i>	Waterspider False Reinorchid	Orchidaceae
6	<i>Halodule wrightii</i>	Shoalweed	Cymodoceaceae
7	<i>Halophila decipiens</i>	Caribbean seagrass	Hydrocharitaceae
7	<i>Halophila engelmannii</i>	Engelmann's seagrass	Hydrocharitaceae
6	<i>Halophila johnsonii</i>	Johnson's seagrass	Hydrocharitaceae
4	<i>Hamelia patens</i>	Firebush	Rubiaceae
4	<i>Harrisella porrecta</i>	Needleroot Airplant Orchid	Orchidaceae
9	<i>Harrisia aboriginum</i>	Prickly Applecactus	Cactaceae
8	<i>Harrisia simpsonii</i>	Simpson's Applecactus	Cactaceae
1	<i>Helenium amarum</i>	Spanish Daisy, Bitterweed	Asteraceae
2	<i>Helenium flexuosum</i>	Purplehead Sneezeweed	Asteraceae
8	<i>Helenium pinnatifidum</i>	Southeastern Sneezeweed	Asteraceae
3	<i>Helianthemum corymbosum</i>	Pinebarren Frostweed	Cistaceae
5	<i>Helianthemum nashii</i>	Florida Scrub Frostweed	Cistaceae
6	<i>Helianthus agrestis</i>	Southeastern Sunflower	Asteraceae
6	<i>Helianthus angustifolius</i>	Narrowleaf Sunflower, Swamp Sunflower	Asteraceae
4	<i>Helianthus debilis</i>	East Coast Dune Sunflower	Asteraceae
4	<i>Helianthus debilis</i> ssp. <i>vestitus</i>	West Coast Dune Sunflower	Asteraceae
6	<i>Helianthus radula</i>	Stiff Sunflower	Asteraceae
2	<i>Heliotropium angiospermum</i>	Scorpionstail	Boraginaceae
2	<i>Heliotropium curassavicum</i>	Seaside Heliotrope, Salt Heliotrope	Boraginaceae

C	Scientific name	Common name(s)	Family
7	<i>Heliotropium leavenworthii</i>		Boraginaceae
3	<i>Heliotropium polyphyllum</i>	Pineland Heliotrope	Boraginaceae
3	<i>Herissantia crispa</i>	Bladdermallow	Malvaceae
1	<i>Heteropogon contortus</i>	Tanglehead	Poaceae
1	<i>Heteropogon melanocarpus</i>	Sweet Tanglehead	Poaceae
1	<i>Heterotheca subaxillaris</i>	Camphorweed	Asteraceae
10	<i>Hexalectris spicata</i>	Spiked Crested Coralroot	Orchidaceae
8	<i>Hibiscus coccineus</i>	Scarlet Rosemallow	Malvaceae
1	<i>Hibiscus furcellatus</i>	Lindenleaf Rosemallow	Malvaceae
5	<i>Hibiscus grandiflorus</i>	Swamp Rosemallow	Malvaceae
9	<i>Hibiscus poeppigii</i>	Poeppig's Rosemallow	Malvaceae
8	<i>Hieracium megacephalon</i>	Coastalplain Hawkweed	Asteraceae
9	<i>Hippocratea volubilis</i>	Medicine Vine	Celastraceae
9	<i>Hippomane mancinella</i>	Manchineel	Euphorbiaceae
6	<i>Houstonia procumbens</i>	Innocence, Roundleaf Bluet	Rubiaceae
10	<i>Huperzia dichotoma</i>	Hanging Club-Moss	Lycopodiaceae
4	<i>Hydrocotyle umbellata</i>	Manyflower Marshpennywort	Araliaceae
7	<i>Hydrolea corymbosa</i>	Skyflower	Hydroleaceae
7	<i>Hymenocallis latifolia</i>	Mangrove Spiderlily, Perfumed Spiderlily	Amaryllidaceae
9	<i>Hymenocallis palmeri</i>	Alligatorlily	Amaryllidaceae
8	<i>Hymenocallis tridentata</i>	Florida Spiderlily	Amaryllidaceae
10	<i>Hypelate trifoliata</i>	White Ironwood	Sapindaceae
7	<i>Hypericum brachyphyllum</i>	Coastalplain St.John's-Wort	Clusiaceae
7	<i>Hypericum cistifolium</i>	Roundpod St.John's-Wort	Clusiaceae
7	<i>Hypericum crux-andreae</i>	St.Peter's-Wort	Clusiaceae
5	<i>Hypericum edisonianum</i>	Arcadian St.John's-Wort, Edison Ascyrum	Clusiaceae
7	<i>Hypericum fasciculatum</i>	Sandweed, Peelbark St.John's-Wort	Clusiaceae
5	<i>Hypericum gentianoides</i>	Pineweeds, Orangegrass	Clusiaceae
7	<i>Hypericum hypericoides</i>	St.Andrew's-Cross	Clusiaceae
5	<i>Hypericum mutilum</i>	Dwarf St.John's-Wort	Clusiaceae
7	<i>Hypericum myrtifolium</i>	Myrtleleaf St.John's-Wort	Clusiaceae
7	<i>Hypericum tenuifolium</i>	Atlantic St.John's-Wort	Clusiaceae
7	<i>Hypericum tetrapetalum</i>	Fourpetal St.John's-Wort	Clusiaceae
8	<i>Hypoxis curtissii</i>	Common Yellow Stargrass	Hypoxidaceae
8	<i>Hypoxis juncea</i>	Fringed Yellow Stargrass	Hypoxidaceae
8	<i>Hypoxis sessilis</i>	Glossyseed Yellow Stargrass	Hypoxidaceae
6	<i>Hypoxis wrightii</i>	Bristleseed Yellow Stargrass	Hypoxidaceae
5	<i>Hyptis alata</i>	Clustered Bushmint, Musky Mint	Lamiaceae
7	<i>Ilex cassine</i>	Dahoon	Aquifoliaceae
7	<i>Ilex glabra</i>	Inkberry, Gallberry	Aquifoliaceae
9	<i>Ilex krugiana</i>	Tawnyberry Holly, Krug's Holly	Aquifoliaceae
10	<i>Ilex opaca</i>	American Holly	Aquifoliaceae
8	<i>Imperata brasiliensis</i>	Brazilian Satintail	Poaceae
8	<i>Indigofera caroliniana</i>	Carolina Indigo	Fabaceae
2	<i>Indigofera miniata</i> var. <i>florida</i>	Florida Coastal Indigo	Fabaceae
6	<i>Indigofera trita</i> ssp. <i>scabra</i>	Florida Keys Indigo	Fabaceae
9	<i>Ionopsis utricularioides</i>	Delicate Violet Orchid	Orchidaceae
3	<i>Ipomoea alba</i>	Moonflowers, Tropical White Morning-Glory	Convolvulaceae
2	<i>Ipomoea cordatotriloba</i>	Tievine	Convolvulaceae
0	<i>Ipomoea hederacea</i>	Ivyleaf Morning-Glory	Convolvulaceae
0	<i>Ipomoea hederifolia</i>	Scarletcreeper	Convolvulaceae

C	Scientific name	Common name(s)	Family
9	<i>Ipomoea imperati</i>	Beach Morning-Glory	Convolvulaceae
2	<i>Ipomoea indica</i> var. <i>acuminata</i>	Oceanblue Morning-Glory	Convolvulaceae
10	<i>Ipomoea microdactyla</i>	Bejuco Colorado, Wild-Potato Morning-Glory	Convolvulaceae
4	<i>Ipomoea pes-caprae</i> ssp. <i>brasiliensis</i>	Railroad Vine, Bayhops	Convolvulaceae
6	<i>Ipomoea sagittata</i>	Saltmarsh Morning-Glory	Convolvulaceae
9	<i>Ipomoea tenuissima</i>	Rockland Morning-Glory	Convolvulaceae
3	<i>Ipomoea violacea</i>	Heavenlyblue Morning-Glory	Convolvulaceae
2	<i>Iresine diffusa</i>	Juba's Bush	Amaranthaceae
7	<i>Iris hexagona</i>	Dixie Iris, Prairie Iris	Iridaceae
6	<i>Isoetes flaccida</i>	Florida Quillwort	Isoetaceae
8	<i>Itea virginica</i>	Virginia Willow, Virginia Sweetspire	Iteaceae
8	<i>Iva frutescens</i>	Bigleaf Sumpweed	Asteraceae
5	<i>Iva imbricata</i>	Seacoast Marshelder	Asteraceae
8	<i>Iva microcephala</i>	Piedmont Marshelder	Asteraceae
7	<i>Jacquemontia curtisii</i>	Pineland Clustervine, Pineland Jacquemontia	Convolvulaceae
7	<i>Jacquemontia pentanthos</i>	Skyblue Clustervine	Convolvulaceae
9	<i>Jacquemontia reclinata</i>	Beach Clustervine, Beach Jacquemontia	Convolvulaceae
10	<i>Jacquinia keyensis</i>	Joewood	Theophrastaceae
5	<i>Juncus effusus</i> ssp. <i>solutus</i>	Soft Rush	Juncaceae
5	<i>Juncus marginatus</i>	Shore Rush, Grassleaf Rush	Juncaceae
4	<i>Juncus megacephalus</i>	Bighead Rush	Juncaceae
7	<i>Juncus polycephalos</i>	Manyhead Rush	Juncaceae
4	<i>Juncus repens</i>	Lesser Creeping Rush	Juncaceae
7	<i>Juncus roemerianus</i>	Needle Rush, Needlegrass Rush, Black Rush	Juncaceae
6	<i>Juncus scirpoides</i>	Needlepod Rush	Juncaceae
4	<i>Juniperus virginiana</i>	Red Cedar	Cupressaceae
8	<i>Justicia angusta</i>	Pineland Waterwillow	Acanthaceae
1	<i>Kallstroemia maxima</i>	Big Caltrop	Zygophyllaceae
5	<i>Koanophyllon villosum</i>	Florida Shrub Thoroughwort	Asteraceae
5	<i>Kosteletzkya depressa</i>	White Fenrose, White Fen	Malvaceae
4	<i>Kosteletzkya pentacarpus</i>	Virginia Saltmarsh Mallow	Malvaceae
9	<i>Krugiodendron ferreum</i>	Black Ironwood, Leadwood	Rhamnaceae
0	<i>Kyllinga odorata</i>	Fragrant Spikesedge	Cyperaceae
0	<i>Kyllinga pumila</i>	Low Spikesedge	Cyperaceae
6	<i>Lachnanthes carolina</i>	Carolina Redroot	Haemodoraceae
8	<i>Lachnocaulon anceps</i>	Whitehead Bogbutton	Eriocaulaceae
8	<i>Lachnocaulon beyrichianum</i>	Southern Bogbutton	Eriocaulaceae
5	<i>Lachnocaulon minus</i>	Small's Bogbutton	Eriocaulaceae
7	<i>Lactuca floridana</i>	Woodland Lettuce	Asteraceae
2	<i>Lactuca graminifolia</i>	Grassleaf Lettuce	Asteraceae
4	<i>Laguncularia racemosa</i>	White Mangrove	Combretaceae
4	<i>Lantana canescens</i>	Hammock Shrubverbena	Verbenaceae
6	<i>Lantana depressa</i>	Rockland Shrubverbena, Pineland Lantana	Verbenaceae
5	<i>Lantana involucrata</i>	Buttonsage	Verbenaceae
9	<i>Lasiacis divaricata</i>	Smallcane, Florida Tibisee	Poaceae
7	<i>Lechea cernua</i>	Nodding Pinweed, Scrub Pinweed	Cistaceae
8	<i>Lechea deckertii</i>	Deckert's Pinweed	Cistaceae
7	<i>Lechea divaricata</i>	Drysand Pinweed, Spreading Pinweed	Cistaceae

C	Scientific name	Common name(s)	Family
7	<i>Lechea sessiliflora</i>	Pineland Pinweed	Cistaceae
7	<i>Lechea torreyi</i>	Piedmont Pinweed	Cistaceae
2	<i>Leersia hexandra</i>	Southern Cutgrass	Poaceae
4	<i>Lemna aequinoctialis</i>	Lesser Duckweed	Araceae
3	<i>Lemna obscura</i>	Little Duckweed	Araceae
4	<i>Lemna valdiviana</i>	Valdivia Duckweed	Araceae
10	<i>Lepanthopsis melanantha</i>	Tiny Orchid	Orchidaceae
0	<i>Lepidium virginicum</i>	Virginia Pepperweed	Brassicaceae
1	<i>Leptochloa dubia</i>	Green Sprangletop	Poaceae
3	<i>Leptochloa fusca</i> ssp. <i>fascicularis</i>	Bearded Sprangletop	Poaceae
1	<i>Leptochloa virgata</i>	Tropical Sprangletop	Poaceae
6	<i>Liatris chapmanii</i>	Chapman's Gayfeather	Asteraceae
8	<i>Liatris garberi</i>	Garber's Gayfeather	Asteraceae
8	<i>Liatris gracilis</i>	Slender Gayfeather	Asteraceae
7	<i>Liatris spicata</i>	Dense Gayfeather	Asteraceae
7	<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf Gayfeather	Asteraceae
8	<i>Liatris tenuifolia</i> var. <i>quadriflora</i>	Shortleaf Gayfeather	Asteraceae
4	<i>Licania michauxii</i>	Gopher Apple	Chrysobalanaceae
8	<i>Licaria triandra</i>	Pepperleaf Sweetwood, Licaria	Lauraceae
8	<i>Lilium catesbaei</i>	Catesby's Lily, Pine Lily	Liliaceae
5	<i>Limnobia spongia</i>	American Spongeplant, Frog's-Bit	Hydrocharitaceae
7	<i>Limonium carolinianum</i>	Carolina Sealavender	Plumbaginaceae
1	<i>Linaria canadensis</i>	Canadian Toadflax	Plantaginaceae
2	<i>Linaria floridana</i>	Apalachicola Toadflax	Plantaginaceae
4	<i>Lindernia dubia</i> var. <i>dubia</i>	Moistbank False Pimpernel	Plantaginaceae
5	<i>Lindernia dubia</i> var. <i>anagallidea</i>	Yellowseed False Pimpernel	Plantaginaceae
3	<i>Lindernia grandiflora</i>	Savannah False Pimpernel	Plantaginaceae
1	<i>Linum arenicola</i>	Sand Flax	Linaceae
6	<i>Linum carteri</i> var. <i>carteri</i>	Carter's Flax, Everglades Flax	Linaceae
4	<i>Linum carteri</i> var. <i>smallii</i>	Small's Flax	Linaceae
7	<i>Linum floridanum</i>	Florida Yellow Flax	Linaceae
7	<i>Linum medium</i> var. <i>texanum</i>	Stiff Yellow Flax	Linaceae
10	<i>Liparis nervosa</i>	Pantropical Widelip Orchid, Tall Twayblade	Orchidaceae
8	<i>Lipocarpa maculata</i>	American Halfchaff Sedge	Cyperaceae
7	<i>Lipocarpa micrantha</i>	Smallflower Halfchaff Sedge	Cyperaceae
8	<i>Liquidambar styraciflua</i>	Sweetgum	Altingiaceae
5	<i>Lobelia feayana</i>	Bay Lobelia	Campanulaceae
7	<i>Lobelia glandulosa</i>	Glade Lobelia	Campanulaceae
2	<i>Lobelia homophylla</i>	Pineland Lobelia	Campanulaceae
7	<i>Lobelia paludosa</i>	White Lobelia	Campanulaceae
10	<i>Lomariopsis kunzeana</i>	Holly Vine Fern, Climbing Holly-Fern	Lomariopsidaceae
5	<i>Ludwigia alata</i>	Winged Primrosewillow	Onagraceae
4	<i>Ludwigia arcuata</i>	Piedmont Primrosewillow	Onagraceae
6	<i>Ludwigia curtissii</i>	Curtiss' Primrosewillow	Onagraceae
7	<i>Ludwigia decurrens</i>	Wingleaf Primrosewillow	Onagraceae
4	<i>Ludwigia erecta</i>	Yerba de Jicotea	Onagraceae
3	<i>Ludwigia leptocarpa</i>	Anglestem Primrosewillow	Onagraceae
6	<i>Ludwigia linifolia</i>	Southeastern Primrosewillow	Onagraceae
6	<i>Ludwigia maritima</i>	Seaside Primrosewillow	Onagraceae
3	<i>Ludwigia microcarpa</i>	Smallfruit Primrosewillow	Onagraceae
2	<i>Ludwigia octovalvis</i>	Mexican Primrosewillow	Onagraceae
8	<i>Ludwigia pilosa</i>	Hairy Primrosewillow	Onagraceae
4	<i>Ludwigia repens</i>	Creeping Primrosewillow	Onagraceae

C	Scientific name	Common name(s)	Family
7	<i>Ludwigia suffruticosa</i>	Shrubby Primrosewillow	Onagraceae
7	<i>Lupinus diffusus</i>	Skyblue Lupine	Fabaceae
2	<i>Luziola fluitans</i>	Southern Watergrass	Poaceae
8	<i>Lycium carolinianum</i>	Christmasberry, Carolina Desert-Thorn	Solanaceae
8	<i>Lycopodiella appressa</i>	Southern Club-Moss	Lycopodiaceae
7	<i>Lycopodiella caroliniana</i>	Slender Club-Moss	Lycopodiaceae
4	<i>Lycopodiella cernua</i>	Nodding Club-Moss, Staghorn Club-Moss	Lycopodiaceae
8	<i>Lycopus rubellus</i>	Taperleaf Waterhorehound	Lamiaceae
7	<i>Lygodesmia aphylla</i>	Rose-Rush	Asteraceae
8	<i>Lyonia ferruginea</i>	Rusty Staggerbush	Ericaceae
7	<i>Lyonia fruticosa</i>	Coastalplain Staggerbush	Ericaceae
7	<i>Lyonia lucida</i>	Fetterbush	Ericaceae
5	<i>Lysiloma latisiliquum</i>	False Tamarind	Fabaceae
3	<i>Lythrum alatum</i> var. <i>lanceolatum</i>	Winged Loosestrife	Lythraceae
3	<i>Lythrum flagellare</i>	Florida Loosestrife, Lowland Loosestrife	Lythraceae
3	<i>Lythrum lineare</i>	Wand Loosestrife	Lythraceae
10	<i>Macradenia lutescens</i>	Long-gland Orchid, Trinidad Macradenia	Orchidaceae
8	<i>Magnolia virginiana</i>	Sweetbay	Magnoliaceae
2	<i>Malachra fasciata</i>	Roadside Leafbract	Malvaceae
10	<i>Malaxis spicata</i>	Florida Addersmouth Orchid	Orchidaceae
1	<i>Malvastrum corymbosum</i>	False Mallow	Malvaceae
9	<i>Manilkara jaimiqui</i> ssp. <i>emarginata</i>	Wild Dilly	Sapotaceae
9	<i>Marshallia graminifolia</i>	Grassleaf Barbara's Buttons	Asteraceae
10	<i>Matelea floridana</i>	Florida Milkvine, Florida Spiny Pod	Apocynaceae
10	<i>Maxillaria crassifolia</i>	Hidden Orchid	Orchidaceae
10	<i>Maxillaria parviflora</i>	Purple Tiger Orchid, Minnie-Max	Orchidaceae
9	<i>Maytenus phyllanthoides</i>	Florida Mayten	Celastraceae
7	<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	Axilflower	Plantaginaceae
5	<i>Mecardonia procumbens</i>	Baby Jumpup	Plantaginaceae
6	<i>Melanthera angustifolia</i>	Everglades Squarestem	Asteraceae
4	<i>Melanthera nivea</i>	Snow Squarestem	Asteraceae
6	<i>Melanthera parvifolia</i>	Small-leaf Squarestem	Asteraceae
2	<i>Melochia pyramidata</i>	Pyramidflower	Malvaceae
6	<i>Melochia spicata</i>	Bretonica Peluda	Malvaceae
2	<i>Melochia tomentosa</i>	Woolly Pyramidflower, Teabush, Broomwood	Malvaceae
2	<i>Melothria pendula</i>	Creeping Cucumber	Cucurbitaceae
4	<i>Mentzelia floridana</i>	Poorman's Patch, Stickleaf	Loasaceae
4	<i>Metopium toxiferum</i>	Florida Poison-tree, Poisonwood	Anacardiaceae
4	<i>Micranthemum glomeratum</i>	Manatee Mudflower	Plantaginaceae
2	<i>Micranthemum umbrosum</i>	Shade Mudflower	Plantaginaceae
10	<i>Microgramma heterophylla</i>	Climbing Vine Fern	Polypodiaceae
6	<i>Micromeria brownei</i> var. <i>pilosiuscula</i>	Browne's Savory	Lamiaceae
7	<i>Mikania cordifolia</i>	Florida Keys Hempvine	Asteraceae
3	<i>Mikania scandens</i>	Climbing Hempvine	Asteraceae
4	<i>Mimosa quadrivalvis</i> var. <i>angustata</i>	Sensitive Brier	Fabaceae
4	<i>Mimosa quadrivalvis</i> var. <i>floridana</i>	Florida Sensitive Brier	Fabaceae
0	<i>Mimosa strigillosa</i>	Powderpuff	Fabaceae

C	Scientific name	Common name(s)	Family
10	<i>Mitchella repens</i>	Partridgeberry, Twinberry	Rubiaceae
4	<i>Mitreola petiolata</i>	Lax Hornpod	Loganiaceae
7	<i>Mitreola sessilifolia</i>	Swamp Hornpod	Loganiaceae
10	<i>Monanthochloe littoralis</i>	Shoregrass, Keygrass	Poaceae
4	<i>Monarda punctata</i>	Spotted Beebalm	Lamiaceae
10	<i>Monotropa uniflora</i>	Indianpipe	Ericaceae
4	<i>Morinda royoc</i>	Redgal	Rubiaceae
8	<i>Morus rubra</i>	Red Mulberry	Moraceae
9	<i>Mosiera longipes</i>	Mangroveberry	Myrtaceae
1	<i>Mucuna sloanei</i>	Horseeye Bean	Fabaceae
7	<i>Muhlenbergia capillaris</i> var. <i>capillaris</i>	Hairawn Muhly	Poaceae
7	<i>Muhlenbergia capillaris</i> var. <i>filipes</i>	Gulf Hairawn Muhly	Poaceae
0	<i>Muhlenbergia schreberi</i>	Nimblewill Muhly	Poaceae
4	<i>Myrcianthes fragrans</i>	Twinberry, Simpson's Stopper	Myrtaceae
4	<i>Myrica cerifera</i>	Southern Bayberry, Wax Myrtle	Myricaceae
2	<i>Myriophyllum heterophyllum</i>	Twoleaf Watermilfoil	Haloragaceae
3	<i>Najas guadalupensis</i>	Southern Waternymph	Hydrocharitaceae
4	<i>Nelumbo lutea</i>	American Lotus	Nelumbonaceae
10	<i>Nemastylis floridana</i>	Celestial Lily, Fallflowering Ixia	Iridaceae
7	<i>Nephrolepis biserrata</i>	Giant Sword Fern	Nephrolepidaceae
4	<i>Nephrolepis exaltata</i>	Sword Fern, Wild Boston Fern	Nephrolepidaceae
3	<i>Neptunia pubescens</i>	Tropical Puff	Fabaceae
10	<i>Nevrodium lanceolatum</i>	Ribbon Fern	Polypodiaceae
10	<i>Nolina atopocarpa</i>	Florida Beargrass	Ruscaceae
2	<i>Nothoscordum bivalve</i>	Crowpoison, False Garlic	Alliaceae
4	<i>Nuphar advena</i>	Spatterdock, Yellow Pondlily	Nymphaeaceae
4	<i>Nymphaea elegans</i>	Tropical Royalblue Waterlily	Nymphaeaceae
7	<i>Nymphaea jamesoniana</i>	Jameson's Waterlily, Nightblooming Waterlily	Nymphaeaceae
4	<i>Nymphaea mexicana</i>	Yellow Waterlily	Nymphaeaceae
4	<i>Nymphaea odorata</i>	American White Waterlily	Nymphaeaceae
5	<i>Nymphoides aquatica</i>	Big Floatingheart	Menyanthaceae
9	<i>Nyssa sylvatica</i> var. <i>biflora</i>	Swamp Tupelo	Cornaceae
8	<i>Ocimum campechianum</i>	Wild Sweet Basil	Lamiaceae
7	<i>Oclemena reticulata</i>	Whitetop Aster, Pinebarren Aster	Asteraceae
8	<i>Ocotea coriacea</i>	Lancewood	Lauraceae
4	<i>Odontosoria clavata</i>	Wedgelet Fern	Dennstaedtiaceae
0	<i>Oenothera biennis</i>	Common Eveningprimrose	Onagraceae
4	<i>Oenothera humifusa</i>	Seabeach Eveningprimrose	Onagraceae
0	<i>Oenothera laciniata</i>	Cutleaf Eveningprimrose	Onagraceae
5	<i>Okenia hypogaea</i>	Burrowing Four-O'clock, Beach Peanut	Nyctaginaceae
4	<i>Oldenlandia uniflora</i>	Clustered Mille Graines	Rubiaceae
10	<i>Oncidium ensatum</i>	Florida Dancinglady Orchid	Orchidaceae
5	<i>Ophioglossum crotalophoroides</i>	Bulbous Adder's Tongue	Ophioglossaceae
7	<i>Ophioglossum palmatum</i>	Hand Fern	Ophioglossaceae
4	<i>Ophioglossum petiolatum</i>	Stalked Adder's Tongue	Ophioglossaceae
4	<i>Oplismenus hirtellus</i>	Woodsgrass, Basketgrass	Poaceae
8	<i>Opuntia corallicola</i>	Semaphore Pricklypear, Semaphore Cactus	Cactaceae
6	<i>Opuntia humifusa</i>	Pricklypear	Cactaceae
5	<i>Opuntia stricta</i>	Erect Pricklypear, Shell-Mound Pricklypear	Cactaceae

C	Scientific name	Common name(s)	Family
10	<i>Orontium aquaticum</i>	Goldenclub, Neverwet	Araceae
8	<i>Osmunda cinnamomea</i>	Cinnamon Fern	Osmundaceae
7	<i>Osmunda regalis</i> var. <i>spectabilis</i>	Royal Fern	Osmundaceae
1	<i>Oxalis corniculata</i>	Common Yellow Woodsorrel	Oxalidaceae
7	<i>Oxypolis filiformis</i>	Water Cowbane	Apiaceae
4	<i>Packera glabella</i>	Butterweed	Asteraceae
7	<i>Palafoxia feayi</i>	Feay's Palafox	Asteraceae
8	<i>Palafoxia integrifolia</i>	Coastalplain Palafox	Asteraceae
9	<i>Panicum abscissum</i>	Cutthroatgrass	Poaceae
8	<i>Panicum amarum</i>	Bitter Panicgrass	Poaceae
7	<i>Panicum anceps</i>	Beaked Panicum	Poaceae
1	<i>Panicum dichotomiflorum</i> var. <i>dichotomiflorum</i>	Fall Panicgrass	Poaceae
2	<i>Panicum dichotomiflorum</i> var. <i>bartowense</i>	Fall Panicgrass	Poaceae
4	<i>Panicum hemitomom</i>	Maidencane	Poaceae
6	<i>Panicum hians</i>	Gaping Panicum	Poaceae
6	<i>Panicum rigidulum</i>	Redtop Panicum	Poaceae
7	<i>Panicum tenerum</i>	Bluejoint Panicum	Poaceae
5	<i>Panicum verrucosum</i>	Warty Panicgrass	Poaceae
4	<i>Panicum virgatum</i>	Switchgrass	Poaceae
1	<i>Parietaria floridana</i>	Florida Pellitory	Urticaceae
4	<i>Parietaria praetermissa</i>	Clustered Pellitory	Urticaceae
8	<i>Paronychia americana</i>	American Nailwort	Caryophyllaceae
3	<i>Parthenocissus quinquefolia</i>	Virginia Creeper, Woodbine	Vitaceae
7	<i>Paspalidium chapmanii</i>	Coral Panicum, Coral Panicgrass	Poaceae
6	<i>Paspalidium geminatum</i>	Egyptian Paspalidium, Kissimmeegrass	Poaceae
5	<i>Paspalum blodgettii</i>	Coral Paspalum, Blodgett's Crowngrass	Poaceae
4	<i>Paspalum boscianum</i>	Bull Crowngrass	Poaceae
4	<i>Paspalum caespitosum</i>	Blue Crowngrass	Poaceae
2	<i>Paspalum conjugatum</i>	Sour Paspalum, Hilograss	Poaceae
2	<i>Paspalum distichum</i>	Knotgrass	Poaceae
4	<i>Paspalum floridanum</i>	Florida Paspalum	Poaceae
7	<i>Paspalum laeve</i>	Field Paspalum	Poaceae
8	<i>Paspalum monostachyum</i>	Gulfdune Paspalum	Poaceae
4	<i>Paspalum praecox</i>	Early Paspalum	Poaceae
7	<i>Paspalum repens</i>	Water Paspalum	Poaceae
2	<i>Paspalum setaceum</i>	Thin Paspalum	Poaceae
4	<i>Paspalum vaginatum</i>	Seashore Paspalum	Poaceae
3	<i>Passiflora incarnata</i>	Purple Passionflower	Passifloraceae
7	<i>Passiflora multiflora</i>	Whiteflower Passionflower	Passifloraceae
8	<i>Passiflora pallens</i>	Pineland Passionflower, Pineland Passionvine	Passifloraceae
8	<i>Passiflora sexflora</i>	Goatsfoot	Passifloraceae
2	<i>Passiflora suberosa</i>	Corkystem Passionflower	Passifloraceae
7	<i>Pavonia paludicola</i>	Swampbush	Malvaceae
10	<i>Pecluma dispersa</i>	Widespread Polypody	Polypodiaceae
10	<i>Pecluma plumula</i>	Plume Polypody	Polypodiaceae
9	<i>Pecluma ptilodon</i> var. <i>bourgeauana</i>	Comb Polypody, Swamp Plume Polypody	Polypodiaceae
1	<i>Pectis glaucescens</i>	Sanddune Cinchweed	Asteraceae
1	<i>Pectis linearifolia</i>	Florida Cinchweed	Asteraceae

C	Scientific name	Common name(s)	Family
1	<i>Pectis prostrata</i>	Spreading Cinchweed	Asteraceae
1	<i>Pectis x floridana</i>		Asteraceae
10	<i>Pelexia adnata</i>	Hachuela, Pelexia	Orchidaceae
4	<i>Peltandra virginica</i>	Green Arrow Arum	Araceae
7	<i>Penstemon multiflorus</i>	Manyflower Beardtongue	Plantaginaceae
7	<i>Pentalinon luteum</i>	Wild Allamanda, Hammock Viperstail	Apocynaceae
5	<i>Pentodon pentandrus</i>	Hales's Pentodon	Rubiaceae
10	<i>Peperomia alata</i>	Winged Peperomia	Piperaceae
10	<i>Peperomia glabella</i>	Cypress Peperomia	Piperaceae
10	<i>Peperomia humilis</i>	Low Peperomia	Piperaceae
10	<i>Peperomia magnoliifolia</i>	Spoonleaf Peperomia, Spathulate Peperomia	Piperaceae
10	<i>Peperomia obtusifolia</i>	Florida Peperomia, Baby Rubberplant	Piperaceae
10	<i>Peperomia rotundifolia</i>	Yerba Linda	Piperaceae
8	<i>Persea borbonia</i> var. <i>borbonia</i>	Red Bay	Lauraceae
8	<i>Persea borbonia</i> var. <i>humilis</i>	Silk Bay	Lauraceae
6	<i>Persea palustris</i>	Swamp Bay	Lauraceae
4	<i>Petiveria alliacea</i>	Guinea Hen Weed	Phytolaccaceae
9	<i>Phanopyrum gymnocarpon</i>	Savannah Panicum	Poaceae
2	<i>Phaseolus polystachios</i>	Thicket Bean	Fabaceae
3	<i>Phlebodium aureum</i>	Golden Polypody	Polypodiaceae
7	<i>Phoebanthus grandiflorus</i>	Florida False Sunflower	Asteraceae
8	<i>Phoradendron leucarpum</i>	Oak Mistletoe	Viscaceae
10	<i>Phoradendron rubrum</i>	Mahogany Mistletoe	Viscaceae
2	<i>Phragmites australis</i>	Common Reed	Poaceae
2	<i>Phyla nodiflora</i>	Turkey Tangle Fogfruit, Capeweed	Verbenaceae
5	<i>Phyla stoechadifolia</i>	Southern Fogfruit, Southern Matchsticks	Verbenaceae
3	<i>Phyllanthus abnormis</i>	Drummond's Leafyflower	Phyllanthaceae
4	<i>Phyllanthus caroliniensis</i> ssp. <i>saxicola</i>	Rock Carolina Leafyflower	Phyllanthaceae
4	<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Fivepetal Leafyflower	Phyllanthaceae
1	<i>Physalis angulata</i>	Cutleaf Groundcherry	Asteraceae
3	<i>Physalis angustifolia</i>	Coastal Groundcherry	Solanaceae
2	<i>Physalis pubescens</i>	Husk Tomato	Solanaceae
6	<i>Physalis walteri</i>	Walter's Groundcherry	Solanaceae
7	<i>Physostegia purpurea</i>	Eastern False Dragonhead	Lamiaceae
2	<i>Phytolacca americana</i>	American Pokeweed	Phytolaccaceae
3	<i>Picramnia pentandra</i>	Florida Bitterbush	Picramniaceae
1	<i>Pilea microphylla</i>	Artillery Plant, Rockweed	Urticaceae
7	<i>Piloblephis rigida</i>	Wild Pennyroyal	Lamiaceae
10	<i>Pinguicula caerulea</i>	Blueflower Butterwort	Lentibulariaceae
7	<i>Pinguicula lutea</i>	Yellow Butterwort	Lentibulariaceae
8	<i>Pinguicula pumila</i>	Small Butterwort	Lentibulariaceae
8	<i>Pinus clausa</i>	Sand Pine	Pinaceae
4	<i>Pinus elliottii</i>	Slash Pine	Pinaceae
6	<i>Pinus palustris</i>	Longleaf Pine	Pinaceae
8	<i>Piptochaetium avenacioides</i>	Florida Needlegrass	Poaceae
4	<i>Piriqueta cistoides</i> ssp. <i>caroliniana</i>	Pitted Stripeseed	Turneraceae
7	<i>Piscidia piscipula</i>	Florida Fishpoison Tree, Jamaican Dogwood	Fabaceae
5	<i>Pisonia aculeata</i>	Devil's Claws, Pullback	Nyctaginaceae
2	<i>Pistia stratiotes</i>	Water Lettuce	Araceae

C	Scientific name	Common name(s)	Family
6	<i>Pithecellobium keyense</i>	Florida Keys Blackbead	Fabaceae
7	<i>Pithecellobium unguis-cati</i>	Catclaw Blackbead	Fabaceae
5	<i>Pityopsis graminifolia</i>	Narrowleaf Silkgrass	Asteraceae
1	<i>Pityrogramma trifoliata</i>	Goldenrod Fern	Pteridaceae
0	<i>Plantago virginica</i>	Virginia Plantain, Southern Plantain	Plantaginaceae
10	<i>Pleopeltis astrolepis</i>	Star-Scale Polypody, Star-Scaled Fern	Polypodiaceae
4	<i>Pleopeltis polypodioides</i> var. <i>michauxiana</i>	Resurrection Fern	Polypodiaceae
10	<i>Pleurothallis gelida</i>	Frosted Orchid, Flor De Llantén	Orchidaceae
1	<i>Pluchea carolinensis</i>	Cure-for-All	Asteraceae
6	<i>Pluchea foetida</i>	Stinking Camphorweed	Asteraceae
4	<i>Pluchea odorata</i>	Sweetscent	Asteraceae
4	<i>Pluchea baccharis</i>	Rosy Camphorweed	Asteraceae
2	<i>Plumbago zeylanica</i>	Doctorbush	Plumbaginaceae
7	<i>Pogonia ophioglossoides</i>	Rose Pogonia, Snakemouth Orchid	Orchidaceae
1	<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-Mountain	Euphorbiaceae
1	<i>Poinsettia heterophylla</i>	Fiddler's Spurge, Mexican Fireplant	Euphorbiaceae
5	<i>Poinsettia pinetorum</i>	Everglades Poinsettia, Pineland Spurge	Euphorbiaceae
7	<i>Polanisia tenuifolia</i>	Slenderleaf Clammyweed	Brassicaceae
7	<i>Polygala baldwinii</i>	Baldwin's Milkwort	Polygalaceae
8	<i>Polygala boykinii</i>	Boykin's Milkwort	Polygalaceae
7	<i>Polygala cruciata</i>	Drumheads	Polygalaceae
8	<i>Polygala cymosa</i>	Tall Pinebarren Milkwort	Polygalaceae
3	<i>Polygala violacea</i>	Showy Milkwort	Polygalaceae
8	<i>Polygala incarnata</i>	Procession Flower	Polygalaceae
6	<i>Polygala lutea</i>	Orange Milkwort	Polygalaceae
5	<i>Polygala nana</i>	Candyroot	Polygalaceae
5	<i>Polygala polygama</i>	Racemed Milkwort	Polygalaceae
6	<i>Polygala ramosa</i>	Low Pinebarren Milkwort	Polygalaceae
6	<i>Polygala rugelii</i>	Yellow Milkwort	Polygalaceae
7	<i>Polygala setacea</i>	Coastalplain Milkwort	Polygalaceae
8	<i>Polygala smallii</i>	Small's Milkwort, Tiny Polygala	Polygalaceae
6	<i>Polygala verticillata</i> var. <i>isocycla</i>	Whorled Milkwort	Polygalaceae
5	<i>Polygonella ciliata</i>	Hairy Jointweed	Polygonaceae
6	<i>Polygonella gracilis</i>	Tall Jointweed	Polygonaceae
7	<i>Polygonella polygama</i> var. <i>polygama</i>	October Flower	Polygonaceae
4	<i>Polygonella polygama</i> var. <i>brachystachya</i>	October Flower	Polygonaceae
5	<i>Polygonella robusta</i>	Largeflower Jointweed, Sandhill Wireweed	Polygonaceae
4	<i>Polygonum glabrum</i>	Denseflower Knotweed	Polygonaceae
3	<i>Polygonum hydropiperoides</i>	Mild Waterpepper, Swamp Smartweed	Polygonaceae
3	<i>Polygonum punctatum</i>	Dotted Smartweed	Polygonaceae
7	<i>Polygonum setaceum</i>	Bog Smartweed	Polygonaceae
10	<i>Serpocaulon triseriale</i>	Angle-Vein Fern	Polypodiaceae
1	<i>Sylvestris procumbens</i>	Rustweed, Juniperleaf	Tetrachendraceae
9	<i>Polystachya concreta</i>	Greater Yellowspike Orchid	Orchidaceae
3	<i>Pontederia cordata</i>	Pickernelweed	Pontederiaceae
10	<i>Ponthieva brittoniae</i>	Britton's Shadow Witch	Orchidaceae
8	<i>Ponthieva racemosa</i>	Hairy Shadow Witch	Orchidaceae
1	<i>Portulaca pilosa</i>	Pink Purslane, Kiss-Me-Quick	Portulacaceae
4	<i>Portulaca rubricaulis</i>	Redstem Purslane	Portulacaceae

C	Scientific name	Common name(s)	Family
4	<i>Potamogeton illinoensis</i>	Illinois Pondweed	Potamogetonaceae
10	<i>Prescotia oligantha</i>	Small Prescott Orchid	Orchidaceae
2	<i>Priva lappulacea</i>	Catstongue, Velvetburr	Verbenaceae
4	<i>Proserpinaca palustris</i>	Marsh Mermaidweed	Haloragaceae
7	<i>Proserpinaca pectinata</i>	Combleaf Mermaidweed	Haloragaceae
10	<i>Prosthechea boothiana</i> var. <i>erythronioides</i>	Dollar Orchid	Orchidaceae
8	<i>Prosthechea cochleata</i>	Clamshell Orchid, Florida Cockleshell Orchid	Orchidaceae
10	<i>Prosthechea pygmaea</i>	Dwarf Butterfly Orchid, Dwarf Epidendrum	Orchidaceae
9	<i>Prunus myrtifolia</i>	West Indian Cherry	Rosaceae
2	<i>Pseudognaphalium obtusifolium</i>	Sweet Everlasting, Rabbit Tobacco	Asteraceae
10	<i>Pseudophoenix sargentii</i>	Sargent's Cherry Palm	Arecaceae
3	<i>Psilotum nudum</i>	Whisk-Fern	Psilotaceae
9	<i>Psychotria ligustrifolia</i>	Bahama Wild Coffee	Rubiaceae
4	<i>Psychotria nervosa</i>	Wild Coffee	Rubiaceae
7	<i>Psychotria sulzneri</i>	Shortleaf Wild Coffee	Rubiaceae
4	<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy Bracken	Dennstaedtiaceae
4	<i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i>	Tailed Bracken	Dennstaedtiaceae
4	<i>Pteris bahamensis</i>	Bahama Ladder Brake	Pteridaceae
6	<i>Pterocaulon pycnostachyum</i>	Blackroot	Asteraceae
8	<i>Pteroglossaspis ecristata</i>	Giant Orchid, Non-Crested Eulophia	Orchidaceae
2	<i>Ptilimnium capillaceum</i>	Mock Bishopsweed, Herbwilliam	Apiaceae
9	<i>Quercus chapmanii</i>	Chapman's Oak	Fagaceae
8	<i>Quercus pumila</i>	Running Oak	Fagaceae
9	<i>Quercus geminata</i>	Sand Live Oak	Fagaceae
9	<i>Quercus inopina</i>	Scrub Oak	Fagaceae
9	<i>Quercus laevis</i>	Turkey Oak	Fagaceae
4	<i>Quercus laurifolia</i>	Laurel Oak, Diamond Oak	Fagaceae
8	<i>Quercus minima</i>	Dwarf Live Oak	Fagaceae
7	<i>Quercus myrtifolia</i>	Myrtle Oak	Fagaceae
4	<i>Quercus nigra</i>	Water Oak	Fagaceae
4	<i>Quercus virginiana</i>	Virginia Live Oak	Fagaceae
5	<i>Quercus x rolfzii</i>		Fagaceae
4	<i>Randia aculeata</i>	White Indigoberry	Rubiaceae
5	<i>Myrsine cubana</i>	Myrsine, Colicwood	Myrsinaceae
7	<i>Rayjacksonia phyllocephala</i>	Camphor Daisy	Asteraceae
5	<i>Reimarochloa oligostachya</i>	Florida Reimargrass	Poaceae
9	<i>Reynosia septentrionalis</i>	Darlingplum	Rhamnaceae
5	<i>Rhabdadenia biflora</i>	Rubbervine, Mangrovevine	Apocynaceae
8	<i>Rhexia cubensis</i>	West Indian Meadowbeauty	Melastomataceae
6	<i>Rhexia mariana</i>	Pale Meadowbeauty	Melastomataceae
5	<i>Rhexia nashii</i>	Maid Marian	Melastomataceae
7	<i>Rhexia nuttallii</i>	Nuttall's Meadowbeauty	Melastomataceae
5	<i>Rhexia petiolata</i>	Fringed Meadowbeauty	Melastomataceae
10	<i>Rhipsalis baccifera</i>	Mistletoe Cactus	Cactaceae
4	<i>Rhizophora mangle</i>	Red Mangrove	Rhizophoraceae
5	<i>Rhus copallinum</i>	Winged Sumac	Anacardiaceae
8	<i>Rhynchosia cinerea</i>	Brownhair Snoutbean	Fabaceae
8	<i>Rhynchosia michauxii</i>	Michaux's Snoutbean	Fabaceae
1	<i>Rhynchosia minima</i>	Least Snoutbean	Fabaceae
8	<i>Rhynchosia parvifolia</i>	Small-Leaf Snoutbean	Fabaceae

C	Scientific name	Common name(s)	Family
8	<i>Rhynchosia reniformis</i>	Dollarleaf	Fabaceae
8	<i>Rhynchosia swartzii</i>	Swartz's Snoutbean	Fabaceae
9	<i>Rhynchospora baldwinii</i>	Baldwin's Beaksedge	Cyperaceae
9	<i>Rhynchospora breviseta</i>	Shortbristle Beaksedge	Cyperaceae
8	<i>Rhynchospora caduca</i>	Anglestem Beaksedge	Cyperaceae
7	<i>Rhynchospora cephalantha</i>	Bunched Beaksedge	Cyperaceae
8	<i>Rhynchospora chapmanii</i>	Chapman's Beaksedge	Cyperaceae
9	<i>Rhynchospora ciliaris</i>	Fringed Beaksedge	Cyperaceae
4	<i>Rhynchospora colorata</i>	Starrush Whitetop	Cyperaceae
8	<i>Rhynchospora corniculata</i>	Shortbristle Horned Beaksedge	Cyperaceae
5	<i>Rhynchospora divergens</i>	Spreading Beaksedge	Cyperaceae
5	<i>Rhynchospora eximia</i>	Florida Beaksedge, Baldrush	Cyperaceae
6	<i>Rhynchospora fascicularis</i>	Fascicled Beaksedge	Cyperaceae
7	<i>Rhynchospora fernaldii</i>	Fernald's Beaksedge	Cyperaceae
7	<i>Rhynchospora filifolia</i>	Threadleaf Beaksedge	Cyperaceae
4	<i>Rhynchospora floridensis</i>	Florida Whitetop	Cyperaceae
6	<i>Rhynchospora globularis</i>	Globe Beaksedge	Cyperaceae
8	<i>Rhynchospora grayi</i>	Gray's Beaksedge	Cyperaceae
10	<i>Rhynchospora harperi</i>	Harper's Beaksedge	Cyperaceae
9	<i>Rhynchospora intermedia</i>	Pinebarren Beaksedge	Cyperaceae
6	<i>Rhynchospora inundata</i>	Narrowfruit Horned Beaksedge	Cyperaceae
8	<i>Rhynchospora latifolia</i>	Giant Whitetop, Sandswamp Whitetop	Cyperaceae
8	<i>Rhynchospora megalocarpa</i>	Sandyfield Beaksedge	Cyperaceae
3	<i>Rhynchospora microcarpa</i>	Southern Beaksedge	Cyperaceae
6	<i>Rhynchospora microcephala</i>	Bunched Beaksedge	Cyperaceae
9	<i>Rhynchospora miliacea</i>	Millet Beaksedge	Cyperaceae
4	<i>Rhynchospora nitens</i>	Shortbeak Beaksedge, Baldrush	Cyperaceae
4	<i>Rhynchospora odorata</i>	Fragrant Beaksedge	Cyperaceae
7	<i>Rhynchospora plumosa</i>	Plumed Beaksedge	Cyperaceae
5	<i>Rhynchospora pusilla</i>	Fairy Beaksedge	Cyperaceae
7	<i>Rhynchospora rariflora</i>	Fewflower Beaksedge	Cyperaceae
8	<i>Rhynchospora tracyi</i>	Tracy's Beaksedge	Cyperaceae
8	<i>Rhynchospora wrightiana</i>	Wright's Beaksedge	Cyperaceae
5	<i>Rivina humilis</i>	Rougeplant	Phytolaccaceae
6	<i>Rorippa palustris</i>	Bog Yellowcress	Brassicaceae
1	<i>Rorippa teres</i>	Southern Marsh Yellowcress	Brassicaceae
2	<i>Rotala ramosior</i>	Lowland Rotala, Toothcup	Lythraceae
ns	<i>Roystonea regia</i>	Florida Royal Palm	Arecaceae
5	<i>Rubus cuneifolius</i>	Sand Blackberry	Rosaceae
3	<i>Rubus trivialis</i>	Southern Dewberry	Rosaceae
4	<i>Rudbeckia hirta</i>	Blackeyed Susan	Asteraceae
7	<i>Ruellia caroliniensis</i>	Carolina Wild Petunia	Acanthaceae
7	<i>Ruellia ciliosa</i>	Ciliate Wild Petunia	Acanthaceae
8	<i>Ruellia succulenta</i>	Thickleaf Wild Petunia	Acanthaceae
4	<i>Rumex verticillatus</i>	Swamp Dock	Polygonaceae
4	<i>Ruppia maritima</i>	Wigeon grass	Ruppiaceae
8	<i>Sabal etonia</i>	Scrub Palmetto	Arecaceae
9	<i>Sabal minor</i>	Dwarf Palmetto, Bluestem Palm	Arecaceae
2	<i>Sabal palmetto</i>	Cabbage Palm	Arecaceae
8	<i>Sabatia decandra</i>	Bartram's Rosegentian	Gentianaceae
7	<i>Sabatia brevifolia</i>	Shortleaf Rosegentian	Gentianaceae
8	<i>Sabatia calycina</i>	Coastal Rosegentian	Gentianaceae
7	<i>Sabatia grandiflora</i>	Largeflower Rosegentian	Gentianaceae

C	Scientific name	Common name(s)	Family
4	<i>Sabatia stellaris</i>	Rose-Of-Plymouth	Gentianaceae
6	<i>Saccharum giganteum</i>	Sugarcane Plumegrass	Poaceae
4	<i>Sacciolepis striata</i>	American Cupscale	Poaceae
8	<i>Sachsia polycephala</i>	Bahama Sachsia	Asteraceae
4	<i>Sacoila lanceolata</i> var. <i>lanceolata</i>	Leafless Beaked Ladiestresses	Orchidaceae
9	<i>Sacoila lanceolata</i> var. <i>paludicola</i>	Leafy Beaked Ladiestresses	Orchidaceae
9	<i>Sageretia minutiflora</i>	Smallflower Mock Buckthorn	Rhamnaceae
10	<i>Sagittaria filiformis</i>	Threadleaf Arrowhead	Alismataceae
6	<i>Sagittaria graminea</i> var. <i>graminea</i>	Grassy Arrowhead	Alismataceae
8	<i>Sagittaria graminea</i> var. <i>chapmanii</i>	Chapman's Arrowhead	Alismataceae
4	<i>Sagittaria isoetiformis</i>	Quillwort Arrowhead	Alismataceae
4	<i>Sagittaria lancifolia</i>	Bulltongue Arrowhead	Alismataceae
4	<i>Sagittaria latifolia</i>	Broadleaf Arrowhead, Duck Potato	Alismataceae
5	<i>Salicornia bigelovii</i>	Annual Glasswort, Dwarf Glasswort	Amaranthaceae
4	<i>Salix caroliniana</i>	Carolina Willow, Coastalplain Willow	Salicaceae
7	<i>Salvia azurea</i>	Azure Blue Sage	Lamiaceae
1	<i>Salvia coccinea</i>	Tropical Sage, Blood Sage	Lamiaceae
2	<i>Salvia lyrata</i>	Lyreleaf Sage	Lamiaceae
2	<i>Salvia misella</i>	Southern River Sage, River Sage	Lamiaceae
1	<i>Salvia occidentalis</i>	West Indian Sage	Lamiaceae
1	<i>Salvia serotina</i>	Littlewoman	Lamiaceae
3	<i>Sambucus nigra</i> ssp. <i>canadensis</i>	American Elder, Elderberry	Adoxaceae
6	<i>Samolus ebracteatus</i>	Water Pimpernel, Limewater Brookweed	Samolaceae
4	<i>Samolus valerandi</i> ssp. <i>parviflorus</i>	Pineland Pimpernel, Seaside Brookweed	Samolaceae
7	<i>Sapindus saponaria</i>	Soapberry	Sapindaceae
5	<i>Sarcocornia ambigua</i>	Perennial Glasswort, Virginia Glasswort	Amaranthaceae
2	<i>Sarcostemma clausum</i>	White Twinevine	Apocynaceae
5	<i>Saururus cernuus</i>	Lizard's Tail	Saururaceae
8	<i>Scaevola plumieri</i>	Beachberry, Inkberry, Gullfeed	Goodeniaceae
9	<i>Schaefferia frutescens</i>	Florida Boxwood	Celastraceae
4	<i>Schizachyrium gracile</i>	Wire Bluestem	Poaceae
9	<i>Schizachyrium rhizomatum</i>	Florida Little Bluestem	Poaceae
2	<i>Schizachyrium sanguineum</i>	Crimson Bluestem	Poaceae
6	<i>Schizachyrium scoparium</i>	Little Bluestem	Poaceae
7	<i>Schizachyrium stoloniferum</i>		Poaceae
10	<i>Schizaea pennula</i>	Ray Fern	Schizaeaceae
7	<i>Schoenocaulon dubium</i>	Florida Feathershank	Melanthiaceae
8	<i>Schoenolirion albiflorum</i>	White Sunnybell	Hyacinthaceae
7	<i>Schoenus nigricans</i>	Black Bogrush	Cyperaceae
8	<i>Schoepfia chrysophylloides</i>	Graytwig	Schoepfiaceae
6	<i>Schoenoplectus americanus</i>	American Bulrush	Cyperaceae
5	<i>Schoenoplectus californicus</i>	Giant Bulrush, California Bulrush	Cyperaceae
1	<i>Schoenoplectus pungens</i>	Threesquare Bulrush	Cyperaceae
2	<i>Schoenoplectus robustus</i>	Saltmarsh Bulrush	Cyperaceae
4	<i>Schoenoplectus tabernaemontani</i>	Softstem Bulrush	Cyperaceae
8	<i>Scleria baldwinii</i>	Baldwin's Nutrush	Cyperaceae
4	<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed Nutrush	Cyperaceae
8	<i>Scleria ciliata</i> var. <i>curtissii</i>	Curtiss' Nutrush	Cyperaceae
6	<i>Scleria ciliata</i> var. <i>pauciflora</i>		Cyperaceae
8	<i>Scleria distans</i>	Riverswamp Nutrush	Cyperaceae
7	<i>Scleria georgiana</i>	Slenderfruit Nutrush	Cyperaceae

C	Scientific name	Common name(s)	Family
7	<i>Scleria lithosperma</i>	Florida Keys Nutrush	Cyperaceae
5	<i>Scleria reticularis</i>	Netted Nutrush	Cyperaceae
5	<i>Scleria triglomerata</i>	Tall Nutgrass, Whip Nutrush	Cyperaceae
7	<i>Scleria verticillata</i>	Low Nutrush	Cyperaceae
2	<i>Scoparia dulcis</i>	Sweetbroom, Licoriceweed	Plantaginaceae
7	<i>Scutellaria arenicola</i>	Florida Scrub Skullcap	Lamiaceae
5	<i>Scutellaria havanensis</i>	Havana Skullcap	Lamiaceae
6	<i>Scutellaria integrifolia</i>	Helmet Skullcap	Lamiaceae
9	<i>Selaginella arenicola</i>	Sand Spike-Moss	Selaginellaceae
10	<i>Selaginella armata</i> var. <i>eatonii</i>	Eaton's Spike Moss, Pygmy Spike Moss	Selaginellaceae
4	<i>Senna ligustrina</i>	Privet Wild Sensitive Plant	Fabaceae
7	<i>Senna mexicana</i> var. <i>chapmanii</i>	Chapman's Wild Sensitive Plant	Fabaceae
5	<i>Serenoa repens</i>	Saw Palmetto	Arecaceae
6	<i>Sericocarpus tortifolius</i>	Whitetop Aster, Dixie Aster	Asteraceae
2	<i>Sesbania herbacea</i>	Danglepod	Fabaceae
0	<i>Sesbania vesicaria</i>	Bladderpod, Bagpod	Fabaceae
3	<i>Sesuvium maritimum</i>	Slender Seapurslane	Aizoaceae
4	<i>Sesuvium portulacastrum</i>	Shoreline Seapurslane	Aizoaceae
6	<i>Setaria corrugata</i>	Coastal Bristlegrass, Coastal Foxtail	Poaceae
6	<i>Setaria macrosperma</i>	Coral Bristlegrass, Coral Foxtail	Poaceae
5	<i>Setaria magna</i>	Giant Bristlegrass	Poaceae
3	<i>Setaria parviflora</i>	Yellow Bristlegrass, Knotroot Foxtail	Poaceae
7	<i>Seymeria pectinata</i>	Piedmont Blacksenella	Orobanchaceae
1	<i>Sida ulmifolia</i>	Common Wireweed, Common Fanpetals	Malvaceae
0	<i>Sida antillensis</i>	Antilles Fanpetals	Malvaceae
0	<i>Sida ciliaris</i>	Bracted Fanpetals, Fringed Fanpetals	Malvaceae
4	<i>Sida elliotii</i>	Elliott's Fanpetals	Malvaceae
1	<i>Sida rhombifolia</i>	Cuban Jute, Indian Hemp	Malvaceae
8	<i>Sideroxylon celastrinum</i>	Saffron Plum	Sapotaceae
9	<i>Sideroxylon foetidissimum</i>	False Mastic	Sapotaceae
7	<i>Sideroxylon reclinatum</i>	Florida Bully	Sapotaceae
9	<i>Sideroxylon reclinatum</i> ssp. <i>austrofloridense</i>	Florida Bully	Sapotaceae
5	<i>Sideroxylon salicifolium</i>	Willow Bustic, White Bully	Sapotaceae
8	<i>Sideroxylon tenax</i>	Tough Bully	Sapotaceae
8	<i>Simarouba glauca</i>	Paradisetre	Simaroubaceae
4	<i>Sisyrinchium angustifolium</i>	Narrowleaf Blue-Eyed Grass	Iridaceae
5	<i>Sisyrinchium nashii</i>	Nash's Blue-Eyed Grass	Iridaceae
8	<i>Sisyrinchium xerophyllum</i>	Jeweled Blue-Eyed Grass	Iridaceae
4	<i>Smilax auriculata</i>	Earleaf Greenbrier	Smilacaceae
4	<i>Smilax bona-nox</i>	Saw Greenbrier	Smilacaceae
8	<i>Smilax havanensis</i>	Everglades Greenbrier	Smilacaceae
7	<i>Smilax laurifolia</i>	Laurel Greenbrier, Bamboo Vine	Smilacaceae
8	<i>Smilax tamnoides</i>	Bristly Greenbrier, Hogbrier	Smilacaceae
1	<i>Solanum americanum</i>	American Black Nightshade	Solanaceae
7	<i>Solanum bahamense</i>	Bahama Nightshade, Cankerberry	Solanaceae
3	<i>Solanum chenopodioides</i>	Black Nightshade	Solanaceae
7	<i>Solanum donianum</i>	Mullein Nightshade	Solanaceae
3	<i>Solanum erianthum</i>	Potatotree	Solanaceae
5	<i>Solidago fistulosa</i>	Pinebarren Goldenrod	Asteraceae
6	<i>Solidago leavenworthii</i>	Leavenworth's Goldenrod	Asteraceae
6	<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's Goldenrod	Asteraceae

C	Scientific name	Common name(s)	Family
4	<i>Solidago sempervirens</i>	Seaside Goldenrod	Asteraceae
4	<i>Solidago stricta</i>	Wand Goldenrod	Asteraceae
7	<i>Solidago tortifolia</i>	Twistedleaf Goldenrod	Asteraceae
9	<i>Sophora tomentosa</i> var. <i>truncata</i>	Yellow Necklacepod	Fabaceae
8	<i>Sorghastrum secundum</i>	Lopsided Indiangrass	Poaceae
6	<i>Spartina alterniflora</i>	Saltmarsh Cordgrass, Smooth Cordgrass	Poaceae
7	<i>Spartina bakeri</i>	Sand Cordgrass	Poaceae
8	<i>Spartina patens</i>	Marshhay Cordgrass, Saltmeadow Cordgrass	Poaceae
8	<i>Spartina spartinae</i>	Gulf Cordgrass	Poaceae
2	<i>Spermacoce remota</i>	Woodland False Buttonweed	Rubiaceae
2	<i>Spermacoce keyensis</i>	Florida False Buttonweed	Rubiaceae
4	<i>Spermacoce prostrata</i>	Prostrate False Buttonweed	Rubiaceae
8	<i>Spermacoce terminalis</i>	Everglades Key False Buttonweed	Rubiaceae
2	<i>Spermacoce tetraquetra</i>	Pineland False Buttonweed	Rubiaceae
1	<i>Spermolepis divaricata</i>	Roughfruit Scaleseed	Apiaceae
1	<i>Spermolepis echinata</i>	Bristly Scaleseed	Apiaceae
1	<i>Spigelia anthelmia</i>	West Indian Pinkroot	Strychnaceae
10	<i>Spiranthes amesiana</i>	Ames' Ladiestresses	Orchidaceae
4	<i>Spiranthes brevilabris</i>	Texas Ladiestresses, Small Ladiestresses	Orchidaceae
10	<i>Spiranthes costaricensis</i>	Costa Rican Ladiestresses	Orchidaceae
10	<i>Spiranthes cranichoides</i>	Cranichis Ladiestresses	Orchidaceae
10	<i>Spiranthes elata</i>	Tall Neottia, Tall Ladiestresses	Orchidaceae
5	<i>Spiranthes floridana</i>	Florida Ladiestresses	Orchidaceae
5	<i>Spiranthes laciniata</i>	Lacelip Ladiestresses	Orchidaceae
7	<i>Spiranthes longilabris</i>	Longlip Ladiestresses	Orchidaceae
8	<i>Spiranthes odorata</i>	Fragrant Ladiestresses, Marsh Ladiestresses	Orchidaceae
8	<i>Spiranthes praecox</i>	Greenvein Ladiestresses	Orchidaceae
8	<i>Spiranthes torta</i>	Southern Ladiestresses	Orchidaceae
9	<i>Spiranthes tuberosa</i>	Little Ladiestresses, Little Pearl-Twist	Orchidaceae
6	<i>Spiranthes vernalis</i>	Spring Ladiestresses	Orchidaceae
2	<i>Spirodela polyrhiza</i>	Common Duckweed	Araceae
2	<i>Sporobolus compositus</i> var. <i>clandestinus</i>	Hidden Dropseed, Rough Dropseed	Poaceae
4	<i>Sporobolus domingensis</i>	Coral Dropseed	Poaceae
8	<i>Sporobolus junceus</i>	Pineywoods Dropseed	Poaceae
2	<i>Sporobolus pyramidatus</i>	Whorled Dropseed	Poaceae
6	<i>Sporobolus virginicus</i>	Seashore Dropseed	Poaceae
1	<i>Stachys floridana</i>	Florida Hedge-nettle, Florida Betony	Lamiaceae
1	<i>Stachytarpheta jamaicensis</i>	Blue Porterweed, Joee	Verbenaceae
9	<i>Stenandrium dulce</i>	Sweet Shaggytuft	Acanthaceae
4	<i>Stenaria nigricans</i> var. <i>nigricans</i>	Diamondflowers	Rubiaceae
7	<i>Stenaria nigricans</i> var. <i>floridana</i>	Florida Diamondflowers	Rubiaceae
0	<i>Stenotaphrum secundatum</i>	St. Augustinegrass	Poaceae
8	<i>Stillingia aquatica</i>	Water Toothleaf, Corkwood	Euphorbiaceae
8	<i>Stillingia sylvatica</i>	Queensdelight	Euphorbiaceae
7	<i>Stipulicida setacea</i> var. <i>setacea</i>	Pineland Scalypink	Caryophyllaceae
7	<i>Stipulicida setacea</i> var. <i>lacerata</i>	Pineland Scalypink	Caryophyllaceae
2	<i>Stuckenia pectinata</i>	Sago Pondweed	Potamogetonaceae
10	<i>Stylisma abdita</i>	Showy Dawnflower, Hidden Stylisma	Convolvulaceae
5	<i>Stylisma villosa</i>	Hairy Dawnflower	Convolvulaceae

C	Scientific name	Common name(s)	Family
0	<i>Stylosanthes biflora</i>	Sidebeak Pencilflower	Fabaceae
9	<i>Stylosanthes calcicola</i>	Everglades Key Pencilflower	Fabaceae
0	<i>Stylosanthes hamata</i>	Cheesytoes, Pencilflower	Fabaceae
10	<i>Styrax americanus</i>	American Snowbell	Styracaceae
4	<i>Suaeda linearis</i>	Sea Blite, Annual Seepweed	Amaranthaceae
5	<i>Suriana maritima</i>	Bay Cedar	Surianaceae
4	<i>Swietenia mahagoni</i>	West Indian Mahogany	Meliaceae
7	<i>Symphyotrichum adnatum</i>	Scaleleaf Aster	Asteraceae
4	<i>Symphyotrichum bahamensis</i>	Bahaman Aster	Asteraceae
4	<i>Symphyotrichum tenuifolium</i>	Perennial Saltmarsh Aster	Asteraceae
6	<i>Symphyotrichum carolinianum</i>	Climbing Aster	Asteraceae
7	<i>Symphyotrichum concolor</i>	Eastern Silver Aster	Asteraceae
7	<i>Symphyotrichum dumosum</i>	Rice Button Aster	Asteraceae
4	<i>Symphyotrichum elliottii</i>	Elliott's Aster	Asteraceae
4	<i>Symphyotrichum simmondsii</i>	Simmonds' Aster	Asteraceae
7	<i>Syngonanthus flavidulus</i>	Yellow Hatpins	Eriocaulaceae
9	<i>Syringodium filiforme</i>	Manateeegrass	Cymodoceaceae
8	<i>Taxodium ascendens</i>	Pond-Cypress	Cupressaceae
8	<i>Taxodium distichum</i>	Bald-Cypress	Cupressaceae
10	<i>Tectaria coriandrifolia</i>	Hairy Halberd Fern	Dryopteridaceae
10	<i>Tectaria fimbriata</i>	Least Halberd Fern	Dryopteridaceae
10	<i>Tectaria heracleifolia</i>	Broad Halberd Fern	Dryopteridaceae
10	<i>Tectaria x amesiana</i>	Ames' Halberd Fern	Dryopteridaceae
4	<i>Tephrosia angustissima</i> var. <i>corallicola</i>	Coral Hoarypea	Fabaceae
2	<i>Tephrosia angustissima</i> var. <i>curtissii</i>	Curtiss' Hoarypea	Fabaceae
7	<i>Tephrosia chrysophylla</i>	Scurf Hoarypea	Fabaceae
8	<i>Tephrosia florida</i>	Florida Hoarypea	Fabaceae
5	<i>Tephrosia hispidula</i>	Sprawling Hoarypea	Fabaceae
7	<i>Tephrosia rugelii</i>	Rugel's Hoarypea	Fabaceae
8	<i>Tephrosia spicata</i>	Spiked Hoarypea	Fabaceae
10	<i>Tetrazygia bicolor</i>	Florida Clover Ash, Tetrazygia	Melastomataceae
4	<i>Teucrium canadense</i>	Wood Sage, Canadian Germander	Lamiaceae
9	<i>Thalassia testudinum</i>	Turtlegrass	Hydrocharitaceae
4	<i>Thalia geniculata</i>	Alligatorflag, Fireflag	Marantaceae
6	<i>Thelypteris augescens</i>	Abrupt-Tip Maiden Fern	Thelypteridaceae
10	<i>Thelypteris grandis</i>	Stately Maiden Fern	Thelypteridaceae
5	<i>Thelypteris hispidula</i> var. <i>versicolor</i>	Hairy Maiden Fern	Thelypteridaceae
7	<i>Thelypteris interrupta</i>	Hottentot Fern, Willdenow's Fern	Thelypteridaceae
2	<i>Thelypteris kunthii</i>	Southern Shield Fern	Thelypteridaceae
6	<i>Thelypteris ovata</i>	Ovate Marsh Fern	Thelypteridaceae
8	<i>Thelypteris palustris</i> var. <i>pubescens</i>	Marsh Fern	Thelypteridaceae
10	<i>Thelypteris patens</i>	Grid-Scale Maiden Fern	Thelypteridaceae
10	<i>Thelypteris reptans</i>	Creeping Star-Hair Fern	Thelypteridaceae
4	<i>Thelypteris reticulata</i>	Lattice-Vein Fern	Thelypteridaceae
10	<i>Thelypteris sclerophylla</i>	Stiff Star-Hair Fern	Thelypteridaceae
4	<i>Thelypteris serrata</i>	Toothed Lattice-Vein Fern	Thelypteridaceae
7	<i>Thrinax morrisii</i>	Brittle Thatch Palm, Key Thatch Palm	Arecaceae
7	<i>Thrinax radiata</i>	Florida Thatch Palm	Arecaceae
4	<i>Tillandsia balbisiana</i>	Reflexed Wild Pine	Bromeliaceae
2	<i>Tillandsia fasciculata</i> var. <i>fasciculata</i>	Cardinal Airplant	Bromeliaceae

C	Scientific name	Common name(s)	Family
10	<i>Tillandsia fasciculata</i> var. <i>clavisipica</i>	Clubspike Cardinal Airplant	Bromeliaceae
4	<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Stiff-Leaved Wild Pine	Bromeliaceae
8	<i>Tillandsia flexuosa</i>	Twisted Airplant, Banded Airplant	Bromeliaceae
8	<i>Tillandsia paucifolia</i>	Potbelly Airplant	Bromeliaceae
10	<i>Tillandsia pruinosa</i>	Fuzzywuzzy Airplant, Hoary Airplant	Bromeliaceae
2	<i>Tillandsia recurvata</i>	Ballmoss	Bromeliaceae
7	<i>Tillandsia setacea</i>	Southern Needleleaf	Bromeliaceae
2	<i>Tillandsia usneoides</i>	Spanish Moss	Bromeliaceae
3	<i>Tillandsia utriculata</i>	Giant Airplant, Giant Wild Pine	Bromeliaceae
9	<i>Tillandsia variabilis</i>	Leatherleaf Airplant, Soft-Leaved Wild Pine	Bromeliaceae
9	<i>Tillandsia x smalliana</i>	Reddish Wild-Pine	Bromeliaceae
10	<i>Tolumnia bahamensis</i>	Variegated Orchid, Angelita	Orchidaceae
9	<i>Tournefortia hirsutissima</i>	Chiggery Grapes	Boraginaceae
5	<i>Tournefortia volubilis</i>	Twining Soldierbush	Boraginaceae
3	<i>Toxicodendron radicans</i>	Eastern Poison Ivy	Anacardiaceae
8	<i>Tragia saxicola</i>	Florida Keys Noseburn, Rocklands Noseburn	Euphorbiaceae
7	<i>Tragia urens</i>	Wavyleaf Noseburn	Euphorbiaceae
5	<i>Trema lamarckianum</i>	Pain-in-the-Back, West Indian Trema	Celtidaceae
3	<i>Trema micrantha</i>	Nettle tree	Celtidaceae
8	<i>Triadenum virginicum</i>	Virginia Marsh St. John's-Wort	Clusiaceae
1	<i>Trianthema portulacastrum</i>	Desert Horsepurslane	Aizoaceae
10	<i>Trichocentrum carthagenense</i>	Coot Bay Dancinglady Orchid	Orchidaceae
10	<i>Trichocentrum undulatum</i>	Cape Sable Dancinglady Orchid	Orchidaceae
10	<i>Trichomanes holopterum</i>	Entire-Winged Bristle Fern	Hymenophyllaceae
10	<i>Trichomanes krausii</i>	Kraus' Bristle Fern, Treemoss Bristle Fern	Hymenophyllaceae
10	<i>Trichomanes lineolatum</i>	Lined Bristle Fern	Hymenophyllaceae
10	<i>Trichomanes punctatum</i> ssp. <i>floridanum</i>	Florida Bristle Fern	Hymenophyllaceae
4	<i>Trichostema dichotomum</i>	Forked Bluecurls	Lamiaceae
9	<i>Trichostigma octandrum</i>	Hoopvine	Phytolaccaceae
0	<i>Tridens flavus</i>	Tall Redtop, Purpletop Tridens	Poaceae
7	<i>Triglochin striata</i>	Arrowgrass	Juncaginaceae
8	<i>Triphora craigheadii</i>	Craighead's Noddingcaps, Craighead's Orchid	Orchidaceae
0	<i>Triphora gentianoides</i>	Gentian Noddingcaps	Orchidaceae
7	<i>Triplasis americana</i>	Perennial Sandgrass	Poaceae
8	<i>Triplasis purpurea</i>	Purple Sandgrass	Poaceae
4	<i>Tripsacum dactyloides</i>	Eastern Gamagrass, Fakahatchee grass	Poaceae
9	<i>Tripsacum floridanum</i>	Florida Mock Gamagrass, Florida Tripsacum	Poaceae
10	<i>Tropidia polystachya</i>	Young Palm Orchid	Orchidaceae
2	<i>Typha domingensis</i>	Southern Cattail	Typhaceae
2	<i>Typha latifolia</i>	Broadleaf Cattail	Typhaceae
9	<i>Ulmus americana</i>	American Elm	Ulmaceae
10	<i>Uniola paniculata</i>	Seaoats	Poaceae
2	<i>Urochloa adspersa</i>	Dominican Signalgrass	Poaceae
0	<i>Urtica chamaedryoides</i>	Heartleaf Nettle	Urticaceae
10	<i>Utricularia amethystina</i>	Florida Purple Bladderwort	Lentibulariaceae

C	Scientific name	Common name(s)	Family
6	<i>Utricularia cornuta</i>	Horned Bladderwort	Lentibulariaceae
4	<i>Utricularia foliosa</i>	Leafy Bladderwort	Lentibulariaceae
8	<i>Utricularia gibba</i>	Humped Bladderwort	Lentibulariaceae
7	<i>Utricularia inflata</i>	Floating Bladderwort	Lentibulariaceae
7	<i>Utricularia juncea</i>	Southern Bladderwort	Lentibulariaceae
6	<i>Utricularia purpurea</i>	Eastern Purple Bladderwort	Lentibulariaceae
8	<i>Utricularia radiata</i>	Little Floating Bladderwort	Lentibulariaceae
6	<i>Utricularia resupinata</i>	Small Purple Bladderwort	Lentibulariaceae
8	<i>Utricularia simulans</i>	Fringed Bladderwort	Lentibulariaceae
7	<i>Utricularia subulata</i>	Zigzag Bladderwort	Lentibulariaceae
9	<i>Vaccinium arboreum</i>	Sparkleberry, Farkleberry	Ericaceae
10	<i>Vaccinium corymbosum</i>	Highbush Blueberry	Ericaceae
8	<i>Vaccinium darrowii</i>	Darrow's Blueberry	Ericaceae
7	<i>Vaccinium myrsinites</i>	Shiny Blueberry	Ericaceae
9	<i>Vaccinium stamineum</i>	Deerberry	Ericaceae
9	<i>Vallesia antillana</i>	Tearshrub	Apocynaceae
4	<i>Vallisneria americana</i>	Tapegrass, American Eelgrass	Hydrocharitaceae
10	<i>Vanilla barbellata</i>	Wormvine Orchid	Orchidaceae
10	<i>Vanilla dilloniana</i>	Leafless Vanilla, Mrs. Lott's Vanilla	Orchidaceae
10	<i>Vanilla mexicana</i>	Mexican Vanilla, Unscented Vanilla	Orchidaceae
10	<i>Vanilla phaeantha</i>	Leafy Vanilla	Orchidaceae
4	<i>Verbena scabra</i>	Sandpaper Vervain, Harsh Vervain	Verbenaceae
4	<i>Verbesina virginica</i>	White Crownbeard, Frostweed	Asteraceae
8	<i>Vernonia blodgettii</i>	Florida Ironweed, Blodgett's Ironweed	Asteraceae
0	<i>Veronica peregrina</i>	Neckweed	Plantaginaceae
8	<i>Viburnum obovatum</i>	Walter's Viburnum, Small-Leaf Viburnum	Adoxaceae
2	<i>Vicia acutifolia</i>	Fourleaf Vetch	Fabaceae
2	<i>Vigna luteola</i>	Hairy-pod Cowpea	Fabaceae
6	<i>Viola lanceolata</i>	Bog White Violet	Violaceae
2	<i>Viola sororia</i>	Common Blue Violet	Violaceae
5	<i>Vitis aestivalis</i>	Summer Grape	Vitaceae
4	<i>Vitis cinerea</i> var. <i>floridana</i>	Florida Grape	Vitaceae
3	<i>Vitis rotundifolia</i>	Muscadine	Vitaceae
4	<i>Vitis shuttleworthii</i>	Calloose Grape	Vitaceae
7	<i>Vittaria lineata</i>	Shoestring Fern	Vittariaceae
10	<i>Voyria parasitica</i>	Parasitic Ghostplant	Gentianaceae
2	<i>Waltheria indica</i>	Sleepy Morning	Malvaceae
5	<i>Wolffiella gladiata</i>	Florida Mudmidget	Araceae
5	<i>Wolffiella oblonga</i>	Saber Mudmidget	Araceae
9	<i>Woodwardia areolata</i>	Netted Chain Fern	Blechnaceae
7	<i>Woodwardia virginica</i>	Virginia Chain Fern	Blechnaceae
7	<i>Ximenia americana</i>	Tallow Wood, Hog Plum	Ximerniaceae
8	<i>Xyris ambigua</i>	Coastalplain Yelloweyed Grass	Xyridaceae
7	<i>Xyris brevifolia</i>	Shortleaf Yelloweyed Grass	Xyridaceae
9	<i>Xyris caroliniana</i>	Carolina Yelloweyed Grass	Xyridaceae
6	<i>Xyris elliotii</i>	Elliott's Yelloweyed Grass	Xyridaceae
9	<i>Xyris fimbriata</i>	Fringed Yelloweyed Grass	Xyridaceae
7	<i>Xyris flabelliformis</i>	Savannah Yelloweyed Grass	Xyridaceae
6	<i>Xyris floridana</i>	Florida Yelloweyed Grass	Xyridaceae
8	<i>Xyris platylepis</i>	Tall Yelloweyed Grass	Xyridaceae
5	<i>Xyris smalliana</i>	Small's Yelloweyed Grass	Xyridaceae
4	<i>Yucca aloifolia</i>	Spanish Bayonet, Aloe Yucca	Agavaceae

C	Scientific name	Common name(s)	Family
7	<i>Yucca filamentosa</i>	Adam's Needle	Agavaceae
9	<i>Zamia pumila</i>	Florida Arrowroot, Coontie	Zamiaceae
7	<i>Zanthoxylum clava-herculis</i>	Hercules' Club	Rutaceae
10	<i>Zanthoxylum coriaceum</i>	Biscayne Pricklyash, Leathery Pricklyash	Rutaceae
7	<i>Zanthoxylum fagara</i>	Wild Lime, Lime Pricklyash	Rutaceae
8	<i>Zephyranthes simpsonii</i>	Redmargin Zephyrlily, Simpson's Zephyrlily	Amaryllidaceae
7	<i>Zizaniopsis miliacea</i>	Southern Wild Rice, Giant Cutgrass	Poaceae
9	<i>Zornia bracteata</i>	Viperina	Fabaceae

Appendix B. Plant species of south Florida not assigned plant coefficient of conservatism values. Taxonomy for all species listed follows Wunderlin and Hansen (2011), and the naming authorities for each can be found there.

Scientific name	Common name	Family
<i>Acacia choriophylla</i>	Cinnecord, Tamarindillo	Fabaceae
<i>Amaranthus floridanus</i>	Florida Amaranth	Amaranthaceae
<i>Amorpha herbacea</i>	Clusterspike False Indigobush	Fabaceae
<i>Andropogon arctatus</i>	Pinewoods Bluestem	Poaceae
<i>Aristida purpurascens</i> var. <i>virgata</i>	Arrowfeather Threeawn	Poaceae
<i>Asclepias connivens</i>	Largeflower Milkweed	Apocynaceae
<i>Asclepias verticillata</i>	Whorled Milkweed	Apocynaceae
<i>Asimina incana</i>	Woolly Pawpaw, Polecat Bush	Annonaceae
<i>Botrychium biternatum</i>	Southern Grape-Fern	Ophioglossaceae
<i>Calamintha ashei</i>	Ashe's Calamint, Ashe's Calamintha	Lamiaceae
<i>Callisia cordifolia</i>	Florida Roseling	Commelinaceae
<i>Capsicum frutescens</i>	Tabasco Pepper	Solanaceae
<i>Cardamine pensylvanica</i>	Pennsylvania Bittercress	Brassicaceae
<i>Carex godfreyi</i>	Godfrey's Sedge	Cyperaceae
<i>Cenchrus brownei</i>	Slimbristle Sandbur	Poaceae
<i>Cenchrus myosuroides</i>	Big Sandbur	Poaceae
<i>Chaerophyllum tainturieri</i>	Hairyfruit Chervil	Apiaceae
<i>Chamaesyce cordifolia</i>	Heartleaf Sandmat	Euphorbiaceae
<i>Chamaesyce thymifolia</i>	Gulf Sandmat	Euphorbiaceae
<i>Chasmanthium laxum</i>	Slender Woodoats	Poaceae
<i>Chrysopsis delaneyi</i>	Delaney's Goldenaster	Asteraceae
<i>Chrysopsis highlandsensis</i>	Highlands Goldenaster	Asteraceae
<i>Cuscuta americana</i>	American Dodder	Convolvulaceae
<i>Cuscuta exaltata</i>	Tall Dodder	Convolvulaceae
<i>Cuscuta gronovii</i>	Scaldweed	Convolvulaceae
<i>Cuscuta indecora</i>	Bigseed Alfalfa Dodder	Convolvulaceae
<i>Cuscuta obtusiflora</i> var. <i>glandulosa</i>	Peruvian Dodder	Convolvulaceae
<i>Cyperus lecontei</i>	Leconte's Flatsedge	Cyperaceae
<i>Cyperus stenolepis</i>	Strawcolored Flatsedge	Cyperaceae
<i>Dennstaedtia bipinnata</i>	Bipinnate Cuplet Fern, Cuplet Fern	Dennstaedtiaceae
<i>Desmodium ciliare</i>	Hairy Small-Leaf Ticktrefoil	Fabaceae
<i>Dryopteris ludoviciana</i>	Southern Wood Fern	Dryopteridaceae
<i>Echinochloa muricata</i>	Rough Barnyardgrass	Poaceae
<i>Eleocharis rostellata</i>	Beaked Spikerush	Cyperaceae
<i>Eustachys floridana</i>	Twospike Fingergrass	Poaceae
<i>Gonolobus suberosus</i>	Angularfruit Milkvine, Angle Pod	Apocynaceae
<i>Gymnopogon brevifolius</i>	Shortleaf Skeletongrass	Poaceae
<i>Gymnopogon chapmanianus</i>	Chapman's Skeletongrass	Poaceae
<i>Hydrocotyle bonariensis</i>	Largeleaf Marshpennywort	Araliaceae
<i>Hydrocotyle ranunculoides</i>	Floating Marshpennywort	Araliaceae
<i>Hydrocotyle verticillata</i> var. <i>verticillata</i>	Whorled Marshpennywort	Araliaceae
<i>Hydrocotyle verticillata</i> var. <i>triradiata</i>	Whorled Marshpennywort	Araliaceae
<i>Hymenocallis puntagordensis</i>	Smallcup Spiderlily	Amaryllidaceae
<i>Ilex ambigua</i>	Carolina Holly, Sand Holly	Aquifoliaceae
<i>Ilex vomitoria</i>	Yaupon	Aquifoliaceae
<i>Ipomoea pandurata</i>	Man-of-the-Earth	Convolvulaceae
<i>Ipomoea x leucantha</i>	Morningglory	Convolvulaceae
<i>Jacquemontia tamnifolia</i>	Hairy Clustervine	Convolvulaceae
<i>Juncus dichotomus</i>	Forked Rush	Juncaceae
<i>Lachnocaulon engleri</i>	Engler's Bogbutton	Eriocaulaceae

Scientific name	Common name	Family
<i>Lechea lakelae</i>	Lakela's Pinweed	Cistaceae
<i>Leersia monandra</i>	Bunch Cutgrass	Poaceae
<i>Leptochloa fusca</i> ssp. <i>uninervia</i>	Mexican Sprangletop	Poaceae
<i>Liatris savannensis</i>	Savanna Gayfeather	Asteraceae
<i>Ludwigia lanceolata</i>	Lanceleaf Primrosewillow	Onagraceae
<i>Ludwigia palustris</i>	Marsh Seedbox	Onagraceae
<i>Malvastrum americanum</i>	Indian Valley False Mallow	Malvaceae
<i>Modiola caroliniana</i>	Carolina Bristlemallow	Malvaceae
<i>Najas marina</i>	Spiny Waternymph	Hydrocharitaceae
<i>Najas wrightiana</i>	Wright's Waternymph	Hydrocharitaceae
<i>Nasturtium floridanum</i>	Florida Watercress	Brassicaceae
<i>Nymphaea ampla</i>	Dotleaf Waterlily	Nymphaeaceae
<i>Ophioglossum nudicaule</i>	Slender Adder's-Tongue	Ophioglossaceae
<i>Pedilanthus tithymaloides</i> ssp. <i>smallii</i>	Jacob's Ladder, Devil's Backbone, Redbird Flower	Euphorbiaceae
<i>Phaseolus polystachios</i> var. <i>sinuatus</i>	Thicket Bean	Fabaceae
<i>Physalis arenicola</i>	Cypresshead Groundcherry	Solanaceae
<i>Physalis cordata</i>	Heartleaf Groundcherry	Solanaceae
<i>Pilea herniarioides</i>	Caribbean Clearweed	Urticaceae
<i>Platythelys latifolia</i>	Jug Orchid	Orchidaceae
<i>Polygonum pensylvanicum</i>	Pennsylvania Smartweed	Polygonaceae
<i>Potamogeton pusillus</i>	Small Pondweed	Potamogetonaceae
<i>Prunus caroliniana</i>	Carolina Laurelcherry	Rosaceae
<i>Prunus umbellata</i>	Flatwoods Plum, Hog Plum	Rosaceae
<i>Pteris quadriaurita</i>	Striped Brake	Pteridaceae
<i>Quercus x succulenta</i>		Fagaceae
<i>Rubus argutus</i>	Sawtooth Blackberry	Rosaceae
<i>Salvia micrantha</i>	Yucatan Sage	Lamiaceae
<i>Silphium asteriscus</i>	Starry Rosinweed	Asteraceae
<i>Solanum capsicoides</i>	Soda Apple, Cockroachberry	Solanaceae
<i>Spiranthes eatonii</i>	Eaton's Ladiestresses	Orchidaceae
<i>Spiranthes lucayana</i>	Florida Keys Ladiestresses, Gray Ladiestresses	Orchidaceae
<i>Stenanthium densum</i>	Crowpoison, Osceola's Plume	Melanthiaceae
<i>Stylodon carneum</i>	Carolina False Vervain	Verbenaceae
<i>Symphyotrichum fontinale</i>	Florida Water Aster	Asteraceae
<i>Tephrosia angustissima</i>	Narrowleaf Hoarypea	Fabaceae
<i>Trichostema setaceum</i>	Narrowleaf Bluecurls	Lamiaceae
<i>Tridens flavus</i> var. <i>chapmanii</i>	Chapman's Purpletop Tridens	Poaceae
<i>Vernonia gigantea</i>	Giant Ironweed	Asteraceae
<i>Viola palmata</i>	Early Blue Violet	Violaceae
<i>Viola primulifolia</i>	Primroseleaf Violet	Violaceae
<i>Warea carteri</i>	Carter's Pinelandcress, Carter's Mustard	Brassicaceae
<i>Wolffia columbiana</i>	Columbian Watermeal	Araceae
<i>Wolffiella lingulata</i>	Tongueshape Bogmat	Araceae
<i>Xyris calcicola</i>	Limestone Yelloweyed Grass	Xyridaceae

Appendix C. Non-native plants in south Florida. Taxonomy for all species listed follows Wunderlin and Hansen (2011), and the naming authorities for each can be found there.

Scientific name	Common name	Family name
<i>Abrus precatorius</i>	Rosary Pea, Blackeyed Susan	Fabaceae
<i>Abutilon hirtum</i>	Florida Keys Indian Mallow	Malvaceae
<i>Abutilon theophrasti</i>	Velvetleaf, Butterprint	Malvaceae
<i>Acacia auriculiformis</i>	Earleaf Acacia	Fabaceae
<i>Acacia retinodes</i>	Water Wattle	Fabaceae
<i>Acacia sphaerocephala</i>	Bee Wattle	Fabaceae
<i>Acalypha alopecuroides</i>	Foxtail Copperleaf	Euphorbiaceae
<i>Acalypha amentacea</i> ssp. <i>wilkesiana</i>	Wilkes' Copperleaf	Euphorbiaceae
<i>Acalypha arvensis</i>	Field Copperleaf	Euphorbiaceae
<i>Acalypha setosa</i>	Cuban Copperleaf	Euphorbiaceae
<i>Acanthospermum hispidum</i>	Hispid Starburr	Asteraceae
<i>Achyranthes aspera</i>	Devil's Horsewhip	Amaranthaceae
<i>Achyranthes aspera</i> var. <i>pubescens</i>	Devil's Horsewhip	Amaranthaceae
<i>Acmella pilosa</i>	Hairy Spotflower	Asteraceae
<i>Adenanthura pavonina</i>	Red Beadtree, Red Sandalwood	Fabaceae
<i>Adiantum anceps</i>	Double-Edge Maidenhair	Pteridaceae
<i>Adiantum caudatum</i>	Tailed Maidenhair	Pteridaceae
<i>Adiantum trapeziforme</i>	Diamond Maidenhair	Pteridaceae
<i>Aeschynomene indica</i>	Indian Jointvetch	Fabaceae
<i>Agave americana</i>	American Century Plant	Agavaceae
<i>Agave angustifolia</i>	Century Plant	Agavaceae
<i>Agave desmettiana</i>	Dwarf Century Plant	Agavaceae
<i>Agave sisalana</i>	Sisal Hemp	Agavaceae
<i>Agdestis clematidea</i>	Rockroot	Phytolaccaceae
<i>Ageratum conyzoides</i>	Tropical Whiteweed	Asteraceae
<i>Ageratum houstonianum</i>	Bluemink	Asteraceae
<i>Aglaonema commutatum</i> var. <i>maculatum</i>	Chinese Evergreen	Araceae
<i>Albizia lebbek</i>	Woman's Tongue	Fabaceae
<i>Albizia lebbekoides</i>	Indian Albizia	Fabaceae
<i>Albizia procera</i>	Tall Albizia	Fabaceae
<i>Aleurites moluccanus</i>	Candlenut Tree, Indian Walnut	Euphorbiaceae
<i>Allamanda cathartica</i>	Golden Trumpet, Brownbud	Apocynaceae
	Allamanda	
<i>Alocasia macrorrhizos</i>	Giant Taro	Araceae
<i>Alocasia odora</i>	Taro	Araceae
<i>Aloe vera</i>	Aloe	Asphodelaceae
<i>Alpinia zerumbet</i>	Shellflower, Shell Ginger	Zingiberaceae
<i>Alstonia macrophylla</i>	Deviltree	Apocynaceae
<i>Alstonia scholaris</i>	Dita, White Cheesewood	Apocynaceae
<i>Alternanthera brasiliana</i>	Brazilian Joyweed	Amaranthaceae
<i>Alternanthera ficoidea</i>	Slender Joyweed	Amaranthaceae
<i>Alternanthera paronichyoides</i>	Smooth Joyweed	Amaranthaceae
<i>Alternanthera philoxeroides</i>	Alligatorweed	Amaranthaceae
<i>Alternanthera sessilis</i>	Sessile Joyweed	Amaranthaceae
<i>Alysicarpus ovalifolius</i>	False Moneywort, Alyce Clover	Fabaceae
<i>Alysicarpus rugosus</i>	Red Moneywort	Fabaceae
<i>Alysicarpus vaginalis</i>	White Moneywort	Fabaceae
<i>Amaranthus blitum</i> ssp. <i>emarginatus</i>	Purple Amaranth	Amaranthaceae
<i>Amaranthus hybridus</i>	Slim Amaranth, Pigweed	Amaranthaceae
<i>Amaranthus polygonoides</i>	Tropical Amaranth	Amaranthaceae

Scientific name	Common name	Family name
<i>Amaranthus retroflexus</i>	Red Amaranth, Rough Pigweed	Amaranthaceae
<i>Amaranthus spinosus</i>	Spiny Amaranth	Amaranthaceae
<i>Amaranthus viridis</i>	Slender Amaranth	Amaranthaceae
<i>Ammi majus</i>	Large Bullwort	Apiaceae
<i>Anagallis arvensis</i>	Scarlet Pimpernel	Primulaceae
<i>Andropogon bicornis</i>	Barbas De Indio	Poaceae
<i>Angelonia angustifolia</i>	Narrowleaf Angelon	Plantaginaceae
<i>Aniseia martinicensis</i>	Whitejacket	Convolvulaceae
<i>Annona squamosa</i>	Sugar-Apple	Annonaceae
<i>Anredera cordifolia</i>	Heartleaf Madeiravine	Basellaceae
<i>Anredera vesicaria</i>	Texas Madeiravine	Basellaceae
<i>Antigonon leptopus</i>	Coral Vine, Queen's Jewels	Polygonaceae
<i>Apium graveolens</i>	Wild Celery	Apiaceae
<i>Arachis glabrata</i>	Grassnut	Fabaceae
<i>Arachis hypogaea</i>	Peanut	Fabaceae
<i>Ardisia elliptica</i>	Shoebutton	Myrsinaceae
<i>Ardisia crenata</i>	Scratchthroat	Myrsinaceae
<i>Argyreia nervosa</i>	Woolly Morning-Glory, Elephant Creeper	Convolvulaceae
<i>Aristolochia littoralis</i>	Elegant Dutchman's Pipe, Calico Flower	Aristolochiaceae
<i>Aristolochia maxima</i>	Dutchman's Pipe	Aristolochiaceae
<i>Aristolochia ringens</i>	Gaping Dutchman's Pipe	Aristolochiaceae
<i>Artemisia stelleriana</i>	Dusty Miller	Asteraceae
<i>Arundo donax</i>	Giant Reed	Poaceae
<i>Asclepias curassavica</i>	Scarlet Milkweed, Bloodflower	Apocynaceae
<i>Asparagus aethiopicus</i>	Sprenger's Asparagus-Fern	Asparagaceae
<i>Asparagus setaceus</i>	Common Asparagus-Fern	Asparagaceae
<i>Asystasia gangetica</i>	Chinese Violet	Acanthaceae
<i>Avena fatua</i> var. <i>sativa</i>	Common Oat	Poaceae
<i>Bambusa multiplex</i>	Hedge Bamboo, Silverstripe Bamboo	Poaceae
<i>Bambusa vulgaris</i>	Common Bamboo	Poaceae
<i>Barleria cristata</i>	Crested Philippine Violet	Acanthaceae
<i>Barleria lupulina</i>	Hophead Philippine Violet	Acanthaceae
<i>Bauhinia aculeata</i>	White Orchid Tree	Fabaceae
<i>Bauhinia purpurea</i>	Purple Orchid Tree, Butterfly Tree	Fabaceae
<i>Bauhinia variegata</i>	Orchid Tree, Mountain Ebony	Fabaceae
<i>Bauhinia yunnanensis</i>	Yunnan Bauhinia	Fabaceae
<i>Begonia cucullata</i>	Wax Begonia, Club Begonia	Begoniaceae
<i>Begonia hirtella</i>	Brazilian Begonia	Begoniaceae
<i>Billbergia pyramidalis</i>	Foolproofplant	Bromeliaceae
<i>Bischofia javanica</i>	Javanese Bishopwood	Phyllanthaceae
<i>Bletia florida</i>	Slender Pinepink	Orchidaceae
<i>Boehmeria nivea</i>	Ramie	Urticaceae
<i>Bontia daphnoides</i>	White Alling	Myoporaceae
<i>Bothriochloa ischaemum</i> var. <i>songarica</i>	King Ranch Bluestem, Yellow Bluestem	Poaceae
<i>Bothriochloa pertusa</i>	Pitted Beardgrass	Poaceae
<i>Bouteloua dimorpha</i>	Acapulcograss	Poaceae
<i>Brassica juncea</i>	India Mustard, Leaf Mustard	Brassicaceae
<i>Brassica napus</i>	Rape	Brassicaceae
<i>Brassica rapa</i>	Rape, Turnip	Brassicaceae
<i>Breynia disticha</i>	Snowbush	Phyllanthaceae
<i>Brosimum alicastrum</i>	Breadnut	Moraceae

Scientific name	Common name	Family name
<i>Broussonetia papyrifera</i>	Paper Mulberry	Moraceae
<i>Browallia americana</i>	Jamaican Forget-Me-Not, Bushviolet	Solanaceae
<i>Brugmansia suaveolens</i>	Angel's Trumpet	Solanaceae
<i>Bucida buceras</i>	Black Olive	Combretaceae
<i>Buddleja indica</i>	Indoor Oak	Buddlejaceae
<i>Buddleja lindleyana</i>	Lindley's Butterflybush	Buddlejaceae
<i>Bulbostylis barbata</i>	Watergrass	Cyperaceae
<i>Cabomba palaeformis</i>	Fishgrass	Cabombaceae
<i>Caesalpinia crista</i>	Yellow Nicker	Fabaceae
<i>Caesalpinia pulcherrima</i>	Pride-of-Barbados, Dwarf Poinciana	Fabaceae
<i>Cajanus cajan</i>	Pigeonpea	Fabaceae
<i>Calliandra haematocephala</i>	Powderpuff Tree	Fabaceae
<i>Callisia fragrans</i>	Basketplant	Commelinaceae
<i>Callisia repens</i>	Creeping Inchplant	Commelinaceae
<i>Callistemon viminalis</i>	Bottlebrush	Myrtaceae
<i>Callitris glaucophylla</i>	White Cypress-Pine	Cupressaceae
<i>Calophyllum antillanum</i>	Santa Maria, Galba	Clusiaceae
<i>Calophyllum inophyllum</i>	Alexandrian Laurel	Clusiaceae
<i>Calyptocarpus vialis</i>	Straggler Daisy	Asteraceae
<i>Canavalia brasiliensis</i>	Brazilian Jackbean	Fabaceae
<i>Canavalia ensiformis</i>	Wonderbean, Jackbean	Fabaceae
<i>Canna indica</i>	Indian Shot	Cannaceae
<i>Canna x generalis</i>	Garden Canna	Cannaceae
<i>Cannabis sativa</i>	Hemp, Marijuana	Cannabaceae
<i>Caperonia palustris</i>	Sacatrapo	Euphorbiaceae
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	Brassicaceae
<i>Cardiospermum halicacabum</i>	Love-in-a-Puff	Sapindaceae
<i>Carissa macrocarpa</i>	Natal Plum	Apocynaceae
<i>Carmona microphylla</i>	Fukien Tea	Boraginaceae
<i>Carpobrotus edulis</i>	Common Hottentot Fig	Aizoaceae
<i>Caryota mitis</i>	Burmese Fishtail Palm	Arecaceae
<i>Caryota urens</i>	Fishtail Palm	Arecaceae
<i>Casearia nitida</i>	Smooth Casearia	Salicaceae
<i>Cassia fistula</i>	Golden Shower	Fabaceae
<i>Cassia javanica</i> var. <i>indochinensis</i>	Pink Shower	Fabaceae
<i>Casuarina cunninghamiana</i>	River Sheoak	Casuarinaceae
<i>Casuarina equisetifolia</i>	Australian-Pine, Horsetail Casuarina	Casuarinaceae
<i>Casuarina glauca</i>	Gray Sheoak, Suckering Australian-Pine	Casuarinaceae
<i>Catharanthus roseus</i>	Madagascar Periwinkle	Apocynaceae
<i>Cecropia palmata</i>	Trumpet Tree	Cecropiaceae
<i>Celastrus paniculatus</i>	Staff-Vine, Oriental Bittersweet	Celastraceae
<i>Cenchrus ciliaris</i>	Buffelgrass	Poaceae
<i>Centratherum punctatum</i>	Larkdaisy	Asteraceae
<i>Ceratopteris thalictroides</i>	Watersprite	Pteridaceae
<i>Cestrum diurnum</i>	Dayflowering Jessamine	Solanaceae
<i>Cestrum nocturnum</i>	Nightflowering Jessamine	Solanaceae
<i>Chamaecrista pilosa</i>	Hairy Sensitive Pea	Fabaceae
<i>Chamaedorea seifrizii</i>	Bamboo Palm	Arecaceae
<i>Chamaesyce lasiocarpa</i>	Roadside Sandmat	Euphorbiaceae
<i>Chamaesyce mendezii</i>	Mendez's Sandmat	Euphorbiaceae
<i>Chenopodium album</i>	Lamb's Quarters	Amaranthaceae
<i>Chenopodium ambrosioides</i>	Mexican Tea	Amaranthaceae
<i>Chenopodium glaucum</i>	Oakleaf Goosefoot	Amaranthaceae

Scientific name	Common name	Family name
<i>Chenopodium murale</i>	Nettleleaf Goosefoot	Amaranthaceae
<i>Chloris radiata</i>	Radiate Fingergrass	Poaceae
<i>Cinnamomum camphora</i>	Camphortree	Lauraceae
<i>Citrullus lanatus</i>	Watermelon, Citron	Cucurbitaceae
<i>Citrus medica</i>	Citron	Rutaceae
<i>Citrus x aurantiifolia</i>	Key Lime	Rutaceae
<i>Citrus x aurantium</i>	Sour Orange, Grapefruit, Sweet Orange	Rutaceae
<i>Citrus x limon</i>	Lemon	Rutaceae
<i>Cleome gynandra</i>	Spiderwisp	Brassicaceae
<i>Cleome hassleriana</i>	Pinkqueen Spiderflower	Brassicaceae
<i>Cleome ruidosperma</i>	Fringed Spiderflower	Brassicaceae
<i>Clerodendrum bungei</i>	Rose Glorybower	Lamiaceae
<i>Clerodendrum chinense</i>	Stickbush	Lamiaceae
<i>Clerodendrum glabrum</i>	Natal Glorybower	Lamiaceae
<i>Clerodendrum indicum</i>	Turk's Turban, Skyrocket	Lamiaceae
<i>Clerodendrum japonicum</i>	Japanese Glorybower, Kaempfer's Glorybower	Lamiaceae
<i>Clerodendrum speciosissimum</i>	Javanese Glorybower	Lamiaceae
<i>Clerodendrum x speciosum</i>	Java Glory Bean, Pagoda Flower	Lamiaceae
<i>Clitoria ternatea</i>	Asian Pigeonwings	Fabaceae
<i>Coccinia grandis</i>	Ivy Gourd, Scarletfruit Ivy Gourd	Cucurbitaceae
<i>Cocos nucifera</i>	Coconut Palm	Arecaceae
<i>Coleus pumilus</i>	Dwarf Coleus	Lamiaceae
<i>Colocasia esculenta</i>	Wild Taro, Dasheen, Coco Yam	Araceae
<i>Colubrina asiatica</i>	Latherleaf, Asian Nakedwood	Rhamnaceae
<i>Commelina caroliniana</i>	Carolina Dayflower	Commelinaceae
<i>Commelina diffusa</i> var. <i>diffusa</i>	Common Dayflower	Commelinaceae
<i>Commelina diffusa</i> var. <i>gigas</i>	Climbing Dayflower	Commelinaceae
<i>Commelina forskolii</i>	Rat's Ear	Commelinaceae
<i>Commelina gambiae</i>	Gambian Dayflower	Commelinaceae
<i>Conoclea multifida</i>	Narrowleaf Paleseed	Plantaginaceae
<i>Conyza laevigata</i>	Manzanilla Horseweed	Asteraceae
<i>Corchorus hirsutus</i>	Jackswitch, Woolly Corchorus, Cadillo	Malvaceae
<i>Cordia curassavica</i>	Black Sage	Boraginaceae
<i>Cordia dichotoma</i>	Fragrant Manjack	Boraginaceae
<i>Cordia sebestena</i>	Largeleaf Geigertree	Boraginaceae
<i>Cornutia grandifolia</i>	Azulejo	Lamiaceae
<i>Coronilla varia</i>	Purple Crownvetch	Fabaceae
<i>Cosmos bipinnatus</i>	Garden Cosmon	Asteraceae
<i>Crassocephalum crepidioides</i>	Redflower Ragleaf	Asteraceae
<i>Crinum asiaticum</i>	Poisonbulb	Amaryllidaceae
<i>Crinum bulbispermum</i>	Hardy Swamplily	Amaryllidaceae
<i>Crotalaria incana</i>	Shakeshake	Fabaceae
<i>Crotalaria juncea</i>	Sunn Hemp	Fabaceae
<i>Crotalaria lanceolata</i>	Lanceleaf Rattlebox	Fabaceae
<i>Crotalaria pallida</i> var. <i>obovata</i>	Smooth Rattlebox	Fabaceae
<i>Crotalaria retusa</i>	Rattleweed	Fabaceae
<i>Crotalaria spectabilis</i>	Showy Rattlebox	Fabaceae
<i>Crotalaria trichotoma</i>	West Indian Rattlebox	Fabaceae
<i>Crotalaria verrucosa</i>	Blue Rattlebox	Fabaceae
<i>Cryptostegia madagascariensis</i>	Madagascar Rubbervine	Apocynaceae
<i>Cucumis melo</i>	Cantaloupe	Cucurbitaceae

Scientific name	Common name	Family name
<i>Cucurbita moschata</i>	Seminole Pumpkin, Crookneck Squash	Cucurbitaceae
<i>Cupaniopsis anacardioides</i>	Carrotwood	Sapindaceae
<i>Cuphea carthagenensis</i>	Colombian Waxweed	Lythraceae
<i>Cuphea strigulosa</i>	Stiffhair Waxweed	Lythraceae
<i>Curculigo capitulata</i>	Giant Palm-Grass	Hypoxidaceae
<i>Cyanthillium cinereum</i>	Little Ironweed	Asteraceae
<i>Cyclospermum leptophyllum</i>	Marsh Parsley	Apiaceae
<i>Cydista aequinoctialis</i>	Garlic Vine	Bignoniaceae
<i>Cymbopogon citratus</i>	Lemongrass	Poaceae
<i>Cynodon dactylon</i>	Bermudagrass	Poaceae
<i>Cynoglossum zeylanicum</i>	Ceylon Hound's Tongue	Boraginaceae
<i>Cyperus difformis</i>	Variable Flatsedge	Cyperaceae
<i>Cyperus esculentus</i>	Yellow Nutgrass, Chufa Flatsedge	Cyperaceae
<i>Cyperus hyalinus</i>	Queensland Flatsedge, Peduncled Spikesedge	Cyperaceae
<i>Cyperus involucratus</i>	Umbrella Plant	Cyperaceae
<i>Cyperus iria</i>	Ricefield Flatsedge	Cyperaceae
<i>Cyperus lanceolatus</i>	Epiphytic Flatsedge	Cyperaceae
<i>Cyperus ochraceus</i>	Pond Flatsedge	Cyperaceae
<i>Cyperus papyrus</i>	Papyrus Flatsedge	Cyperaceae
<i>Cyperus prolifer</i>	Dwarf Papyrus, Miniature Flatsedge	Cyperaceae
<i>Cyperus pumilus</i>	Low Flatsedge	Cyperaceae
<i>Cyperus rotundus</i>	Nutgrass	Cyperaceae
<i>Cyperus sphacelatus</i>	Roadside Flatsedge	Cyperaceae
<i>Cyperus unioloides</i>	Uniola Flatsedge	Cyperaceae
<i>Cypselea humifusa</i>	Panal	Aizoaceae
<i>Cyrtopodium flavum</i>	Parana Cowhorn Orchid, Yellow Cowhorn Orchid	Orchidaceae
<i>Dactyloctenium aegyptium</i>	Durban Crowfootgrass	Poaceae
<i>Dalbergia sissoo</i>	Indian Rosewood	Fabaceae
<i>Dalechampia scandens</i>	Spurgecreeper	Euphorbiaceae
<i>Delonix regia</i>	Royal Poinciana	Fabaceae
<i>Desmanthus leptophyllus</i>	Slenderleaf Bundleflower	Fabaceae
<i>Desmanthus virgatus</i>	Wild Tantan	Fabaceae
<i>Desmodium incanum</i>	Zarabacoa Comun	Fabaceae
<i>Desmodium scorpiurus</i>	Scorpion Ticktrefoil	Fabaceae
<i>Desmodium tortuosum</i>	Dixie Ticktrefoil	Fabaceae
<i>Desmodium triflorum</i>	Threeflower Ticktrefoil	Fabaceae
<i>Dianella ensifolia</i>	Cerulean Flaxlily	Hemerocallidaceae
<i>Dichanthium aristatum</i>	Angleton's Bluestem	Poaceae
<i>Dichanthium sericeum</i>	Queensland Bluestem	Poaceae
<i>Dichondra micrantha</i>	Smallflowered Ponysfoot	Convolvulaceae
<i>Dichrostachys cinerea</i> ssp. <i>africana</i>	Aroma	Fabaceae
<i>Dieffenbachia seguine</i>	Dumb Cane	Araceae
<i>Digitaria bicornis</i>	Asia Crabgrass	Poaceae
<i>Digitaria eriantha</i>	Pangolagrass	Poaceae
<i>Digitaria longiflora</i>	Indian Crabgrass	Poaceae
<i>Digitaria setigera</i>	East Indian Crabgrass	Poaceae
<i>Digitaria violascens</i>	Violet Crabgrass	Poaceae
<i>Dimocarpus longan</i>	Longan	Sapindaceae
<i>Dioscorea alata</i>	White Yam	Dioscoreaceae
<i>Dioscorea bulbifera</i>	Air-Potato	Dioscoreaceae
<i>Dioscorea sansibarensis</i>	Zanzibar Yam	Dioscoreaceae

Scientific name	Common name	Family name
<i>Diospyros ebenum</i>	Ebony	Ebenaceae
<i>Diospyros maritima</i>		Ebenaceae
<i>Diplazium esculentum</i>	Vegetable Fern	Dryopteridaceae
<i>Duranta erecta</i>	Golden Dewdrops	Verbenaceae
<i>Dyopsis lutescens</i>	Areca Palm	Arecaceae
<i>Echinochloa colona</i>	Jungle Rice	Poaceae
<i>Echinochloa crusgalli</i>	Barnyardgrass	Poaceae
<i>Egeria densa</i>	Brazilian Waterweed	Hydrocharitaceae
<i>Eichhornia crassipes</i>	Common Water-Hyacinth	Pontederiaceae
<i>Elaeis guineensis</i>	African Oil Palm	Arecaceae
<i>Eleocharis acutangula</i>	Acute Spikerush	Cyperaceae
<i>Eleocharis nigrescens</i>	Black Spikerush	Cyperaceae
<i>Eleusine indica</i>	Indian Goosegrass	Poaceae
<i>Elionurus tripsacoides</i>	Pan-American Balsamscale	Poaceae
<i>Emilia fosbergii</i>	Florida Tasselflower	Asteraceae
<i>Emilia sonchifolia</i>	Lilac Tasselflower	Asteraceae
<i>Enterolobium contortisiliquum</i>	Earpod Tree	Fabaceae
<i>Epidendrum radicans</i>	Star Orchid, Crucifix Orchid	Orchidaceae
<i>Epiphyllum phyllanthus</i> var. <i>hookeri</i>	Orchid Cactus	Cactaceae
<i>Epipremnum pinnatum</i>	Golden Pothos	Araceae
<i>Eragrostis amabilis</i>	Feather Lovegrass	Poaceae
<i>Eragrostis atrovirens</i>	Thalia Lovegrass	Poaceae
<i>Eragrostis bahiensis</i>	Bahia Lovegrass	Poaceae
<i>Eragrostis barrelieri</i>	Mediterranean Lovegrass	Poaceae
<i>Eragrostis cilianensis</i>	Stinkgrass	Poaceae
<i>Eragrostis ciliaris</i>	Gophertail Lovegrass	Poaceae
<i>Eragrostis gangetica</i>	Slimflower Lovegrass	Poaceae
<i>Eragrostis pilosa</i>	Indian Lovegrass	Poaceae
<i>Eragrostis scaligera</i>	Tender Lovegrass	Poaceae
<i>Eragrostis unioides</i>	Chinese Lovegrass	Poaceae
<i>Eremochloa ophiuroides</i>	Centipedegrass	Poaceae
<i>Eriobotrya japonica</i>	Loquat	Rosaceae
<i>Eriochloa contracta</i>	Prairie Cupgrass	Poaceae
<i>Eriochloa polystachya</i>	Caribgrass	Poaceae
<i>Erucastrum gallicum</i>	Common Dogmustard	Brassicaceae
<i>Eryngium foetidum</i>	Spiritweed	Apiaceae
<i>Erysimum cheiranthoides</i>	Wormseed Wallflower	Brassicaceae
<i>Eucalyptus grandis</i>	Grand Eucalyptus	Myrtaceae
<i>Eucalyptus robusta</i>	Swampmahogany	Myrtaceae
<i>Eucalyptus torelliana</i>	Torell's Eucalyptus, Cadaga	Myrtaceae
<i>Eugenia uniflora</i>	Surinam Cherry	Myrtaceae
<i>Euphorbia graminea</i>	Grassleaf Spurge	Euphorbiaceae
<i>Euphorbia milii</i>	Crown-Of-Thorns, Christplant	Euphorbiaceae
<i>Euphorbia tirucalli</i>	Pencil Tree, Indian Tree Spurge	Euphorbiaceae
<i>Euryops chrysanthemoides</i>	African Bushdaisy, Bull's Eye	Asteraceae
<i>Evolvulus convolvuloides</i>	Bindweed Dwarf Morning-Glory, Dwarf Bindweed	Convolvulaceae
<i>Fagopyrum esculentum</i>	Buckwheat	Polygonaceae
<i>Fatoua villosa</i>	Hairy Crabweed	Moraceae
<i>Ficus altissima</i>	Council Tree	Moraceae
<i>Ficus americana</i>	West Indian Laurel Fig	Moraceae
<i>Ficus benghalensis</i>	Banyan Tree	Moraceae
<i>Ficus benjamina</i>	Weeping Fig	Moraceae
<i>Ficus carica</i>	Common Fig	Moraceae

Scientific name	Common name	Family name
<i>Ficus microcarpa</i>	Indian Laurel	Moraceae
<i>Ficus religiosa</i>	Bo Tree, Sacred Fig	Moraceae
<i>Fimbristylis littoralis</i>	Grasslike Fimbry	Cyperaceae
<i>Fimbristylis schoenoides</i>	Ditch Fimbry	Cyperaceae
<i>Flacourtia indica</i>	Governor's Plum	Salicaceae
<i>Flaveria bidentis</i>	Coastalplain Yellowtops	Asteraceae
<i>Flueggea virosa</i>	Simpleleaf Bushweed	Phyllanthaceae
<i>Fumaria officinalis</i>	Drug Fumitory, Earthsmoke	Papaveraceae
<i>Furcraea foetida</i>	Mauritius Hemp	Agavaceae
<i>Furcraea selloa</i>	Wild Sisal	Agavaceae
<i>Galinsoga quadriradiata</i>	Peruvian Daisy, Shaggysoldier	Asteraceae
<i>Galphimia gracilis</i>	Slender Goldshower	Malpighiaceae
<i>Gamochaeta coarctata</i>	American Everlasting	Asteraceae
<i>Gamochaeta pensylvanica</i>	Pennsylvania Everlasting	Asteraceae
<i>Gibasis pellucida</i>	Tahitian Bridalveil	Commelinaceae
<i>Glandularia pulchella</i>	South American Mock Vervain, Moss Verbena	Verbenaceae
<i>Gloriosa superba</i>	Flamelily	Colchicaceae
<i>Glycosmis parviflora</i>	Flower Axistree	Rutaceae
<i>Gomphrena serrata</i>	Arrasa Con Todo	Amaranthaceae
<i>Grevillea robusta</i>	Silkoak	Proteaceae
<i>Guaiacum officinale</i>	Common Lignumvitae	Zygophyllaceae
<i>Gynura aurantiaca</i>	Velvetplant	Asteraceae
<i>Hackelochloa granularis</i>	Pitscalegrass	Poaceae
<i>Harpullia arborea</i>	Uas	Sapindaceae
<i>Helianthus annuus</i>	Common Sunflower	Asteraceae
<i>Heliconia latispatha</i>	Expanded Lobsterclaw	Heliconiaceae
<i>Heliotropium procumbens</i>	Fourspike Heliotrope	Boraginaceae
<i>Hemarthria altissima</i>	Limpograss	Poaceae
<i>Hemigraphis alternata</i>	Redivy	Acanthaceae
<i>Hemigraphis reptans</i>	Redflame	Acanthaceae
<i>Heteranthera limosa</i>	Blue Mudplantain	Pontederiaceae
<i>Heteropogon contortus</i>	Tanglehead	Poaceae
<i>Heteropogon melanocarpus</i>	Sweet Tanglehead	Poaceae
<i>Hibiscus acetosella</i>	African Rosemallow	Malvaceae
<i>Hibiscus cannabinus</i>	Brown Indianhemp, Kenaf	Malvaceae
<i>Hibiscus radiatus</i>	Monarch Rosemallow	Malvaceae
<i>Hibiscus rosa-sinensis</i> var. <i>rosa-sinensis</i>	Garden Rosemallow, Shoe-Black-Plant	Malvaceae
<i>Hibiscus rosa-sinensis</i> var. <i>schizopetalus</i>	Fringed Rosemallow	Malvaceae
<i>Hippobroma longiflora</i>	Madamfate	Campanulaceae
<i>Hiptage benghalensis</i>	Hiptage	Malpighiaceae
<i>Holmskioldia sanguinea</i>	Chinese Hat	Lamiaceae
<i>Hura crepitans</i>	Sandboxtree	Euphorbiaceae
<i>Hybanthus linearifolius</i>	Chancleta	Violaceae
<i>Hydrilla verticillata</i>	Waterthyme, Hydrilla	Hydrocharitaceae
<i>Hydrolea capsularis</i>	Spiny False Fiddleleaf	Hydroleaceae
<i>Hygrophila corymbosa</i>	Starhorn	Acanthaceae
<i>Hygrophila polysperma</i>	Indian Swampweed	Acanthaceae
<i>Hylocereus undatus</i>	Nightblooming Cactus	Cactaceae
<i>Hymenachne amplexicaulis</i>	Trompetilla	Poaceae
<i>Hyparrhenia rufa</i>	Jaragua	Poaceae
<i>Hyptis mutabilis</i>	Tropical Bushmint	Lamiaceae

Scientific name	Common name	Family name
<i>Hyptis pectinata</i>	Comb Bushmint	Lamiaceae
<i>Hyptis spicigera</i>	Marubio	Lamiaceae
<i>Hyptis verticillata</i>	John Charles	Lamiaceae
<i>Impatiens balsamina</i>	Garden Balsam, Rose Balsam	Balsaminaceae
<i>Imperata cylindrica</i>	Cogongrass	Poaceae
<i>Indigofera hirsuta</i>	Hairy Indigo	Fabaceae
<i>Indigofera spicata</i>	Trailing Indigo	Fabaceae
<i>Indigofera suffruticosa</i>	Anil De Pasto	Fabaceae
<i>Indigofera tinctoria</i>	True Indigo	Fabaceae
<i>Ipomoea asarifolia</i>	Ginger-Leaf Morning-Glory	Convolvulaceae
<i>Ipomoea batatas</i>	Sweetpotato	Convolvulaceae
<i>Ipomoea cairica</i>	Mile-a-Minute Vine	Convolvulaceae
<i>Ipomoea carnea</i> ssp. <i>fistulosa</i>	Bush Morning-Glory	Convolvulaceae
<i>Ipomoea macrorhiza</i>	Largeroot Morning-Glory	Convolvulaceae
<i>Ipomoea muricata</i>	Lilacbell	Convolvulaceae
<i>Ipomoea quamoclit</i>	Cypressvine	Convolvulaceae
<i>Ipomoea triloba</i>	Littlebell	Convolvulaceae
<i>Ixora arborea</i>	Smallflower Jungleflame	Rubiaceae
<i>Ixora coccinea</i>	Scarlet Jungleflame	Rubiaceae
<i>Jacaranda mimosifolia</i>	Jacaranda, Black Poui	Bignoniaceae
<i>Jacquinia arborea</i>	Braceletwood	Theophrastaceae
<i>Jacquinia macrocarpa</i>	Cudjoewood	Theophrastaceae
<i>Jasminum dichotomum</i>	Gold Coast Jasmine	Oleaceae
<i>Jasminum fluminense</i>	Brazilian Jasmine, Jazmin De Trapo	Oleaceae
<i>Jasminum mesnyi</i>	Japanese Jasmine	Oleaceae
<i>Jasminum multiflorum</i>	Star Jasmine	Oleaceae
<i>Jasminum nitidum</i>	Angelwing Jasmine	Oleaceae
<i>Jasminum officinale</i>	Poet's Jasmine	Oleaceae
<i>Jasminum sambac</i>	Arabian Jasmine	Oleaceae
<i>Jatropha curcas</i>	Nutmeg Plant, Physic Nut, Barbados Nut	Euphorbiaceae
<i>Jatropha gossypifolia</i>	Bellyache Bush	Euphorbiaceae
<i>Jatropha integerrima</i>	Peregrina	Euphorbiaceae
<i>Justicia brandegeana</i>	Shrimpplant	Acanthaceae
<i>Justicia pectoralis</i>	Freshcut	Acanthaceae
<i>Justicia spicigera</i>	Mexican Honeysuckle, Mohintle	Acanthaceae
<i>Kalanchoe blossfeldiana</i>	Madagascar Widow's-Thrill, Christmas Kalanchoe	Crassulaceae
<i>Kalanchoe crenata</i>	Neverdie	Crassulaceae
<i>Kalanchoe daigremontiana</i>	Devil's Backbone	Crassulaceae
<i>Kalanchoe delagoensis</i>	Chandelier Plant	Crassulaceae
<i>Kalanchoe fedtschenkoi</i>	Lavender Scallops	Crassulaceae
<i>Kalanchoe pinnata</i>	Cathedral Bells, Life Plant	Crassulaceae
<i>Kalanchoe x houghtonii</i>	Mother-of-Millions	Crassulaceae
<i>Khaya senegalensis</i>	African Mahogany	Meliaceae
<i>Koelreuteria elegans</i> ssp. <i>formosana</i>	Flamegold	Sapindaceae
<i>Kummerowia striata</i>	Japanese Clover	Fabaceae
<i>Kyllinga brevifolia</i>	Shortleaf Spikesedge	Cyperaceae
<i>Kyllinga squamulata</i>	Asian Spikesedge	Cyperaceae
<i>Lablab purpureus</i>	Hyacinthbean	Fabaceae
<i>Laelia rubescens</i>	Pale Laelia	Orchidaceae
<i>Landoltia punctata</i>	Dotted Duckweed	Araceae
<i>Lantana camara</i>	Lantana, Shrubverbena	Verbenaceae
<i>Lantana montevidensis</i>	Trailing Shrubverbena	Verbenaceae

Scientific name	Common name	Family name
<i>Laportea aestuans</i>	West Indian Woodnettle	Urticaceae
<i>Launaea intybacea</i>	Achicoria Azul	Asteraceae
<i>Leonotis nepetifolia</i>	Lion's-Ear, Christmas Candlestick	Lamiaceae
<i>Lepianthes umbellata</i>	Baquina	Piperaceae
<i>Lepidium didymum</i>	Lesser Swinecress	Brassicaceae
<i>Leucaena leucocephala</i>	White Leadtree	Fabaceae
<i>Ligustrum sinense</i>	Chinese Privet	Oleaceae
<i>Limnophila sessiliflora</i>	Asian Marshweed	Plantaginaceae
<i>Lindernia crustacea</i>	Malaysian False Pimpernel	Plantaginaceae
<i>Linum usitatissimum</i>	Common Flax	Linaceae
<i>Lipocarpus aristulata</i>	Awed Halfchaff Sedge	Cyperaceae
<i>Livistona chinensis</i>	Chinese Fan Palm	Arecaceae
<i>Livistona rotundifolia</i>	Footstool Palm	Arecaceae
<i>Lobularia maritima</i>	Seaside Lobularia, Sweet Alyssum	Brassicaceae
<i>Lolium perenne</i>	Italian Ryegrass	Poaceae
<i>Lonicera japonica</i>	Japanese Honeysuckle	Caprifoliaceae
<i>Ludwigia grandiflora</i>	Largeflower Primrosewillow	Onagraceae
<i>Ludwigia peruviana</i>	Peruvian Primrosewillow	Onagraceae
<i>Luffa aegyptiaca</i>	Vegetable Sponge, Loofah	Cucurbitaceae
<i>Lumnitzera racemosa</i>	Black Mangrove	Combretaceae
<i>Luziola subintegra</i>	Tropical American Watergrass	Poaceae
<i>Lygodium japonicum</i>	Japanese Climbing Fern	Schizaeaceae
<i>Lygodium microphyllum</i>	Small-Leaf Climbing Fern	Schizaeaceae
<i>Lysiloma sabicu</i>	Horseflesh Mahogany	Fabaceae
<i>Macfadyena unguis-cati</i>	Catclawvine	Bignoniaceae
<i>Macroptilium atropurpureum</i>	Purple Bushbean	Fabaceae
<i>Macroptilium lathyroides</i>	Wild Bushbean	Fabaceae
<i>Macrothelypteris torresiana</i>	Mariana Maiden Fern	Thelypteridaceae
<i>Malachra capitata</i>	Malva De Caballo	Malvaceae
<i>Malpighia emarginata</i>	Barbados Cherry	Malpighiaceae
<i>Malvastrum coromandelianum</i>	Threelobe False Mallow	Malvaceae
<i>Malvaviscus arboreus</i> var. <i>drummondii</i>	Texas Waxmallow	Malvaceae
<i>Malvaviscus penduliflorus</i>	Mazapan, Turksap Mallow	Malvaceae
<i>Mangifera indica</i>	Mango	Anacardiaceae
<i>Manihot esculenta</i>	Tapioca	Euphorbiaceae
<i>Manilkara zapota</i>	Sapodilla	Sapotaceae
<i>Maranta arundinacea</i>	Arrowroot	Marantaceae
<i>Marsilea macropoda</i>	Big-Foot Water-Clover	Marsileaceae
<i>Marsilea vestita</i>	Hairy Water-Clover	Marsileaceae
<i>Maurandya antirrhiniflora</i>	Roving Sailor	Plantaginaceae
<i>Mazus pumilus</i>	Japanese Mazus	Plantaginaceae
<i>Medicago lupulina</i>	Black Medick	Fabaceae
<i>Medicago polymorpha</i>	Burr Clover	Fabaceae
<i>Medicago sativa</i>	Alfalfa	Fabaceae
<i>Melaleuca quinquenervia</i>	Punktree	Myrtaceae
<i>Melaleuca viminalis</i>	Bottlebrush	Myrtaceae
<i>Melastoma malabathricum</i>	Straits Rhododendron, Malabar Melastome	Melastomataceae
<i>Melia azedarach</i>	Chinaberrytree	Meliaceae
<i>Melicoccus bijugatus</i>	Spanish Lime	Sapindaceae
<i>Melilotus albus</i>	White Sweetclover	Fabaceae

Scientific name	Common name	Family name
<i>Melilotus indicus</i>	Indian Sweetclover, Annual Yellow Sweetclover	Fabaceae
<i>Melinis minutiflora</i>	Molassesgrass	Poaceae
<i>Melinis repens</i>	Rose Natalgrass	Poaceae
<i>Melochia corchorifolia</i>	Chocolateweed	Malvaceae
<i>Merremia aegyptia</i>	Hairy Woodrose	Convolvulaceae
<i>Merremia cissoides</i>	Roadside Woodrose	Convolvulaceae
<i>Merremia dissecta</i>	Noyau Vine	Convolvulaceae
<i>Merremia quinquefolia</i>	Rock Rosemary	Convolvulaceae
<i>Merremia tuberosa</i>	Spanish Arborvine, Yellow Morning-Glory	Convolvulaceae
<i>Merremia umbellata</i>	Hogvine	Convolvulaceae
<i>Mimosa pigra</i>	Black Mimosa	Fabaceae
<i>Mimosa pudica</i>	Sensitive Plant, Shameplant	Fabaceae
<i>Mimusops elengi</i>	Spanish Cherry, Kabiki, Bakul	Sapotaceae
<i>Mirabilis jalapa</i>	Four-O'clock, Marvel-of-Peru	Nyctaginaceae
<i>Mitracarpus hirtus</i>	Tropical Girdlepod	Rubiaceae
<i>Mollugo verticillata</i>	Indian Chickweed, Green Carpetweed	Molluginaceae
<i>Momordica charantia</i>	Balsampear	Cucurbitaceae
<i>Monstera deliciosa</i>	Swiss-Cheese Plant, Cut-Leaf Philodendron	Araceae
<i>Moringa oleifera</i>	Horseradish tree	Moringaceae
<i>Morrenia odorata</i>	Latexplant	Apocynaceae
<i>Morus alba</i>	White Mulberry	Moraceae
<i>Mucuna pruriens</i>	Cowitch, Velvetbean	Fabaceae
<i>Muntingia calabura</i>	Strawberry tree	Muntingiaceae
<i>Murdannia nudiflora</i>	Nakedstem Dewflower	Commelinaceae
<i>Murdannia spirata</i> var. <i>parviflora</i>	Asiatic Dewflower	Commelinaceae
<i>Murraya paniculata</i>	Orange Jessamine	Rutaceae
<i>Musa acuminata</i>	Dwarf Banana	Musaceae
<i>Musa x paradisiaca</i>	Common Banana	Musaceae
<i>Myriophyllum aquaticum</i>	Parrot Feather Watermilfoil	Haloragaceae
<i>Myriophyllum spicatum</i>	Eurasian Watermilfoil, Spike Watermilfoil	Haloragaceae
<i>Nama jamaicensis</i>	Jamaicanweed	Hydrophyllaceae
<i>Nelumbo nucifera</i>	Sacred Lotus	Nelumbonaceae
<i>Nephrolepis brownii</i>	Asian Sword Fern	Nephrolepidaceae
<i>Nephrolepis cordifolia</i>	Tuberous Sword Fern	Nephrolepidaceae
<i>Nephrolepis falcata</i>	Fishtail Swordfern	Nephrolepidaceae
<i>Nerium oleander</i>	Oleander	Apocynaceae
<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed	Poaceae
<i>Nicandra physalodes</i>	Apple-of-Peru	Solanaceae
<i>Nicotiana glauca</i>	Tex-Mex Tobacco	Solanaceae
<i>Nicotiana glauca</i>	Cultivated Tobacco	Solanaceae
<i>Nymphaea capensis</i> var. <i>zanzibariensis</i>	Cape Blue Waterlily	Nymphaeaceae
<i>Nymphaea lotus</i>	White Egyptian Lotus	Nymphaeaceae
<i>Nymphaea x daubenyana</i>		Nymphaeaceae
<i>Nymphoides cristata</i>	Crested Floatingheart	Menyanthaceae
<i>Nymphoides indica</i>	Water Snowflake	Menyanthaceae
<i>Ochrosia elliptica</i>	Elliptic Yellowwood	Apocynaceae
<i>Ocimum basilicum</i>	Sweet Basil	Lamiaceae
<i>Odontonema cuspidatum</i>	Firespike	Acanthaceae
<i>Oeceoclades maculata</i>	Monk Orchid	Orchidaceae

Scientific name	Common name	Family name
<i>Oenothera drummondii</i>	Beach Eveningprimrose	Onagraceae
<i>Oenothera speciosa</i>	Pinkladies	Onagraceae
<i>Oldenlandia corymbosa</i>	Flattop Mille Graines	Rubiaceae
<i>Oldenlandiopsis callitrichoides</i>	Creeping Blue	Rubiaceae
<i>Ophioglossum pendulum</i>	Old World Adder's-Tongue	Ophioglossaceae
<i>Opuntia cochenillifera</i>	Cochineal Cactus	Cactaceae
<i>Oryza perennis</i>	Wild Red Rice	Poaceae
<i>Oxalis debilis</i>	Pink Woodsorrel	Oxalidaceae
<i>Oxalis latifolia</i>	Broadleaf Woodsorrel	Oxalidaceae
<i>Pachyrhizus erosus</i>	Yam Bean	Fabaceae
<i>Paederia cruddasiana</i>	Sewervine	Rubiaceae
<i>Paederia foetida</i>	Skunkvine	Rubiaceae
<i>Panicum maximum</i>	Guineagrass	Poaceae
<i>Panicum miliaceum</i>	Broomcorn Millet	Poaceae
<i>Panicum repens</i>	Torpedograss	Poaceae
<i>Parkinsonia aculeata</i>	Mexican Palo Verde, Jerusalem Thorn	Fabaceae
<i>Parthenium hysterophorus</i>	Santa Maria Feverfew	Asteraceae
<i>Paspalum acuminatum</i>	Brook Crowngrass	Poaceae
<i>Paspalum dilatatum</i>	Dallisgrass	Poaceae
<i>Paspalum fimbriatum</i>	Winged Paspalum, Panama Crowngrass	Poaceae
<i>Paspalum malacophyllum</i>	Ribbed Paspalum	Poaceae
<i>Paspalum nicorae</i>	Brunswickgrass	Poaceae
<i>Paspalum notatum</i> var. <i>notatum</i>	Bahiagrass	Poaceae
<i>Paspalum notatum</i> var. <i>saurae</i>	Bahiagrass	Poaceae
<i>Paspalum paniculatum</i>	Arrocillo	Poaceae
<i>Paspalum pleostachyum</i>	Tropical Paspalum	Poaceae
<i>Paspalum urvillei</i>	Vaseygrass	Poaceae
<i>Passiflora biflora</i>	Twolobe Passionflower	Passifloraceae
<i>Passiflora edulis</i>	Passionfruit, Purple Granadilla	Passifloraceae
<i>Passiflora foetida</i>	Fetid Passionflower	Passifloraceae
<i>Passiflora x belotii</i>		Passifloraceae
<i>Pectis humifusa</i>	Yerba De San Juan	Asteraceae
<i>Peltophorum dubium</i>	Horsebush	Fabaceae
<i>Peltophorum pterocarpum</i>	Yellow Poinciana	Fabaceae
<i>Pennisetum glaucum</i>	Pearl Millet, American Fountaingrass	Poaceae
<i>Pennisetum polystachion</i>	West Indian Pennisetum, Missiongrass	Poaceae
<i>Pennisetum purpureum</i>	Elephantgrass, Napiergrass	Poaceae
<i>Pennisetum setaceum</i>	Fountaingrass	Poaceae
<i>Peperomia amplexicaulis</i>	Jackie's Saddle, Claspig Peperomia	Piperaceae
<i>Peperomia pellucida</i>	Pepper-Elder, Rat-Ear	Piperaceae
<i>Pereskia aculeata</i>	Barbados Gooseberry, Lemon Vine	Cactaceae
<i>Persea americana</i>	Avocado	Lauraceae
<i>Petitia domingensis</i>	Bastard Stopper	Lamiaceae
<i>Petrea volubilis</i>	Queenswreath	Verbenaceae
<i>Petunia x hybrida</i>	Petunia	Solanaceae
<i>Phleum pratense</i>	Timothy	Poaceae
<i>Phlox drummondii</i>	Annual Phlox	Polemoniaceae
<i>Phoenix reclinata</i>	Senegal Date Palm	Arecaceae
<i>Phyla fruticosa</i>	Diamondleaf Fogfruit	Verbenaceae
<i>Phyllanthus acidus</i>	Tahitian Gooseberry Tree	Euphorbiaceae
<i>Phyllanthus amarus</i>	Gale-of-Wind, Carry-Me-Seed	Euphorbiaceae
<i>Phyllanthus angustifolius</i>	Foliage Flower, Swordbush	Euphorbiaceae
<i>Phyllanthus fraternus</i>	Gulf Leafflower	Euphorbiaceae
<i>Phyllanthus tenellus</i>	Mascarene Island Leafflower	Euphorbiaceae

Scientific name	Common name	Family name
<i>Phyllanthus urinaria</i>	Chamber Bitter	Euphorbiaceae
<i>Phymatosorus scolopendria</i>	Serpent Fern, Wart Fern	Polypodiaceae
<i>Pilea nummulariifolia</i>	Creeping Charlie	Urticaceae
<i>Piper aduncum</i>	Spiked Pepper, False Matico, Higuillo De Hoja Menuda	Piperaceae
<i>Piper auritum</i>	Veracruz Pepper	Piperaceae
<i>Pithecellobium dulce</i>	Monkeypod	Fabaceae
<i>Pithecoctenium crucigerum</i>	Monkeycomb	Bignoniaceae
<i>Pittosporum pentandrum</i>	Taiwanese Cheesewood	Pittosporaceae
<i>Plantago lanceolata</i>	English Plantain, Narrowleaf Plantain	Plantaginaceae
<i>Plantago major</i>	Common Plantain	Plantaginaceae
<i>Platycerium bifurcatum</i>	Staghorn Fern	Polypodiaceae
<i>Plumbago auriculata</i>	Cape Leadwort	Plumbaginaceae
<i>Poa annua</i>	Annual Bluegrass	Poaceae
<i>Polyalthia suberosa</i>	Corky Debbar Tree	Annonaceae
<i>Polygonum aviculare</i>	Prostrate Knotweed	Polygonaceae
<i>Polygonum lapathifolium</i>	Curlytop Knotweed, Pale Smartweed	Polygonaceae
<i>Polygonum persicaria</i>	Spotted Lady's-Thumb	Polygonaceae
<i>Polypogon monspeliensis</i>	Rabbitsfootgrass	Poaceae
<i>Polytrias amaura</i>	Javanese grass	Poaceae
<i>Pongamia pinnata</i>	Karum Tree, Poonga-Oil Tree	Fabaceae
<i>Poranopsis paniculata</i>	Bridal Bouquet	Convolvulaceae
<i>Portulaca amilis</i>	Paraguayan Purslane	Portulacaceae
<i>Portulaca oleracea</i>	Little Hogweed	Portulacaceae
<i>Potentilla reptans</i>	Creeping Cinquefoil	Rosaceae
<i>Pouteria campechiana</i>	Egg Fruit, Canistel	Sapotaceae
<i>Pouzolzia zeylanica</i>	Pouzolz's Bush	Urticaceae
<i>Premna odorata</i>	Fragrant Premna	Lamiaceae
<i>Proboscidea louisianica</i>	Unicornplant, Common Devil's Claw	Martyniaceae
<i>Pseudelephantopus spicatus</i>	Dogstongue	Asteraceae
<i>Pseuderanthemum fasciculatum</i>	Falseface	Acanthaceae
<i>Pseudognaphalium luteoalbum</i>	Jersey Cudweed	Asteraceae
<i>Pseudogynoxys chenopodioides</i>	Mexican Flamevine	Asteraceae
<i>Psidium cattleianum</i>	Strawberry Guava	Myrtaceae
<i>Psidium guajava</i>	Guava	Myrtaceae
<i>Pteris grandifolia</i>	Long Brake	Pteridaceae
<i>Pteris multifida</i>	Spider Brake, Huguenot Fern	Pteridaceae
<i>Pteris tripartita</i>	Giant Brake	Pteridaceae
<i>Pteris vittata</i>	Chinese Ladder Brake	Pteridaceae
<i>Ptychosperma elegans</i>	Alexander Palm, Solitaire Palm	Arecaceae
<i>Ptychosperma macarthurii</i>	Macarthur's Palm	Arecaceae
<i>Pueraria montana</i> var. <i>lobata</i>	Kudzu	Fabaceae
<i>Pyrostegia venusta</i>	Flamevine	Bignoniaceae
<i>Quisqualis indica</i>	Rangoon Creeper	Combretaceae
<i>Ranunculus sardous</i>	Hairy Buttercup	Ranunculaceae
<i>Raphanus raphanistrum</i>	Wild Radish	Brassicaceae
<i>Rauvolfia tetraphylla</i>	Be-Still Tree	Apocynaceae
<i>Rhodomyrtus tomentosa</i>	Rose Myrtle	Myrtaceae
<i>Richardia brasiliensis</i>	Tropical Mexican Clover	Rubiaceae
<i>Richardia grandiflora</i>	Largeflower Mexican Clover	Rubiaceae
<i>Richardia scabra</i>	Rough Mexican Clover	Rubiaceae
<i>Ricinus communis</i>	Castorbean	Euphorbiaceae
<i>Rotala rotundifolia</i>	Dwarf Rotala, Roundleaf Toothcup	Lythraceae
<i>Rottboellia cochinchinensis</i>	Itchgrass	Poaceae

Scientific name	Common name	Family name
<i>Rubus niveus</i>	Snowpeaks Raspberry	Rosaceae
<i>Ruellia blechum</i>	Browne's Blechum	Acanthaceae
<i>Ruellia ciliatiflora</i>	Hairyflower Wild Petunia	Acanthaceae
<i>Ruellia simplex</i>	Britton's Wild Petunia, Mexican Bluebell	Acanthaceae
<i>Rumex crispus</i>	Curly Dock	Polygonaceae
<i>Rumex obovatus</i>	Tropical Dock	Polygonaceae
<i>Rumex pulcher</i>	Fiddle Dock	Polygonaceae
<i>Rumohra adiantiformis</i>	Leatherleaf Fern	Dryopteridaceae
<i>Russelia equisetiformis</i>	Fountainbush, Firecracker Plant	Plantaginaceae
<i>Saccharum officinarum</i>	Sugarcane	Poaceae
<i>Sacciolepis indica</i>	Indian Cupscale	Poaceae
<i>Salsola kali</i> ssp. <i>pontica</i>	Prickly Russian Thistle	Amaranthaceae
<i>Salvinia minima</i>	Water Spangles	Salviniaceae
<i>Salvinia molesta</i>	Aquarium Watermoss	Salviniaceae
<i>Sansevieria hyacinthoides</i>	Bowstring Hemp, Mother-in-Law's Tongue	Ruscaceae
<i>Santalum album</i>	Sandalwood	Santalaceae
<i>Sapium sebiferum</i>	Popcorn tree, Chinese Tallowtree	Euphorbiaceae
<i>Scaevola taccada</i> var. <i>taccada</i>	Beach Naupaka	Goodeniaceae
<i>Scaevola taccada</i> var. <i>sericea</i>	Beach Naupaka	Goodeniaceae
<i>Schefflera actinophylla</i>	Australian Umbrella Tree, Octopus Tree	Araliaceae
<i>Schefflera arboricola</i>	Dwarf Schefflera	Araliaceae
<i>Schinus terebinthifolius</i>	Brazilian Pepper	Anacardiaceae
<i>Scirpus cubensis</i>	Cuban Bulrush	Cyperaceae
<i>Scleria lacustris</i>	Wright's Nutrush	Cyperaceae
<i>Secale cereale</i>	Cultivated Rye	Poaceae
<i>Selaginella uncinata</i>	Peacock Spike-Moss	Selaginellaceae
<i>Selaginella willdenowii</i>	Vine Spike-Moss	Selaginellaceae
<i>Selenicereus grandiflorus</i>	Queen-of-the-Night	Cactaceae
<i>Selenicereus pteranthus</i>	Princess-of-the-Night	Cactaceae
<i>Senna alata</i>	Candlestick Plant	Fabaceae
<i>Senna corymbosa</i>	Argentine Wild Sensitive Plant	Fabaceae
<i>Senna didymobotrya</i>	African Wild Sensitive Plant	Fabaceae
<i>Senna obtusifolia</i>	Coffeeweed, Sicklepod	Fabaceae
<i>Senna occidentalis</i>	Septicweed	Fabaceae
<i>Senna pendula</i> var. <i>glabrata</i>	Valamuerto	Fabaceae
<i>Senna surattensis</i>	Glossy Shower	Fabaceae
<i>Sesamum indicum</i>	Sesame, Benne	Pedaliaceae
<i>Sesbania punicea</i>	Rattlebox	Fabaceae
<i>Sesbania sericea</i>	Silky Sesban	Fabaceae
<i>Setaria barbata</i>	East Indian Bristlegrass, Marygrass, Corngrass	Poaceae
<i>Setaria faberi</i>	Japanese Bristlegrass, Giant Foxtail	Poaceae
<i>Setaria italica</i>	Foxtail Bristlegrass	Poaceae
<i>Setaria pumila</i>	Yellow Bristlegrass, Yellow Foxtail	Poaceae
<i>Setaria setosa</i>	West Indian Bristlegrass	Poaceae
<i>Setaria sphacelata</i>	African Bristlegrass	Poaceae
<i>Setaria verticillata</i>	Hooked Bristlegrass	Poaceae
<i>Setaria viridis</i>	Green Bristlegrass, Green Foxtail, Foxtail Millet	Poaceae
<i>Severinia buxifolia</i>	Chinese Boxorange	Rutaceae
<i>Sida cordifolia</i>	Lluma	Malvaceae
<i>Sida glabra</i>	Smooth Fanpetals	Malvaceae

Scientific name	Common name	Family name
<i>Sida santaremensis</i>	Moth Fanpetals	Malvaceae
<i>Sida spinosa</i>	Prickly Fanpetals	Malvaceae
<i>Sinapis arvensis</i>	Charlock Mustard	Brassicaceae
<i>Sisymbrium altissimum</i>	Tall Tumblemustard	Brassicaceae
<i>Sisymbrium irio</i>	Londonrocket	Brassicaceae
<i>Sisyrinchium rosulatum</i>	Annual Blue-Eyed Grass	Iridaceae
<i>Solandra nitida</i>	Chalicevine	Solanaceae
<i>Solanum diphyllum</i>	Twoleaf Nightshade	Solanaceae
<i>Solanum elaeagnifolium</i>	Silverleaf Nightshade, White Horsenettle	Solanaceae
<i>Solanum lycopersicum</i>	Garden Tomato	Solanaceae
<i>Solanum melongena</i>	Eggplant	Solanaceae
<i>Solanum seaforthianum</i>	Brazilian Nightshade	Solanaceae
<i>Solanum tampicense</i>	Aquatic Soda Apple	Solanaceae
<i>Solanum torvum</i>	Turkeyberry	Solanaceae
<i>Solanum viarum</i>	Tropical Soda Apple	Solanaceae
<i>Sonchus asper</i>	Spiny Sowthistle	Asteraceae
<i>Sonchus oleraceus</i>	Common Sowthistle	Asteraceae
<i>Sophora tomentosa</i> var. <i>occidentalis</i>	Yellow Necklacepod	Fabaceae
<i>Sorghum bicolor</i> ssp. <i>bicolor</i>	Broomcorn	Poaceae
<i>Sorghum bicolor</i> ssp. <i>verticilliflorum</i>	Grain Sorghum, Broomcorn	Poaceae
<i>Sorghum halepense</i>	Johnsongrass	Poaceae
<i>Sorindeia madagascariensis</i>	Mtikiza	Anacardiaceae
<i>Spathodea campanulata</i>	African Tuliptree	Bignoniaceae
<i>Spathoglottis plicata</i>	Philippine Ground Orchid	Orchidaceae
<i>Spermacoce verticillata</i>	Shrubby False Buttonweed	Rubiaceae
<i>Sphaeropteris cooperi</i>	Cooper's Tree Fern	Cyatheaceae
<i>Sphagneticola trilobata</i>	Creeping Oxeye	Asteraceae
<i>Spondias purpurea</i>	Purple Mombin	Anacardiaceae
<i>Sporobolus indicus</i> var. <i>indicus</i>	Smutgrass	Poaceae
<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian Dropseed	Poaceae
<i>Sporobolus tenuissimus</i>	Tropical Dropseed	Poaceae
<i>Stachytarpheta cayennensis</i>	Nettleleaf Velvetberry	Verbenaceae
<i>Stellaria media</i>	Common Chickweed	Caryophyllaceae
<i>Stemodia durantifolia</i>	Whitewoolly Twintip	Plantaginaceae
<i>Stenochlaena tenuifolia</i>	Giant Vine Fern	Blechnaceae
<i>Stictocardia tiliifolia</i>	Spottedheart	Convolvulaceae
<i>Strychnos spinosa</i>	Wood Orange, Natal Orange	Strychnaceae
<i>Stylosanthes hamata</i>	Cheesytoes	Fabaceae
<i>Syagrus romanzoffiana</i>	Queen Palm	Arecaceae
<i>Synedrella nodiflora</i>	Nodeweed	Asteraceae
<i>Syngonium angustatum</i>	Fivefingers	Araceae
<i>Syngonium podophyllum</i>	American Evergreen	Araceae
<i>Syzygium cumini</i>	Java Plum	Myrtaceae
<i>Syzygium jambos</i>	Malabar Plum, Rose Apple	Myrtaceae
<i>Tabebuia aurea</i>	Caribbean Trumpettree	Bignoniaceae
<i>Tabebuia heterophylla</i>	White Cedar	Bignoniaceae
<i>Tabernaemontana alba</i>	White Milkwood	Apocynaceae
<i>Tagetes erecta</i>	Aztec Marigold	Asteraceae
<i>Talinum fruticosum</i>	Verdolaga-Francesa	Portulacaceae
<i>Talinum paniculatum</i>	Pink Baby's-Breath, Jewels-of-Opar	Portulacaceae
<i>Talipariti tiliaceum</i> var. <i>tiliaceum</i>	Sea Hibiscus, Mahoe	Malvaceae
<i>Talipariti tiliaceum</i> var. <i>pernambucense</i>	Yellow Mahoe	Malvaceae

Scientific name	Common name	Family name
<i>Tamarindus indica</i>	Tamarind	Fabaceae
<i>Taraxacum officinale</i>	Common Dandelion	Asteraceae
<i>Tecoma capensis</i>	Cape Honeysuckle	Bignoniaceae
<i>Tecoma stans</i>	Yellow Elder, Yellow Trumpetbush	Bignoniaceae
<i>Tectaria incisa</i>	Incised Halberd Fern	Dryopteridaceae
<i>Terminalia catappa</i>	West Indian Almond	Combretaceae
<i>Terminalia muelleri</i>	Australian Almond	Combretaceae
<i>Thelypteris dentata</i> Fern	Downy Maiden Fern, Downy Shield	Thelypteridaceae
<i>Thelypteris opulenta</i>	Jeweled Maiden Fern	Thelypteridaceae
<i>Thespesia populnea</i>	Portia Tree	Malvaceae
<i>Thevetia peruviana</i>	Luckynut	Apocynaceae
<i>Thlaspi arvense</i>	Field Pennycress	Brassicaceae
<i>Thunbergia alata</i>	Blackeyed Susan Vine	Acanthaceae
<i>Thunbergia erecta</i>	Bush Clockvine	Acanthaceae
<i>Thunbergia fragrans</i>	Whitelady	Acanthaceae
<i>Thunbergia grandiflora</i>	Skyvine, Clockvine, Bengal Trumpet	Acanthaceae
<i>Thymophylla tenuiloba</i>	Bristleleaf Pricklyleaf	Asteraceae
<i>Tithonia diversifolia</i>	Shrub Sunflower	Asteraceae
<i>Torenia fournieri</i>	Bluewings, Wishbone Flower	Plantaginaceae
<i>Trachelospermum jasminoides</i>	Confederate Jasmine	Apocynaceae
<i>Tradescantia pallida</i>	Purplequeen	Commelinaceae
<i>Tradescantia spathacea</i>	Moses-in-the-Cradle, Oyster-Plant, Boatlily	Commelinaceae
<i>Tradescantia zebrina</i>	Wandering-Jew, Inchplant	Commelinaceae
<i>Tribulus cistoides</i>	Burrnut, Jamaican Feverplant	Zygophyllaceae
<i>Tribulus terrestris</i>	Puncturevine	Zygophyllaceae
<i>Trichosanthes tricuspidata</i>	Bracted Snakegourd	Cucurbitaceae
<i>Tridax procumbens</i>	Coatbuttons	Asteraceae
<i>Trifolium hybridum</i>	Alsike Clover	Fabaceae
<i>Trifolium pratense</i>	Red Clover	Fabaceae
<i>Trifolium repens</i>	White Clover, Dutch Clover	Fabaceae
<i>Trigonella caerulea</i>	Blue Fenugreek	Fabaceae
<i>Trimezia martinicensis</i>	Martinique Trimezia	Iridaceae
<i>Triphasia trifolia</i>	Limeberry	Rutaceae
<i>Triumfetta semitriloba</i>	Sacramento Burrbark	Malvaceae
<i>Turbina corymbosa</i>	Christmasvine	Convolvulaceae
<i>Turnera ulmifolia</i>	Yellow Alder, Ramgoat Dashalong	Turneraceae
<i>Urena lobata</i>	Caesarweed	Malvaceae
<i>Urochloa arrecta</i>	Tannergrass	Poaceae
<i>Urochloa distachya</i>	Tropical Signalgrass	Poaceae
<i>Urochloa fusca</i> var. <i>reticulata</i>	Browntop Signalgrass	Poaceae
<i>Urochloa mutica</i>	Paragrass	Poaceae
<i>Urochloa plantaginea</i>	Creeping Signalgrass, Plantain Signalgrass	Poaceae
<i>Urochloa ramosa</i>	Browntop Millet, Dixie Signalgrass	Poaceae
<i>Urochloa texana</i>	Texas Signalgrass, Texas Millet	Poaceae
<i>Vaccaria hispanica</i>	Cow Soapwort, Cow Herb	Caryophyllaceae
<i>Vanilla planifolia</i>	Commercial Vanilla	Orchidaceae
<i>Vanilla pompona</i>	West Indian Vanilla	Orchidaceae
<i>Verbascum virgatum</i>	Wand Mullein	Scrophulariaceae
<i>Verbena incompta</i>	Purpletop Vervain	Verbenaceae
<i>Verbena brasiliensis</i>	Brazilian Vervain	Verbenaceae
<i>Verbena montevidensis</i>	Seashore Vervain	Verbenaceae

Scientific name	Common name	Family name
<i>Vigna adenantha</i>	Wild Pea	Fabaceae
<i>Vigna hosei</i>	Sarawak Bean	Fabaceae
<i>Vigna speciosa</i>	Wandering Cowpea	Fabaceae
<i>Vigna unguiculata</i>	Blackeyed Pea, Cowpea	Fabaceae
<i>Vitex agnus-castus</i>	Lilac Chastetree	Lamiaceae
<i>Vitex glabrata</i>	Smooth Chastetree	Lamiaceae
<i>Vitex trifolia</i>	Simpleleaf Chastetree	Lamiaceae
<i>Washingtonia robusta</i>	Washington Fan Palm	Areaceae
<i>Woodwardia radicans</i>	European Chain Fern	Blechnaceae
<i>Xanthium strumarium</i>	Rough Cocklebur	Asteraceae
<i>Xanthosoma sagittifolium</i>	Arrowleaf Elephantear	Araceae
<i>Xyris jupicai</i>	Richard's Yelloweyed Grass	Xyridaceae
<i>Youngia japonica</i>	Oriental False Hawksbeard	Asteraceae
<i>Zamia furfuracea</i>	Cardboard Palm, Cardboard Cycad	Zamiaceae
<i>Zea mays</i> ssp. <i>mexicana</i>	Teosinte	Poaceae
<i>Zea mays</i> ssp. <i>parviglumis</i>	Teosinte	Poaceae
<i>Zephyranthes citrina</i>	Yellow Zephyrlily	Amaryllidaceae
<i>Zeuxine strateumatica</i>	Soldier's Orchid, Lawn Orchid	Orchidaceae
<i>Ziziphus mauritiana</i>	Inidan Jujube	Rhamnaceae
<i>Zoysia japonica</i>	Korean Templegrass, Japanese Lawngrass	Poaceae
<i>Zoysia matrella</i>	Manila Templegrass, Manilagrass	Poaceae
<i>Zoysia pacifica</i>	Manila Templegrass, Mascarenegrass	Poaceae

Appendix D. Florida Exotic Pest Council's 2007 list of invasive non-native plant species in south Florida. Taxonomy for all species listed follows Wunderlin and Hansen (2011), and the naming authorities for each can be found there.

Scientific name	Common name	Family name
Category I		
<i>Abrus precatorius</i>	Rosary Pea, Blackeyed Susan	Fabaceae
<i>Acacia auriculiformis</i>	Earleaf Acacia	Fabaceae
<i>Albizia lebbek</i>	Woman's Tongue	Fabaceae
<i>Ardisia crenata</i>	Scratchthroat	Myrsinaceae
<i>Ardisia elliptica</i>	Shoebutton	Myrsinaceae
<i>Asparagus aethiopicus</i>	Sprenger's Asparagus-Fern	Asparagaceae
<i>Bauhinia variegata</i>	Orchid Tree, Mountain Ebony	Fabaceae
<i>Bischofia javanica</i>	Javanese Bishopwood	Euphorbiaceae
<i>Calophyllum antillanum</i>	Santa Maria, Galba	Clusiaceae
<i>Casuarina equisetifolia</i>	Australian-Pine, Horsetail Casuarina	Casuarinaceae
<i>Casuarina glauca</i>	Gray Sheoak, Suckering Australian-Pine	Casuarinaceae
<i>Cinnamomum camphora</i>	Camphortree	Lauraceae
<i>Colocasia esculenta</i>	Wild Taro, Dasheen, Coco Yam	Araceae
<i>Colubrina asiatica</i>	Latherleaf, Asian Nakedwood	Rhamnaceae
<i>Cupaniopsis anacardioides</i>	Carrotwood	Sapindaceae
<i>Dioscorea alata</i>	White Yam	Dioscoreaceae
<i>Dioscorea bulbifera</i>	Air-Potato	Dioscoreaceae
<i>Eichhornia crassipes</i>	Common Water-Hyacinth	Pontederiaceae
<i>Eugenia uniflora</i>	Surinam Cherry	Myrtaceae
<i>Ficus microcarpa</i>	Indian Laurel	Moraceae
<i>Hydrilla verticillata</i>	Waterhyme, Hydrilla	Hydrocharitaceae
<i>Hygrophila polysperma</i>	Indian Swampweed	Acanthaceae
<i>Hymenachne amplexicaulis</i>	Trompetilla	Poaceae
<i>Imperata cylindrica</i>	Cogongrass	Poaceae
<i>Jasminum dichotomum</i>	Gold Coast Jasmine	Oleaceae
<i>Jasminum fluminense</i>	Brazilian Jasmine, Jazmin De Trapo	Oleaceae
<i>Lantana camara</i>	Lantana, Shrubverbena	Verbenaceae
<i>Ligustrum sinense</i>	Chinese Privet	Oleaceae
<i>Lonicera japonica</i>	Japanese Honeysuckle	Caprifoliaceae
<i>Ludwigia peruviana</i>	Peruvian Primrosewillow	Onagraceae
<i>Lumnitzera racemosa</i>	Black Mangrove	Combretaceae
<i>Luziola subintegra</i>	Tropical American Watergrass	Poaceae
<i>Lygodium japonicum</i>	Japanese Climbing Fern	Schizaeaceae
<i>Lygodium microphyllum</i>	Small-Leaf Climbing Fern	Schizaeaceae
<i>Macfadyena unguis-cati</i>	Catclawvine	Bignoniaceae
<i>Manilkara zapota</i>	Sapodilla	Sapotaceae
<i>Melaleuca quinquenervia</i>	Punktree	Myrtaceae
<i>Mimosa pigra</i>	Black Mimosa	Fabaceae
<i>Nephrolepis cordifolia</i>	Tuberous Sword Fern	Nephrolepidaceae
<i>Nephrolepis brownii</i>	Asian Sword Fern	Nephrolepidaceae
<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed	Poaceae
<i>Nymphoides cristata</i>	Crested Floatingheart	Menyanthaceae
<i>Paederia cruddasiana</i>	Sewervine	Rubiaceae
<i>Paederia foetida</i>	Skunkvine	Rubiaceae
<i>Panicum repens</i>	Torpedograss	Poaceae
<i>Pennisetum purpureum</i>	Elephantgrass, Napiergrass	Poaceae
<i>Phymatosorus scolopendria</i>	Serpent Fern, Wart Fern	Polypodiaceae
<i>Pistia stratiotes</i>	Water-Lettuce	Araceae
<i>Psidium cattleianum</i>	Strawberry Guava	Myrtaceae

Scientific name	Common name	Family name
<i>Psidium guajava</i>	Guava	Myrtaceae
<i>Pueraria montana</i> var. <i>lobata</i>	Kudzu	Fabaceae
<i>Rhodomyrtus tomentosa</i>	Rose Myrtle	Myrtaceae
<i>Melinis repens</i>	Rose Natalgrass	Poaceae
<i>Ruellia simplex</i>	Britton's Wild Petunia, Mexican Bluebell	Acanthaceae
<i>Salvinia minima</i>	Water Spangles	Salviniaceae
<i>Sapium sebiferum</i>	Popcorn tree, Chinese Tallowtree	Euphorbiaceae
<i>Scaevola taccada</i> var. <i>taccada</i>	Beach Naupaka	Goodeniaceae
<i>Scaevola taccada</i> var. <i>sericea</i>	Beach Naupaka	Goodeniaceae
<i>Schefflera actinophylla</i>	Australian Umbrella Tree, Octopus Tree	Araliaceae
<i>Schinus terebinthifolius</i>	Brazilian Pepper	Anacardiaceae
<i>Senna pendula</i> var. <i>glabrata</i>	Valamuerto	Fabaceae
<i>Scleria lacustris</i>	Wright's Nutrush	Cyperaceae
<i>Solanum tampicense</i>	Aquatic Soda Apple	Solanaceae
<i>Solanum viarum</i>	Tropical Soda Apple	Solanaceae
<i>Syngonium podophyllum</i>	American Evergreen	Araceae
<i>Syzygium cumini</i>	Java Plum	Myrtaceae
<i>Tectaria incisa</i>	Incised Halberd Fern	Dryopteridaceae
<i>Thespesia populnea</i>	Portia Tree	Malvaceae
<i>Urena lobata</i>	Caesarweed	Malvaceae
<i>Urochloa mutica</i>	Paragrass	Poaceae
Category II		
<i>Adenanthera pavonina</i>	Red Beadtree, Red Sandalwood	Fabaceae
<i>Agave sisalana</i>	Sisal Hemp	Agavaceae
<i>Alstonia macrophylla</i>	Deviltree	Apocynaceae
<i>Alternanthera philoxeroides</i>	Alligatorweed	Amaranthaceae
<i>Antigonon leptopus</i>	Coral Vine, Queen's Jewels	Polygonaceae
<i>Aristolochia littoralis</i>	Elegant Dutchman's Pipe, Calico Flower	Aristolochiaceae
<i>Asystasia gangetica</i>	Chinese Violet	Acanthaceae
<i>Begonia cucullata</i>	Wax Begonia, Club Begonia	Begoniaceae
<i>Broussonetia papyrifera</i>	Paper Mulberry	Moraceae
<i>Callisia fragrans</i>	Basketplant	Commelinaceae
<i>Casuarina cunninghamiana</i>	River Sheoak	Casuarinaceae
<i>Cecropia palmata</i>	Trumpet Tree	Cecropiaceae
<i>Cestrum diurnum</i>	Dayflowering Jessamine	Solanaceae
<i>Chamaedorea seifrizii</i>	Bamboo Palm	Arecaceae
<i>Cocos nucifera</i>	Coconut Palm	Arecaceae
<i>Cryptostegia madagascariensis</i>	Madagascar Rubbervine	Apocynaceae
<i>Cyperus involucratus</i>	Umbrella Plant	Cyperaceae
<i>Cyperus prolifer</i>	Miniature Flatsedge	Cyperaceae
<i>Dactyloctenium aegyptium</i>	Durban Crowfootgrass	Poaceae
<i>Dalbergia sissoo</i>	Indian Rosewood	Fabaceae
<i>Epipremnum pinnatum</i>	Golden Pothos	Araceae
<i>Ficus altissima</i>	Council Tree	Moraceae
<i>Flacourtia indica</i>	Governor's Plum	Flacourtiaceae
<i>Hemarthria altissima</i>	Limpograss	Poaceae
<i>Hyparrhenia rufa</i>	Jaragua	Poaceae
<i>Ipomoea carnea</i> ssp. <i>fistulosa</i>	Bush Morning-Glory	Convolvulaceae
<i>Kalanchoe pinnata</i>	Cathedral Bells, Life Plant	Crassulaceae
<i>Koelreuteria elegans</i> ssp. <i>formosana</i>	Flamegold	Sapindaceae
<i>Landoltia punctata</i>	Dotted Duckweed	Araceae
<i>Leucaena leucocephala</i>	White Leadtree	Fabaceae

Scientific name	Common name	Family name
<i>Limnophila sessiliflora</i>	Asian Marshweed	Plantaginaceae
<i>Livistona chinensis</i>	Fountain Palm	Arecaceae
<i>Melaleuca viminalis</i>	Bottlebrush	Myrtaceae
<i>Melia azedarach</i>	Chinaberry Tree	Meliaceae
<i>Melinis minutiflora</i>	Molassasgrass	Poaceae
<i>Merremia tuberosa</i>	Spanish Arborvine, Yellow Morning-Glory	Convolvulaceae
<i>Murraya paniculata</i>	Orange Jessamine	Rutaceae
<i>Myriophyllum spicatum</i>	Eurasian Watermilfoil, Spike Watermilfoil	Haloragaceae
<i>Panicum maximum</i>	Guineagrass	Poaceae
<i>Passiflora biflora</i>	Twolobe Passionflower	Passifloraceae
<i>Pennisetum setaceum</i>	Fountaingrass	Poaceae
<i>Phoenix reclinata</i>	Senegal Date Palm	Arecaceae
<i>Pittosporum pentandrum</i>	Taiwanese Cheesewood	Pittosporaceae
<i>Pteris vittata</i>	Chinese Ladder Brake	Pteridaceae
<i>Ptychosperma elegans</i>	Alexander Palm, Solitaire Palm	Arecaceae
<i>Ricinus communis</i>	Castorbean	Euphorbiaceae
<i>Rotala rotundifolia</i>	Dwarf Rotala, Roundleaf Toothcup	Lythraceae
<i>Ruellia blechum</i>	Browne's Blechum	Acanthaceae
<i>Sansevieria hyacinthoides</i>	Bowstring Hemp, Mother-in-Law's Tongue	Ruscaceae
<i>Sesbania punicea</i>	Rattlebox	Fabaceae
<i>Solanum diphyllum</i>	Twolobe Nightshade	Solanaceae
<i>Solanum torvum</i>	Turkeyberry	Solanaceae
<i>Sphagneticola trilobata</i>	Creeping Oxeye	Asteraceae
<i>Stachytarpheta cayennensis</i>	Nettleleaf Velvetberry	Verbenaceae
<i>Syagrus romanzoffiana</i>	Queen Palm	Arecaceae
<i>Syzygium jambos</i>	Malabar Plum, Rose Apple	Myrtaceae
<i>Talipariti tiliaceum</i>	Sea Hibiscus, Mahoe	Malvaceae
<i>Terminalia catappa</i>	West Indian Almond	Combretaceae
<i>Terminalia muelleri</i>	Australian Almond	Combretaceae
<i>Tradescantia spathacea</i>	Moses-in-the-Cradle, Oyster-Plant, Boatlily	Commelinaceae
<i>Tribulus cistoides</i>	Burrnut, Jamaican Feverplant	Zygophyllaceae
<i>Vitex trifolia</i>	Simpleleaf Chastetree	Lamiaceae
<i>Washingtonia robusta</i>	Washington Fan Palm	Arecaceae
<i>Xanthosoma sagittifolium</i>	Arrowleaf Elephantear	Araceae